

Printing date 19.12.2022

Version number 7

Revision: 01.12.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: Original ATE Cylinder Paste

Article number: 03.9902-05xx.x / 7000xx

**1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

Application of the substance / the mixture Technical preservative and anti-corrosion agent

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:
Continental Aftermarket & Services GmbH
Sodener Straße 9
D-65824 Schwalbach am Taunus
Tel: +49-6196-87-0

Further information obtainable from: Gefahrstoffmanagement Konzern, Zentrales Materiallabor ate.sicherheit@contiautomotive.com

1.4 Emergency telephone number: +49-6132-84463 (24 h) 190 languages spoken

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008

The product is classified according to the CLP regulation.

Hazard pictograms GHS09

#### Signal word Void Hazard statements

H411 Toxic to aquatic life with long lasting effects.

# Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

- P102 Keep out of reach of children.
- P103 Read carefully and follow all instructions.
- P273 Avoid release to the environment.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT: Not applicable.

**vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

**Description:** Mixture of substances listed below with nonhazardous additions.

CAS: 5892-47-7 EINECS: 227-572-6 2,4,6-Tri-sec-butylphenol Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Sk		
EINECS: 227-572-6 Aquatic Acute 1, H400: Aquatic Chronic 1, H410: Sk		<10%
Reg.nr.: 01-2119978209-24- 0000	Irrit.	

i. on page 2)



Printing date 19.12.2022

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 7

Revision: 01.12.2022

#### Trade name: Original ATE Cylinder Paste

	(Contd. c	of page 1)
CAS: 15520-05-5	2,2'-(Octylimino)bisethanol	<3%
EINECS: 239-555-0 Reg.nr.: 01-2120136161-71- 0000 01-2120136161-71- 0001	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
CAS: 85507-95-5 EINECS: 287-418-9	9-Oxadeceonic acid (Z)-compd.with N-coco alkyl-1,1'- iminobis(2-propanol)	<1%
Reg.nr.: 01-2120115532-69- 0000	Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	

#### SVHC

Does not contain any or < 0,1% SVHC according to Regulation (EC) No 1907/2006 (REACH), Article 57.

Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information: Remove contaminated clothes and shoes immediately.

After inhalation: Supply fresh air and to be sure call for a doctor.

#### After skin contact:

Treat affected skin with cotton wool or cellulose. Then wash and rinse thoroughly with water and a mild cleaning agent.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. **After swallowing:** Call a doctor immediately.

#### **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

# May be released in case of fire: CO, CO2, NOx

# 5.3 Advice for firefighters

# Protective equipment:

Wear self-contained respiratory protective device. Do not inhale explosion gases or combustion gases.

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

# 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

(Contd. on page 3)



Printing date 19.12.2022

Version number 7

Revision: 01.12.2022

#### Trade name: Original ATE Cylinder Paste

#### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

7.1 Precautions for safe handling Open and handle receptacle with care. Information about fire - and explosion protection: No special measures required.

# 7.2 Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store cool and dry. Information about storage in one common storage facility: Store away from flammable substances. Store away from foodstuffs. Further information about storage conditions: This product is hygroscopic. Store in dry conditions.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

**Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be

monitored at the workplace.

#### 8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals. Avoid contact with the eyes and skin.

Use skin protection cream for skin protection.

Respiratory protection: Not necessary if room is well-ventilated.

#### Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### Penetration time of glove material

Butyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm **Eye/face protection** Safety glasses

Environmental exposure controls See section 6 and 7. No additional measures necessary.

SECTION 9: Physical	and chemical properties
---------------------	-------------------------

9.1 Information on basic physical and chemical properties General Information Physical state Solid

(Contd. on page 4)

IE



Printing date 19.12.2022

Safety data sheet according to 1907/2006/EC, Article 31

Version number 7

Revision: 01.12.2022

# Trade name: Original ATE Cylinder Paste

eristic ermined. (FMVSS 116) ermined. ermined. (DIN EN 22719 / ISO 2719) (DIN 51794) ermined.
ermined. (FMVSS 116) ermined. ermined. ermined. (DIN EN 22719 / ISO 2719) (DIN 51794) ermined. licable. licable.
mined. C (FMVSS 116) ermined. ermined. c (DIN EN 22719 / ISO 2719) C (DIN 51794) ermined. licable. licable.
C (FMVSS 116) ermined. ermined. C (DIN EN 22719 / ISO 2719) C (DIN 51794) ermined. licable.
ermined. ermined. c (DIN EN 22719 / ISO 2719) c (DIN 51794) ermined. licable. licable.
ermined. ermined. c (DIN EN 22719 / ISO 2719) c (DIN 51794) ermined. licable. licable.
ermined. ermined. C (DIN EN 22719 / ISO 2719) C (DIN 51794) ermined. licable. licable.
ermined. c (DIN EN 22719 / ISO 2719) c (DIN 51794) ermined. licable. licable.
ermined. c (DIN EN 22719 / ISO 2719) c (DIN 51794) ermined. licable. licable.
; (DIN EN 22719 / ISO 2719) ; (DIN 51794) ermined. licable. licable.
C(DIN 51794) ermined. licable. licable.
licable. licable.
licable. licable.
licable.
licable.
licable.
e.
ermined.
ermined.
licable.
n 3.
er relevant information available.
is not selfigniting.
does not present an explosion hazard.
licable.



Printing date 19.12.2022

Version number 7

Revision: 01.12.2022

(Contd. of page 4)

#### Trade name: Original ATE Cylinder Paste

**Desensitised explosives** 

Void

#### **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

#### LD/LC50 values relevant for classification:

5892-47-7 2,4,6-Tri-sec-butylphenol

Oral |LD50 |>2,000 mg/kg (rat)

15520-05-5 2,2'-(Octylimino)bisethanol

Oral LD50 1,157 mg/kg (rat) (OECD 401)

Dermal LD50 >2,000 mg/kg (rat) (OECD 402)

Skin corrosion/irritation Slight irritant effect - does not require labelling.

Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met. Reproductive toxicity Based on available data, the classification criteria are not met. STOT-single exposure Based on available data, the classification criteria are not met.

**STOT-repeated exposure** Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met. Additional toxicological information:

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) None.

11.2 Information on other hazards

#### Endocrine disrupting properties

None of the ingredients are listed.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxic	ity:	
5892-47-7 2,4,	,6-Tri-sec-butylphenol	
EC50	0.675 mg/l (daphnia) (OECD 202 48 h)	
LC50 (static)	2.2-5 mg/L (fish) (OECD 203 96 h)	
NOEC	0.0675 mg/L (Algae)	
ErC50 (static)	0.391 mg/L (Algae) (OECD 201 72 h)	
ErC10 (static)	0.258 mg/L (Algae) (OECD 201 72 h)	
	5892-47-7 2,4 EC50 LC50 (static) NOEC ErC50 (static)	LC50 (static) 2.2-5 mg/L (fish) (OECD 203 96 h)

(Contd. on page 6)

IF



Printing date 19.12.2022

Version number 7

Revision: 01.12.2022

#### Trade name: Original ATE Cylinder Paste

EC50 (static)	1.35 mg/l (Algae) (OECD 201 72 h)	
	>100 mg/l (bacteria) (OECD 209)	
	19.1 mg/l (daphnia) (OECD 202 48 h)	
LC50	22 mg/L (fish) (OECD 203 96 h)	
ErC10 (static)	0.402 mg/L (Algae) (OECD 201 72 h)	
	nce and degradability	
	s, corresponding to the desired stability, heavily biodegradable.	
	mulative potential No further relevant information available.	
	in soil No further relevant information available.	
12.5 Results	of PBT and vPvB assessment	
PBT: Not appl	icable.	
vPvB: Not ap	plicable.	
12.6 Endocrir	ne disrupting properties	
	oes not contain substances with endocrine disrupting properties.	
	verse effects	
Additional ec	ological information:	
General note		
Water hazard	class 2 (German Regulation) (Self-assessment): hazardous for water	
	roduct to reach ground water, water course or sewage system.	

#### 13.1 Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

#### Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

# **Uncleaned packaging:**

#### **Recommendation:**

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

# **SECTION 14: Transport information**

IRONMENTALLY HAZARDOUS ICE, SOLID, N.O.S. (2,4,6-Tri-sec-
ICE SOLID NOS (216-Tri-sec-
NOL, OOLID, N.O.O. (2,4,0-111-360-
ol)
IMENTALLY HAZARDOUS
ICE, SOLID, N.O.S. (2,4,6-Tri-sec-
ol), MARINE POLLUTANT
IMENTALLY HAZARDOUS
ICE, SOLID, N.O.S. (containing 2,4,6-Tri-
whenol)



Version number 7

Revision: 01.12.2022

# Trade name: Original ATE Cylinder Paste

Printing date 19.12.2022

14.3 Transport hazard class(es)	(Contd. of pa
ADR, IMDG, IATA	
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards:	Product contains environmentally hazardous substances: 2,4,6-Tri-sec-butylphenol
Marine pollutant:	Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances a articles.
Danger code: EMS Number:	90 F-A,S-F
Stowage Category	A
Stowage Code	SW23 When transported in BK3 bulk container, s 7.6.2.12 and 7.7.3.9.
14.7 Maritime transport in bulk accordi IMO instruments	<b>ng to</b> Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000
Transport category	3
Tunnel restriction code Remarks:	(-) Emergency CONTACT (24-Hour-Number)
Nemarka.	GBK/Infotrac ID 110607: (USA domestic) 1 800 5
	5053 or international (001) 352 323 3500
	Special Provision 375
IMDG	
Limited quantities (LQ) Excepted quantities (EQ)	5 kg Code: E1
	Maximum net quantity per inner packaging: 30 g
Remarks:	Maximum net quantity per outer packaging: 1000 Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 110607: (USA domestic) 1 800 5
	5053 or international (001) 352 323 3500 Special Provision 2.10.2.7
ΙΑΤΑ	
Remarks:	Emergency CONTACT (24-Hour-Number) GBK/Infotrac ID 110607: (USA domestic) 1 800 5 5053
	3033

— IE



Printing date 19.12.2022

Version number 7

Revision: 01.12.2022

#### Trade name: Original ATE Cylinder Paste

	(Contd. of page 7
	or international (001) 352 323 3500 Special Provision A197
UN "Model Regulation":	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (2,4,6-TRI-SEC- BUTYLPHENOL), 9, III

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients are listed.

Seveso category E2 Hazardous to the Aquatic Environment

Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

**REGULATION (EU) 2019/1148** 

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients are listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients are listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients are listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients are listed.

#### National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

**Recommended restriction of use** For industrial or professional purposes only.

#### Department issuing SDS:

Gefahrstoffmanagement Konzern ate.sicherheit@contiautomotive.com

(Contd. on page 9)

IE



Printing date 19.12.2022

Version number 7

Revision: 01.12.2022

# Trade name: Original ATE Cylinder Paste

	(Contd. of page 8)
Date of previous version: 31.01.2020	
Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (Euro	noon Agroomont Concorning
the International Carriage of Dangerous Goods by Road)	pean Agreement Concerning
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category r	nry 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Catego	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Catego	
Sources	
http://echa.europa.eu/information-on-chemicals/cl-inventory	
http://echa.europa.eu/web/guest/information-on-chemicals/registered-substa	ances
http://www.reach-clp-biozid-helpdesk.de/de/Downloads/CLP-VO/CLP_VO_A	
http://www.safeworkaustralia.gov.au/	<u> </u>
* Data compared to the previous version altered.	