

# ATE New Parts ATE Neuteile

**03/2024**



**Brakethrough Technology**

## EN Table of contents

|                          |
|--------------------------|
| Index of vehicles        |
| Product details          |
| Applications of vehicles |
| Technical translations   |

## DE Inhaltsverzeichnis

|    |                          |
|----|--------------------------|
| 3  | Herstellerverzeichnis    |
| 6  | Produktdetails           |
| 21 | Fahrzeugverwendungen     |
| 54 | Technische Übersetzungen |

## ES Índice

|    |                          |    |
|----|--------------------------|----|
| 3  | Índice de vehículos      | 3  |
| 6  | Descripción del producto | 6  |
| 21 | Aplicaciones             | 21 |
| 54 | Traducciones técnicas    | 54 |

## FR Table des matières

|                         |
|-------------------------|
| Liste des véhicules     |
| Présentation du produit |
| Applications            |
| Traductions techniques  |

## IT Sommario

|    |                          |    |
|----|--------------------------|----|
| 3  | Indice autovetture       | 3  |
| 6  | Panoramica prodotti      | 6  |
| 21 | Applicazioni autoveicoli | 21 |
| 54 | Traduzioni tecniche      | 54 |





- EN** Index of vehicles
- DE** Herstellerverzeichnis
- ES** Índice de vehículos
- FR** Liste des véhicules
- IT** Indice autovettura

**3/2024**



**AUDI 22**

|  |    |
|--|----|
| 80 B2 Saloon (811, 813, 814, 819, 853) | 22 |
| 80 B3 Saloon (893, 894, 8A2)           | 22 |
| 90 B2 Sedan (813, 814, 853)            | 22 |
| 90 B3 Sedan (893, 894, 8A2)            | 22 |
| A1 City Carver (GBH)                   | 22 |
| A1 Sportback (GBA)                     | 22 |
| A3 Limousine (8VS, 8VM)                | 22 |
| A3 Sportback (8VA, 8VF)                | 22 |
| CABRIOLET B3 (8G7)                     | 22 |
| COUPE B3 (89, 8B3)                     | 23 |
| Q3 (8UB, 8UG)                          | 23 |
| TT (FV3, FVP)                          | 23 |
| TT Roadster (FV9, FVR)                 | 23 |

**BMW 23**

|                          |    |
|--------------------------|----|
| 2 Active Tourer (U06)    | 23 |
| 3 (G20, G80, G28)        | 23 |
| 3 Touring (G21, G81)     | 24 |
| 3 Touring Van (G21)      | 24 |
| 4 Convertible (G23, G83) | 24 |
| 4 Coupe (G22, G82)       | 24 |
| 5 (G30, F90)             | 25 |
| 5 Touring (G31)          | 25 |
| 5 Touring Van (G31)      | 26 |
| 6 Gran Turismo (G32)     | 27 |
| 7 (G11, G12)             | 27 |
| iX3 (G08)                | 27 |
| X1 (U11)                 | 27 |
| X2 (U10)                 | 27 |
| X3 (G01, F97)            | 28 |
| X3 Van (G01)             | 29 |
| X4 (G02, F98)            | 29 |
| X5 (G05, F95)            | 29 |
| XM (G09)                 | 30 |
| Z4 Roadster (G29)        | 30 |

**CITROËN 30**

|                           |    |
|---------------------------|----|
| C3 II (SC_)               | 30 |
| C3 II Hatchback Van (SC_) | 30 |
| C4 II (NC_)               | 30 |
| C4 II Hatchback Van (NC_) | 31 |
| C4 II Saloon (NC_)        | 31 |
| C-ELYSEE (DD_)            | 31 |
| DS3 (SA_)                 | 31 |
| DS3 Convertible           | 32 |
| DS4 (NX_)                 | 32 |

**DACIA 32**

|                 |    |
|-----------------|----|
| DUSTER (HM_)    | 32 |
| DUSTER (HS_)    | 32 |
| DUSTER SUV Van  | 32 |
| LOGAN II        | 32 |
| LOGAN III (3K_) | 33 |
| LOGAN MCV II    | 33 |
| SANDERO II      | 33 |
| SANDERO III     | 33 |

**DS 33**

|                             |    |
|-----------------------------|----|
| DS 3 (SA_)                  | 33 |
| DS 3 Convertible (SB_)      | 33 |
| DS 4 / DS 4 CROSSBACK (NX_) | 34 |

**FIAT 34**

|                                |    |
|--------------------------------|----|
| DUCATO Bus (250_)              | 34 |
| DUCATO Platform/Chassis (250_) | 34 |
| DUCATO Van (250_)              | 34 |
| FIORINO Box Body/MPV (225_)    | 35 |
| FIORINO MPV (225_)             | 35 |
| PUNTO (188_)                   | 35 |
| PUNTO (199_)                   | 35 |
| PUNTO EVO (199_)               | 36 |
| PUNTO EVO Hatchback Van (199_) | 36 |
| PUNTO Hatchback Van (199_)     | 36 |
| QUBO (225_)                    | 36 |

**FORD 36**

|                                   |    |
|-----------------------------------|----|
| FIESTA VII (HJ, HF)               | 36 |
| FIESTA VII Van                    | 37 |
| KUGA I                            | 37 |
| KUGA II (DM2)                     | 37 |
| KUGA II VAN                       | 37 |
| KUGA I VAN                        | 37 |
| TOURNEO CONNECT / GRAND           | 37 |
| TOURNEO CONNECT V408 MPV          | 37 |
| TRANSIT CONNECT MPV               | 38 |
| TRANSIT CONNECT V408 Box Body/MPV | 38 |

**JEEP 38**

|                             |    |
|-----------------------------|----|
| COMMANDER (XK, XH)          | 38 |
| COMMANDER VAN (XH)          | 38 |
| GRAND CHEROKEE III (WH, WK) | 38 |

**LAND ROVER 38**

|                            |    |
|----------------------------|----|
| RANGE ROVER SPORT I (L320) | 38 |
|----------------------------|----|

**LEXUS 38**

|                          |    |
|--------------------------|----|
| ES (_Z10_, _A10_, _H10_) | 38 |
| NX (_Z1_)                | 39 |
| UX (_AA1_, _AH1_, _MA1_) | 39 |

**MERCEDES-BENZ 39**

|                            |    |
|----------------------------|----|
| C-CLASS (W206)             | 39 |
| C-CLASS T-MODEL (S206)     | 39 |
| CLE (C236)                 | 39 |
| CLE Convertible (A236)     | 39 |
| E-CLASS (W214)             | 39 |
| E-CLASS All-Terrain (S214) | 39 |
| E-CLASS T-Model (S214)     | 39 |
| GLC (X254)                 | 40 |
| GLC Coupe (C254)           | 40 |
| S-CLASS (V223)             | 40 |
| S-CLASS (W222, V222, X222) | 40 |
| S-CLASS (W223)             | 40 |
| S-CLASS Convertible (A217) | 41 |
| S-CLASS Coupe (C217)       | 41 |

**MINI 41**

|                       |    |
|-----------------------|----|
| MINI COOPER (J01)     | 41 |
| MINI COUNTRYMAN (U25) | 41 |

**MITSUBISHI 41**

|                                      |    |
|--------------------------------------|----|
| PAJERO CLASSIC (V2_W, V6_W, V7_W)    | 41 |
| PAJERO IV Van (V9_, V8_, V8_V)       | 41 |
| PAJERO IV Wagon Hardtop (V8_W, V9_W, | 41 |
| NS, NT, NW, NX)                      |    |
| ZINGER MPV (KB0_A)                   | 41 |

**NISSAN 41**

|                |    |
|----------------|----|
| MICRA II (K11) | 42 |
| MICRA V (K14)  | 42 |

**OPEL 42**

|                                |    |
|--------------------------------|----|
| ASTRA K (B16)                  | 42 |
| ASTRA K Estate Van             | 42 |
| ASTRA K Hatchback Van          | 42 |
| ASTRA K Sports Tourer (B16)    | 42 |
| ZAFIRA / ZAFIRA FAMILY B (A05) | 42 |
| ZAFIRA B Box Body/MPV (A05)    | 43 |

**PEUGEOT 43**

|                         |    |
|-------------------------|----|
| 2008 I (CU_)            | 43 |
| 208 Hatchback Van (CR_) | 43 |
| 208 I (CA_, CC_)        | 43 |
| 301                     | 43 |

**PORSCHE 43**

|                          |    |
|--------------------------|----|
| 718 BOXSTER (982)        | 43 |
| 718 BOXSTER Spyder (982) | 43 |
| 718 CAYMAN (982)         | 43 |
| 911 (991)                | 43 |
| 911 Convertible (991)    | 43 |
| 911 Targa (991)          | 44 |
| MACAN (95B)              | 44 |

**RENAULT 44**

|                                    |    |
|------------------------------------|----|
| ARKANA I (LCM_, LDN_)              | 44 |
| CLIO V (B7_)                       | 44 |
| DUSTER (HM_)                       | 44 |
| KAPTUR (H5_)                       | 44 |
| LOGAN/STEPWAY II (L8_)             | 44 |
| LOGAN II Estate (K8_)              | 44 |
| MEGANE II (BM0/1_, CM0/1_)         | 45 |
| MEGANE II Coupé-Cabriolet (EM0/1_) | 45 |
| MEGANE II Estate (KM0/1_)          | 45 |
| MEGANE II Estate Van (KM_)         | 45 |
| MEGANE II Hatchback Van (KM0/2_)   | 45 |
| MEGANE II Saloon (LM0/1_)          | 46 |
| SANDERO/STEPWAY II (B8_)           | 46 |
| TALIENT                            | 46 |
| THALIA III (L8_)                   | 46 |

**SEAT 46**

|                     |    |
|---------------------|----|
| ALHAMBRA (710, 711) | 46 |
| ALHAMBRA VAN (711)  | 46 |
| ARONA (KJ7, KJP)    | 46 |
| IBIZA V (KJ1, KJG)  | 47 |

**SKODA 47**

|             |    |
|-------------|----|
| KAMIQ (NW4) | 47 |
| SCALA (NW1) | 47 |

**SSANGYONG 47**

|              |    |
|--------------|----|
| TIVOLI       | 47 |
| TIVOLI GRAND | 47 |
| XLV SUV      | 47 |
| XLV VAN      | 47 |

**SUZUKI 47**

|              |    |
|--------------|----|
| SWACE (AMZ_) | 48 |
|--------------|----|

**TOYOTA 48**

|                                  |    |
|----------------------------------|----|
| AVENSIS Estate (_T27_)           | 48 |
| AVENSIS Saloon (_T27_)           | 48 |
| CAMRY (_V7_, _VA7_, _VH7_)       | 48 |
| C-HR (_X1_)                      | 48 |
| C-HR VAN (_X1_)                  | 48 |
| COROLLA COMMERCIAL (_E21_)       | 48 |
| COROLLA Cross (ZVG1_, ZSG1_,     | 48 |
| MXGH1_, MXGA1_)                  |    |
| COROLLA Estate (_E21_)           | 49 |
| COROLLA Hatchback (_E21_, _EA1_, | 49 |
| _EH1_)                           |    |
| COROLLA Saloon (_E21_)           | 49 |
| PRIUS PHV (_W52_)                | 49 |
| RAV 4 V (_A5_, _H5_)             | 49 |
| RAV 4 V VAN (_A5_, _H5_)         | 49 |
| SUPRA (DB_)                      | 49 |
| YARIS CROSS (MXP_)               | 50 |

**VAUXHALL 50**

|                               |    |
|-------------------------------|----|
| ASTRA Mk VII (K) (B16)        | 50 |
| ASTRA Mk VII (K) Estate (B16) | 50 |

**VOLVO 50**

|                        |    |
|------------------------|----|
| 240 Kombi (P245)       | 50 |
| 240 Sedan (P242, P244) | 50 |





## **VOLVO** 50

|                      |    |
|----------------------|----|
| 740 Kombi (745)      | 50 |
| 740 Saloon (744)     | 51 |
| 760 Kombi (704, 765) | 51 |
| 760 Sedan (704, 764) | 51 |
| 940 II (944)         | 51 |
| 940 II Estate (945)  | 51 |
| 940 Kombi (945)      | 52 |
| 940 Sedan (944)      | 52 |
| 960 (964)            | 52 |
| 960 Kombi (965)      | 52 |

## **VW** 52

|                                    |    |
|------------------------------------|----|
| CRAFTER Bus (SYI, SYJ)             | 52 |
| CRAFTER Platform/Chassis (SZ_)     | 52 |
| CRAFTER Van (SY_, SX_)             | 52 |
| GRAND CALIFORNIA Camper (SCB, SCC) | 52 |
| POLO VI (AW1, BZ1, AE1)            | 53 |
| SHARAN (7N1, 7N2)                  | 53 |
| T-CROSS (C11, D31)                 | 53 |




- EN** Product details
- DE** Produktdetails
- ES** Descripción del producto
- FR** Présentation du produit
- IT** Panoramica prodotti

**3/2024**

03.0137-0543.2

650543



**Brake Shoe Set**

Test Mark: E11 90R- / 02B01260/35744

Supplementary Article/Supplementary Info: + HEB

MAPP code available:


Width [mm]: 32

Brake diameter, inside [mm]: 203

**NISSAN**

03.0137-3056.2

653056



**Brake Shoe Set, parking brake**

Test Mark: E11 90R- / 02B01261/35750

Supplementary Article/Supplementary Info: - HEB

MAPP code available:


Width [mm]: 31

Brake diameter, inside [mm]: 205

**JEEP**

03.0137-3058.2

653058



**Brake Shoe Set, parking brake**

Test Mark: E11 90R- / 02B01261/35762

Supplementary Article/Supplementary Info: - HEB

MAPP code available:

Width [mm]: 40

Brake diameter, inside [mm]: 210

**MITSUBISHI**

03.0137-9709.2

669709


**Accessory Kit, parking brake shoes**

Diameter 1 [mm]: 22

Diameter 2 [mm]: 18.6


MAPP code available:

**VW**



13.0460-2660.2

602660




**Brake Pad Set, disc brake**

Height 2 [mm]: 62.1  
 Thickness [mm]: 16.8  
 MAPP code available:  
 Width [mm]: 116.9  
 Brake System: TRW  
 Test Mark: E1 90R-02A0997/0854  
 Wear Warning Contact: + WE / - WK  
 Height 1 [mm]: 72  
 Article number of recommended accessories: 24.8190-0067.2

**MERCEDES-BENZ**

13.0460-2664.2

602664




**Brake Pad Set, disc brake**

Height 2 [mm]: 42.8  
 Thickness [mm]: 18.3  
 MAPP code available:  
 Width [mm]: 102.1  
 Test Mark: E1 90R-02A0856/0864  
 Wear Warning Contact: + WE / - WK  
 Supplementary Article/Supplementary Info: + Zub  
 Number of bolts/screws: 4  
 Height 1 [mm]: 45.7  
 Supplementary Article/Info 2: with brake caliper screws

**BMW, MINI**

13.0460-4720.2

604720



**Brake Pad Set, disc brake**

Number of wear indicators [per axle]: 1  
 Thickness [mm]: 17  
 MAPP code available:  
 Width [mm]: 97.3  
 Height [mm]: 74  
 Brake System: BRE  
 Test Mark: E9 90R-02A1666/0810  
 Wear Warning Contact: + WK  
 Warning Contact Length [mm]: 315


**AUDI**





13.0470-2664.2

LD2664



**Brake Pad Set, disc brake**

Height 2 [mm]: 42.8

Thickness [mm]: 18.3

MAPP code available:

Width [mm]: 102.1

Test Mark: E1 90R-02A0258/0865

Wear Warning Contact: + WE / - WK

Supplementary Article/Supplementary Info: + Zub

Number of bolts/screws: 4


Height 1 [mm]: 45.7

Supplementary Article/Info 2: with brake caliper screws

**BMW, MINI**

24.0110-0423.1

410423



**Brake Disc**

Bolt Hole Circle Ø [mm]: 110

Bore Ø [mm]: 14.2

Number of Holes: 5

Centering Diameter [mm]: 65.5

MAPP code available:

Minimum thickness [mm]: 8

Height [mm]: 45

Test Mark: E1 90R-02C0165/0635

Brake Disc Thickness [mm]: 10

Brake Disc Type:

Inner Diameter [mm]: 145

Outer Diameter [mm]: 264

Surface: B

Supplementary Article/Info 2: + S

**OPEL**

24.0111-0194.1

411194



**Brake Disc**

Bolt Hole Circle Ø [mm]: 108

Bore Ø [mm]: 15.8

Number of Holes: 5

Centering Diameter [mm]: 63.5

MAPP code available:

Minimum thickness [mm]: 9

Height [mm]: 50.7

Test Mark: E1 90R-02C0165/0359

Brake Disc Thickness [mm]: 11

Brake Disc Type:

Inner Diameter [mm]: 153.5

Outer Diameter [mm]: 280

Surface: B

**FORD**

24.0111-0196.1

411196




**Brake Disc**

Bolt Hole Circle Ø [mm]: 108  
Bore Ø [mm]: 13.8  
Number of Holes: 5  
Centering Diameter [mm]: 63.5  
MAPP code available:  
Minimum thickness [mm]: 9.5  
Height [mm]: 50.8  
Test Mark: E1 90R-02C0165/1158  
Machining: HC L  
Brake Disc Thickness [mm]: 11  
Brake Disc Type:  
Inner Diameter [mm]: 187.4  
Outer Diameter [mm]: 316  
Surface: B

**FORD**

24.0112-0228.1

412228



**Brake Disc**

Bolt Hole Circle Ø [mm]: 114.3  
Bore Ø [mm]: 14.5  
Number of Holes: 5  
Centering Diameter [mm]: 62  
MAPP code available:  
Minimum thickness [mm]: 10.5  
Height [mm]: 44.5  
Test Mark: E1 90R-02C0165/0359  
Brake Disc Thickness [mm]: 12  
Brake Disc Type:  
Inner Diameter [mm]: 173.5  
Outer Diameter [mm]: 281  
Surface: B

**LEXUS, TOYOTA**



24.0120-0254.2

420254



**Brake Disc**

Bolt Hole Circle Ø [mm]: 112

Bore Ø [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 67

paired article number: 24.0120-0255.2

MAPP code available:

Minimum thickness [mm]: 18.4

Height [mm]: 64.2

Test Mark: E1 90R-02C0391/1281

Machining: HC

Brake Disc Thickness [mm]: 20

Brake Disc Type: two-part brake disc / Vented


Inner Diameter [mm]: 186.8

Outer Diameter [mm]: 330

Surface: B

Supplementary Article/Info 2: + S

**BMW, TOYOTA**



|  | A     | B    | C    | D    | E     | F(x) | G    | H     | I    |
|--|-------|------|------|------|-------|------|------|-------|------|
|  | 330,0 | 20,0 | 18,4 | 64,2 | 112,0 | 5    | 67,0 | 186,8 | 16,5 |

24.0120-0255.2

420255



**Brake Disc**

Bolt Hole Circle Ø [mm]: 112

Bore Ø [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 67

paired article number: 24.0120-0254.2

MAPP code available:

Minimum thickness [mm]: 18.4

Height [mm]: 64.2

Test Mark: E1 90R-02C0391/1281

Machining: HC

Brake Disc Thickness [mm]: 20

Brake Disc Type: two-part brake disc / Vented


Inner Diameter [mm]: 186.8

Outer Diameter [mm]: 330

Surface: B

Supplementary Article/Info 2: + S

**BMW, TOYOTA**



|  | A     | B    | C    | D    | E     | F(x) | G    | H     | I    |
|--|-------|------|------|------|-------|------|------|-------|------|
|  | 330,0 | 20,0 | 18,4 | 64,2 | 112,0 | 5    | 67,0 | 186,8 | 16,5 |

24.0123-0127.1

423127




**Brake Disc**

Bolt Hole Circle Ø [mm]: 108  
Bore Ø [mm]: 13.7  
Number of Holes: 4  
Centering Diameter [mm]: 63.6  
MAPP code available:  
Minimum thickness [mm]: 21  
Height [mm]: 43.9  
Test Mark: E1 90R-02C0115/1273  
Brake Disc Thickness [mm]: 23  
Brake Disc Type: Vented  
Inner Diameter [mm]: 135.8  
Outer Diameter [mm]: 262  
Surface: B

**FORD**

24.0123-0128.1

423128



**Brake Disc**

Bolt Hole Circle Ø [mm]: 112  
Bore Ø [mm]: 12.4  
Number of Holes: 5  
Centering Diameter [mm]: 67  
MAPP code available:  
Minimum thickness [mm]: 21  
Height [mm]: 37  
Test Mark: E1 90R-02C0115/1061  
Brake Disc Thickness [mm]: 23  
Brake Disc Type: Vented  
Inner Diameter [mm]: 146  
Outer Diameter [mm]: 298  
Surface: B

**SSANGYONG**



24.0124-0264.2

424264

**Brake Disc**

Bolt Hole Circle Ø [mm]: 112

Bore Ø [mm]: 16.5

Number of Holes: 5

Centering Diameter [mm]: 67

MAPP code available:

Minimum thickness [mm]: 22.4

Height [mm]: 66.2

Test Mark: E1 90R-02C0679/1309

Machining: HC

Brake Disc Thickness [mm]: 24


Brake Disc Type: two-part brake disc / Vented

Inner Diameter [mm]: 153.7

Outer Diameter [mm]: 330

Surface: B

Supplementary Article/Info 2: + S

**BMW, TOYOTA**Abbildung ähnlich  
Illustration similar

|  | A     | B    | C    | D    | E     | F(x) | G    | H     | I    |
|--|-------|------|------|------|-------|------|------|-------|------|
|  | 330,0 | 24,0 | 22,4 | 66,2 | 112,0 | 5    | 67,0 | 153,7 | 16,5 |

24.0711-5807.4

360645

**Wheel Speed Sensor**

Length [mm]: 600

MAPP code available:

**MERCEDES-BENZ**

24.0711-5808.4

360646

**Wheel Speed Sensor**

Length [mm]: 953

MAPP code available:

**MERCEDES-BENZ**

24.0711-6432.3

360658

**Wheel Speed Sensor**

MAPP code available:

Supplementary Article/Info 2: without cable

**AUDI, SEAT, SKODA, VW**

24.0711-6433.3

360659



**Wheel Speed Sensor**

MAPP code available:

Supplementary Article/Info 2: without cable

**AUDI, SEAT, SKODA, VW**

24.1294-0020.3

331715



**Brake Hose**

Spanner Size: 11

External Thread 1 [mm]: M10x1

External Thread 2 [mm]: M10x1

Supplementary Article/Supplementary Info: with pipe

Length [mm]: 195

MAPP code available:

**RENAULT**

24.2119-1715.3

011095



**Brake Master Cylinder**

Thread Size 1: M10x1

Diameter [mm]: 19

Number of connectors: 4

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 36.5

Length 2 [mm]: 105

**NISSAN**

24.3220-1761.3

020618



**Wheel Brake Cylinder**

Material: ALU

MAPP code available:

Piston Diameter [mm]: 20.6

**DACIA, RENAULT**

24.3222-1751.3

020613



**Wheel Brake Cylinder**

Material: ALU

paired article number: 24.3222-1752.3

MAPP code available:

Piston Diameter [mm]: 22.2

**DACIA, RENAULT**



24.3222-1752.3

020614



**Wheel Brake Cylinder**

Material: ALU

paired article number: 24.3222-1751.3

MAPP code available:

Piston Diameter [mm]: 22.2

**DACIA, RENAULT**

24.4120-1714.3

011110



**Brake Master Cylinder**

Diameter [mm]: 20.6

Thread Size: M10x1

Number of connectors: 4

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 5

Length 2 [mm]: 116

**DACIA, RENAULT**

24.4122-1726.3

011096



**Brake Master Cylinder**

Diameter [mm]: 22.2

Thread Size: M12x1

Number of connectors: 2

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 20

Length 2 [mm]: 99

**CITROËN, PEUGEOT**

24.4122-1727.3

011098



**Brake Master Cylinder**

Diameter [mm]: 22.2

Thread Size: M10x1

Number of connectors: 2

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 32

Length 2 [mm]: 84

**FIAT**

**24.4123-1726.3****011099****Brake Master Cylinder**

Diameter [mm]: 23.8

Thread Size: M12x1

Number of connectors: 2

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 32

Length 2 [mm]: 84

**CITROËN, DS****24.4123-1732.3****011101****Brake Master Cylinder**

Diameter [mm]: 23.8

Thread Size: M12x1

Number of connectors: 2

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 31.8

**TOYOTA****24.4123-1734.3****011130****Brake Master Cylinder**

Diameter [mm]: 23.8

Thread Size: M12x1

Number of connectors: 2

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 19.5

Length 2 [mm]: 99

**CITROËN, DS, PEUGEOT****24.4123-1735.3****011131****Brake Master Cylinder**

Diameter [mm]: 23.8

Thread Size: M10x1

Number of connectors: 2

Material: Cast Aluminium

MAPP code available:

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 20

Length 2 [mm]: 99

**CITROËN**



**24.4125-1711.3****011111****Brake Master Cylinder**

Diameter [mm]: 25.4

Thread Size: M12x1

Number of connectors: 2

Material: Cast Aluminium

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 10.5

Length 2 [mm]: 125.5

**FIAT****24.4125-1712.3****011112****Brake Master Cylinder**

Diameter [mm]: 25.4

Thread Size: M10x1


Number of connectors: 2

Material: Cast Aluminium

Supplementary Article/Info 2: without brake fluid reservoir

Length 1 [mm]: 10

Length 2 [mm]: 125.5

**FIAT****24.5103-0305.3****331732****Brake Hose**

Internal Thread [mm]: M10x1


External Thread [mm]: M10x1

Length [mm]: 335

MAPP code available:

Spanner size 1 [mm]: 14

Spanner size 2 [mm]: 14

**VOLVO****24.5105-0435.3****331737****Brake Hose**

Spanner Size: 14


Internal Thread [mm]: M10x1

External Thread [mm]: M10x1

Length [mm]: 465

MAPP code available:

**FORD**

**24.5201-0150.3****331738****Brake Hose**

Internal Thread 2 [mm]: M10x1

Length [mm]: 175

MAPP code available:

Internal Thread 1 [mm]: M10x1

Spanner size 1 [mm]: 14

Spanner size 2 [mm]: 14

**AUDI****24.6236-7005.5****241587****Brake Caliper**

Brake Caliper Type: + FSB

Vehicle Equipment: + eFSB

paired article number: 24.6236-7006.5

Brake System: TRW

Piston Diameter [mm]: 36

Service exchange part:

+ EMot

without holder

**OPEL, VAUXHALL****24.6236-7006.5****241588****Brake Caliper**

Brake Caliper Type: + FSB

Vehicle Equipment: + eFSB

paired article number: 24.6236-7005.5

Brake System: TRW

Piston Diameter [mm]: 36

Service exchange part:

+ EMot

without holder

**OPEL, VAUXHALL****24.6241-1713.5****241561****Brake Caliper**

Brake Caliper Type: + FSB

Vehicle Equipment: + eFSB

paired article number: 24.6241-1714.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 41

Service exchange part:

+ EMot

without holder

**AUDI, SEAT, VW**

24.6241-1714.5

241562



**Brake Caliper**

Brake Caliper Type: + FSB

Vehicle Equipment: + eFSB

paired article number: 24.6241-1713.5

MAPP code available:

Brake System: TRW

Piston Diameter [mm]: 41

Service exchange part:

+ EMot

without holder

**AUDI, SEAT, VW**

24.8190-0839.2

620839



**Warning Contact, brake pad wear**

Brake Type: Disc Brake

Length [mm]: 378

**PORSCHE**

24.8190-0840.2

620840



**Warning Contact, brake pad wear**

Brake Type: Disc Brake

Length [mm]: 1,213

**LAND ROVER**

24.8190-0841.2

620841



**Warning Contact, brake pad wear**

Brake Type: Disc Brake

Length [mm]: 880

**BMW**



**Warning Contact, brake pad wear**

Brake Type: Disc Brake

Length 1 [mm]: 236.4

Length 2 [mm]: 96

**PORSCHE**





**EN** Applications of vehicles

**DE** Fahrzeugverwendungen

















**ES** Aplicaciones















**FR** Applications













**IT** Applicazioni autoveicoli

**3/2024**

































|                                      | kW                                   |  |  |  |  | ! # |  |  |
|--|--------------------------------------|--|--|--|--|-----|--|--|
| <b>AUDI - 80 B2 Saloon (811, 813, 814, 819, 853) 08/78→03/87</b>   |                                      |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>                  |                                      |  |  |  |  |     |  |  |
| 1.3<br>1.6<br>1.6 D<br>1.6 TD<br>1.8   | 44<br>55<br>40<br>51<br>66           | 09/78→07/86<br>08/78→03/87<br>08/80→08/86<br>08/81→05/86<br>01/83→08/86          | ➡  | 06/84→; ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| 1.6<br>1.8<br>1.8 GTE  | 54<br>65<br>81 -<br>82               | 02/86→07/86<br>02/86→07/86<br>10/84→08/86  | ➡  | ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| <b>AUDI - 80 B3 Saloon (893, 894, 8A2) 06/86→10/91</b>   |                                      |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>                  |                                      |  |  |  |  |     |  |  |
| 1.6<br>1.8 S<br>1.9 D<br>2.0 E 16V   | 51 -<br>55<br>66<br>50<br>101        | 09/86→09/91<br>09/86→10/91<br>08/89→08/91<br>03/90→09/91                         | ➡  | → 07/91; ☐   |  |     | 24.5201-0150.3 331738  | L= 175   |
| 1.6<br>1.6 D<br>1.8<br>2.0 E   | 75<br>40<br>55 -<br>83<br>82 -<br>83 | 08/90→10/91<br>02/87→07/89<br>09/86→01/90<br>08/88→10/90                         | ➡  | ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| 1.6 TD   | 59                                   | 09/86→08/91  | ➡  | 04/88→ 07/91; ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| 1.8 E  | 82                                   | 06/86→08/91  | ➡  | 09/86→ 07/91; ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| 1.8 S  | 65                                   | 08/86→01/90  | ➡  | 09/86→; ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| <b>AUDI - 90 B2 Sedan (813, 814, 853) 08/84→07/88</b>  |                                      |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>                  |                                      |  |  |  |  |     |  |  |
| 1.6 TD<br>2.0<br>2.2   | 51<br>83 -<br>85<br>85 -<br>100      | 10/85→01/87<br>10/84→03/87<br>10/84→03/87  | ➡  | ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| <b>AUDI - 90 B3 Sedan (893, 894, 8A2) 04/87→09/91</b>  |                                      |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>                |                                      |  |  |  |  |     |  |  |
| 1.6 TD   | 59                                   | 04/87→09/91  | ➡  | 04/88→ 07/91; ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| 2.0<br>2.3 E   | 85<br>98                             | 07/88→09/91<br>04/87→09/91   | ➡  | → 07/91; ☐   |  |     | 24.5201-0150.3 331738  | L= 175   |
| 2.2 E<br>2.3 E<br>2.3 E 20V  | 100<br>100<br>125                    | 04/87→07/91<br>04/87→07/91<br>08/88→07/91  | ➡  | ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |
| <b>AUDI - A1 City Carver (GBH) 07/19→06/22</b>   |                                      |  |  |  |  |     |  |  |
|  <b>Wheel Speed Sensor</b>        |                                      |  |  |  |  |     |  |  |
| 25 TFSI<br>30 TFSI<br>35 TFSI  | 70<br>85<br>110                      | 07/19→06/22<br>07/19→06/22<br>07/19→06/22  | ➡  | → 07/20; ☐<br>07/20→; ☐  |  |     | 24.0711-6432.3 360658<br>24.0711-6433.3 360659                                     |  |
| <b>AUDI - A1 Sportback (GBA) 07/18→</b>  |                                      |  |  |  |  |     |  |  |
|  <b>Wheel Speed Sensor</b>        |                                      |  |  |  |  |     |  |  |
| 25 TFSI<br>30 TFSI<br>35 TFSI<br>40 TFSI   | 70<br>85<br>110<br>147               | 11/18→<br>07/18→<br>09/18→<br>09/18→   | ➡  | → 07/20; ☐<br>07/20→; ☐  |  |     | 24.0711-6432.3 360658<br>24.0711-6433.3 360659                                     |  |
| <b>AUDI - A3 Limousine (8VS, 8VM) 05/13→06/21</b>  |                                      |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |                                      |  |  |  |  |     |  |  |
| RS3 quattro  | 294                                  | 04/17→10/20  | ←  | +PR 1LH / 1LU; → 05/17   |  |     | 13.0460-4720.2 604720  | BRE + WK   |
| <b>AUDI - A3 Sportback (8VA, 8VF) 09/12→10/20</b>  |                                      |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |                                      |  |  |  |  |     |  |  |
| RS3 quattro  | 270 -<br>294                         | 03/15→10/20  | ←  | +PR 1LH / 1LU / 1LN / 1LL  |  |     | 13.0460-4720.2 604720  | BRE + WK   |
| <b>AUDI - CABRIOLET B3 (8G7) 05/91→08/00</b>   |                                      |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>                |                                      |  |  |  |  |     |  |  |
| 1.8<br>→   | 92                                   | 01/97→08/00  | ➡  | 04/97→; ☐  |  |     | 24.5201-0150.3 331738  | L= 175   |

|                                      | kw                                     |  |  |  |  | ! # |  |               |
|--|--|--|--|--|--|-----|--|---|
| <b>AUDI - CABRIOLET B3 (8G7) 05/91→08/00</b>   |  |  |  |  |  |     |  |   |
|  <b>Brake Hose</b>                  |  |  |  |  |  |     |  |   |
| 1.9 TDI  | 66                                     | 06/95→08/00  | ➡  | 07/95→; ☐  |  |     | 24.5201-0150.3 331738  | L= 175  |
| 2.0 16V<br>2.0 E<br>2.8  | 103<br>85<br>128                       | 06/95→07/96<br>01/93→07/98<br>11/92→08/00  | ➡  | ☐  |  |     | 24.5201-0150.3 331738  | L= 175  |
| 2.3 E  | 98                                     | 05/91→07/94  | ➡  | 07/91→ 06/94; ☐  |  |     | 24.5201-0150.3 331738  | L= 175  |
| 2.6  | 110                                    | 06/93→08/00  | ➡  | 01/94→; ☐  |  |     | 24.5201-0150.3 331738  | L= 175  |
| <b>AUDI - COUPE B3 (89, 8B3) 10/88→12/96</b>   |  |  |  |  |  |     |  |   |
|  <b>Brake Hose</b>                  |  |  |  |  |  |     |  |   |
| 1.8<br>2.0   | 82<br>82 -<br>85                       | 08/89→07/91<br>05/89→12/96   | ➡  | ☐  |  |     | 24.5201-0150.3 331738  | L= 175  |
| 2.0 16 V   | 101 -<br>103                           | 01/92→12/96  |  |  |  |     |  |   |
| 2.0 20 V<br>2.3 20V  | 118<br>123 -<br>125                    | 08/89→07/91<br>08/89→07/91   |  |  |  |     |  |   |
| 2.6<br>2.8   | 110<br>128                             | 08/92→12/96<br>09/91→12/96   |  |  |  |     |  |   |
| 2.3  | 98                                     | 03/90→12/96  | ➡  | → 07/94; ☐   |  |     | 24.5201-0150.3 331738  | L= 175  |
| 2.3  | 100                                    | 10/88→07/94  | ➡  | 11/88→; ☐  |  |     | 24.5201-0150.3 331738  | L= 175  |
| <b>AUDI - Q3 (8UB, 8UG) 06/11→03/20</b>  |  |  |  |  |  |     |  |   |
|  <b>Brake Caliper</b>               |  |  |  |  |  |     |  |   |
| 1.4 TFSI<br>2.0 TDI  | 92<br>88 -<br>135                      | 07/16→10/18<br>11/14→10/18   | ➡  | +PR 1KU; ☐   |  |     | 24.6241-1713.5 241561  | TRW + EMot / without holder + FSB   |
| 2.0 TDI quattro  | 110 -<br>135                           | 11/14→10/18  | ➡  | +PR 1KU; ☐   |  |     | 24.6241-1714.5 241562  | TRW + EMot / without holder + FSB   |
| 2.0 TFSI<br>2.0 TFSI quattro   | 132<br>132 -<br>162                    | 05/15→10/18<br>11/14→10/18   |  |  |  |     |  |   |
| 1.4 TSI<br>2.0 TDI   | 110<br>100 -<br>130                    | 10/13→10/18<br>06/11→10/18   | ➡  | +PR 1KU; 11/14→; ☐   |  |     | 24.6241-1713.5 241561  | TRW + EMot / without holder + FSB   |
| 2.0 TDI quattro<br>2.0 TFSI quattro  | 103 -<br>130<br>125 -<br>155           | 06/11→10/18<br>06/11→10/18   | ➡  | +PR 1KU; 11/14→; ☐   |  |     | 24.6241-1714.5 241562  | TRW + EMot / without holder + FSB   |
| <b>AUDI - TT (FV3, FVP) 07/14→</b>   |  |  |  |  |  |     |  |   |
|  <b>Brake Pad Set, disc brake</b> |  |  |  |  |  |     |  |   |
| 2.5 RS quattro   | 294                                    | 10/16→   | ⬅  | +PR 1LL / 1LN / 1LU / 1ZK  |  |     | 13.0460-4720.2 604720  | BRE + WK  |
| <b>AUDI - TT Roadster (FV9, FVR) 11/14→</b>  |  |  |  |  |  |     |  |   |
|  <b>Brake Pad Set, disc brake</b> |  |  |  |  |  |     |  |   |
| 2.5 RS quattro   | 294                                    | 10/16→   | ⬅  | +PR 1LL / 1LN / 1LU / 1ZK  |  |     | 13.0460-4720.2 604720  | BRE + WK  |
| <b>BMW - 2 Active Tourer (U06) 11/21→</b>  |  |  |  |  |  |     |  |   |
|  <b>Brake Pad Set, disc brake</b> |  |  |  |  |  |     |  |   |
| 216i<br>218d   | 90<br>100 -<br>110                     | 11/22→<br>11/21→   | ➡  |  |  |     | 13.0460-2664.2 602664  | + WE / - WK + Zub   |
| 218i<br>220i Mild Hybrid<br>223 d Mild Hybrid xDrive<br>223i Mild Hybrid<br>223i Mild Hybrid xDrive<br>225e xDrive   | 100<br>125<br>155<br>160<br>160<br>180 | 11/21→<br>11/21→<br>07/22→<br>11/21→<br>03/22→<br>11/21→                         |  |  |  |     | 13.0470-2664.2 LD2664  | + WE / - WK + Zub Ceramic   |
| 230e xDrive  | 240                                    | 11/21→   | ➡  |  |  |     | 13.0460-2664.2 602664  | + WE / - WK + Zub   |
| <b>BMW - 3 (G20, G80, G28) 11/18→</b>  |  |  |  |  |  |     |  |   |
|  <b>Brake Disc</b>                |  |  |  |  |  |     |  |   |
| 320 e Plug-in-Hybrid   | 150                                    | 07/20→   | ⬅  | for vehicles without M-sport brakes  |  |     | 24.0124-0264.2 424264  | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |  |  | ➡  | for vehicles without M-sport brakes; ☐   |  |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| →  |  |  |  |  |  |     |  |   |














|   | kW   |                  |  |   | ! # |  |               |
|---|--|--|--|---|-----|--|---|
| <b>BMW - 3 (G20, G80, G28) 11/18→</b>   |  |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |  |  |  |   |     |  |   |
| 320 e Plug-in-Hybrid  | 150  | 07/20→   | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 320 i xDrive<br>330 d<br>330 d Mild-Hybrid<br>330 d Mild-Hybrid xDrive<br>330 d xDrive<br>330 e Plug-in-Hybrid<br>330 e Plug-in-Hybrid xDrive<br>330 i<br>330 i xDrive      | 135<br>195<br>210<br>210<br>195<br>215<br>215<br>180 -<br>190<br>180 -<br>190          | 07/19→<br>03/19→<br>11/20→<br>11/20→<br>07/19→<br>07/19→<br>07/20→<br>11/18→<br>11/18→<br>11/18→ | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |  |  | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - 3 Touring (G21, G81) 07/19→</b>  |  |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |  |  |  |   |     |  |   |
| 318 d Mild-Hybrid<br>330 d<br>330 d Mild-Hybrid<br>330 d Mild-Hybrid xDrive<br>330 d xDrive<br>330 e Plug-in-Hybrid<br>330 e Plug-in-Hybrid xDrive<br>330 i<br>330 i xDrive | 100 -<br>110<br>195<br>210<br>210<br>195<br>215<br>215<br>180 -<br>190<br>180 -<br>190 | 08/20→<br>11/19→<br>11/20→<br>11/20→<br>07/19→<br>07/20→<br>07/20→<br>07/19→<br>07/19→<br>07/19→ | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |  |  | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 320 e Plug-in-Hybrid<br>320 e Plug-in-Hybrid xDrive   | 150<br>150   | 07/20→<br>03/21→   | ⬅  | for vehicles without M-sport brakes   |     | <b>24.0124-0264.2 424264</b>   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|   |  |  | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |  |  | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - 3 Touring Van (G21) 07/19→</b>   |  |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |  |  |  |   |     |  |   |
| 330 d<br>330 d xDrive<br>330 i  | 195<br>195<br>190  | 11/19→<br>11/19→<br>07/19→   | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |  |  | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - 4 Convertible (G23, G83) 11/20→</b>  |  |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |  |  |  |   |     |  |   |
| 430 i<br>430 i xDrive   | 180 -<br>190<br>180  | 11/20→<br>07/21→   | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |  |  | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - 4 Coupe (G22, G82) 07/20→</b>  |  |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |  |  |  |   |     |  |   |
| 430 i<br>430 i xDrive<br>→  | 180 -<br>190<br>180 -<br>190   | 07/20→<br>07/21→   | ➡  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |




























































|                       | kw        |  |  |   | ! # |  |               |
|---|-----------|--|--|---|-----|--|---|
| <b>BMW - 4 Coupe (G22, G82) 07/20→</b>  |           |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |           |  |  |   |     |  |   |
| 430 i   | 180 - 190 | 07/20→   | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 430 i xDrive  | 180 - 190 | 07/21→   |  |   |     |  |   |
| <b>BMW - 5 (G30, F90) 09/16→</b>  |           |  |  |   |     |  |   |
|  <b>Brake Disc</b>   |           |  |  |   |     |  |   |
| 518 d   | 100 - 110 | 07/18→06/20  | ←  |   |     | <b>24.0124-0264.2 424264</b>   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
| 520 d   | 120 - 140 | 09/16→06/23  |  |   |     |  |   |
| 520 d xDrive  | 120 - 140 | 09/16→06/23  | ➔  | <input type="checkbox"/>  |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 i   | 120 - 155 | 07/17→06/23  | ➔  | <input type="checkbox"/>  |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 518 d Mild-Hybrid   | 100 - 110 | 07/20→06/23  | ←  | for vehicles without M-sport brakes   |     | <b>24.0124-0264.2 424264</b>   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
| 520 d Mild-Hybrid   | 120 - 140 | 11/19→06/23  |  |   |     |  |   |
| 520 d Mild-Hybrid xDrive  | 140       | 11/19→06/23  | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 i Mild-Hybrid   | 120 - 135 | 07/20→06/23  | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 E PLUG-IN-HYBRID  | 150       | 03/21→05/22  | ➔  | for vehicles without sports package; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 525 d   | 155 - 170 | 07/17→06/19  |  |   |     |  |   |
| 530 e Plug-in-Hybrid  | 170 - 185 | 03/17→06/20  | ➔  | for vehicles without sports package; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 d Mild-Hybrid   | 183 - 210 | 07/20→06/23  | ➔  | for vehicles with M-sport brakes; <input type="checkbox"/>  |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 d Mild-Hybrid xDrive  | 183 - 210 | 07/20→06/23  | ➔  | for vehicles with M-sport brakes; <input type="checkbox"/>  |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 e Plug-in-Hybrid  | 200 - 215 | 07/20→06/23  | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 e Plug-in-Hybrid xDrive   | 200 - 215 | 07/20→06/23  |  |   |     |  |   |
| 530 i   | 180 - 185 | 09/16→06/23  | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 i Mild-Hybrid   | 180 - 185 | 07/20→06/23  |  |   |     |  |   |
| 530 i Mild-Hybrid xDrive  | 180 - 185 | 07/20→06/23  |  |   |     |  |   |
| 530 i xDrive  | 180       | 05/22→06/23  |  |   |     |  |   |
| <b>BMW - 5 Touring (G31) 03/17→</b>   |           |  |  |   |     |  |   |
|  <b>Brake Disc</b> |           |  |  |   |     |  |   |
| 518 d   | 100 - 110 | 07/18→06/20  | ←  |   |     | <b>24.0124-0264.2 424264</b>   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
| 520 d   | 120 - 140 | 03/17→10/19  |  |   |     |  |   |
| 520 i   | 120 - 155 | 07/17→06/20  | ➔  | <input type="checkbox"/>  |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |           |  | ➔  | <input type="checkbox"/>  |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| →   |           |  |  |   |     |  |   |
















|  | kw        |  |  |   | ! # |  |               |
|--|-----------|--|--|---|-----|--|---|
| <b>BMW - 5 Touring (G31) 03/17→</b>  |           |  |  |   |     |  |   |
| <b>Brake Disc</b>  |           |  |  |   |     |  |   |
| 518 d Mild-Hybrid  | 100 - 110 | 07/20→   | ←  | for vehicles without M-sport brakes   |     | 24.0124-0264.2 424264  | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
| 520 d Mild-Hybrid  | 120 - 140 | 11/19→   |  |   |     |  |   |
| 520 d Mild-Hybrid xDrive   | 140       | 11/19→   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 i Mild-Hybrid  | 120 - 135 | 07/20→   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 d xDrive   | 120 - 140 | 07/17→10/19  | ←  | not for vehicles with reinforced brakes   |     | 24.0124-0264.2 424264  | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |           |  | →  | not for vehicles with reinforced brakes;   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |           |  | →  | not for vehicles with reinforced brakes;   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 E PLUG-IN-HYBRID   | 150       | 03/21→05/22  | →  | for vehicles without sports package;   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 525 d  | 155 - 170 | 07/17→06/19  |  |   |     |  |   |
| 530 d  | 195       | 03/17→06/20  |  |   |     |  |   |
| 530 d xDrive   | 195       | 03/17→06/20  | →  | for vehicles without sports package;   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 i  | 185       | 03/17→06/20  |  |   |     |  |   |
| 530 i xDrive   | 185       | 07/17→06/20  |  |   |     |  |   |
| 530 d Mild-Hybrid  | 183 - 210 | 07/20→   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 d Mild-Hybrid xDrive   | 183 - 210 | 07/20→   |  |   |     |  |   |
| 530 e Plug-in-Hybrid   | 200 - 215 | 11/20→   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 e Plug-in-Hybrid xDrive  | 200 - 215 | 11/20→   |  |   |     |  |   |
| 530 i  | 180       | 05/22→   |  |   |     |  |   |
| 530 i Mild-Hybrid  | 180 - 185 | 07/20→   |  |   |     |  |   |
| 530 i Mild-Hybrid xDrive   | 180 - 185 | 07/20→   |  |   |     |  |   |
| 530 i xDrive   | 180       | 05/22→   |  |   |     |  |   |
| <b>BMW - 5 Touring Van (G31) 03/17→</b>  |           |  |  |   |     |  |   |
| <b>Brake Disc</b>  |           |  |  |   |     |  |   |
| 520 d  | 140       | 03/17→06/18  | ←  |   |     | 24.0124-0264.2 424264  | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
| 520 i  | 135       | 07/17→   | →  |    |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |           |  | →  |    |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 520 d xDrive   | 140       | 07/17→06/18  | ←  | not for vehicles with reinforced brakes   |     | 24.0124-0264.2 424264  | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |           |  | →  | not for vehicles with reinforced brakes;                                       |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |           |  | →  | not for vehicles with reinforced brakes;                                       |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 d  | 195       | 03/17→   | →  | for vehicles without sports package;   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 530 d xDrive   | 195       | 03/17→   |  |   |     |  |   |
| 530 i  | 185       | 03/17→   |  |   |     |  |   |
| 530 i xDrive   | 185       | 07/17→   |  |   |     |  |   |





























|    | kw  |        |  |   | ! # |  |               |
|--|---|--|--|---|-----|--|---|
| <b>BMW - 5 Touring Van (G31) 03/17→</b>  |   |  |  |   |     |  |   |
|  <b>Brake Disc</b>  |   |  |  |   |     |  |   |
| 530 d<br>530 d xDrive<br>530 i<br>530 i xDrive   | 195<br>195<br>185<br>185  | 03/17→<br>03/17→<br>03/17→<br>07/17→   | ➔  | for vehicles without sports package; <input type="checkbox"/>   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - 6 Gran Turismo (G32) 06/17→</b>   |   |  |  |   |     |  |   |
|  <b>Brake Disc</b>  |   |  |  |   |     |  |   |
| 620 d<br>620 d xDrive  | 120 - 140<br>120 - 140  | 07/18→06/20<br>07/18→06/20   | ➔  | <input type="checkbox"/>  |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | ➔  | <input type="checkbox"/>  |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 620 d Mild-Hybrid<br>620 d Mild-Hybrid xDrive<br>630 d Mild-Hybrid   | 120 - 140<br>140<br>155 - 210   | 07/20→<br>07/20→<br>07/20→   | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 630 d Mild-Hybrid xDrive<br>630 i Mild-Hybrid  | 210<br>180 - 190  | 07/20→<br>07/20→   | ➔  | for vehicles without M-sport brakes; <input type="checkbox"/>   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - 7 (G11, G12) 07/15→06/22</b>  |   |  |  |   |     |  |   |
|  <b>Brake Disc</b>  |   |  |  |   |     |  |   |
| 725 d<br>Ld  | 155 - 170<br>155 - 170  | 07/16→02/19<br>07/16→02/19   | ➔  | - Performance Parts; <input type="checkbox"/>   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| 730 i<br>Li  | 183 - 190<br>190  | 11/15→06/22<br>11/15→02/19   | ➔  | - Performance Parts; <input type="checkbox"/>   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - iX3 (G08) 09/20→</b>  |   |  |  |   |     |  |   |
|  <b>Brake Disc</b>  |   |  |  |   |     |  |   |
| Electric   | 80 - 210  | 09/20→   | ➔  | <input type="checkbox"/>  |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | ➔  | <input type="checkbox"/>  |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - X1 (U11) 07/22→</b>   |   |  |  |   |     |  |   |
|  <b>Brake Pad Set, disc brake</b>   |   |  |  |   |     |  |   |
| iX1 eDrive 20  | 150   | 11/23→   | ➔  | for vehicles without M-sport brakes   |     | 13.0460-2664.2 602664<br>13.0470-2664.2 LD2664                                     | + WE / - WK + Zub<br>+ WE / - WK + Zub Ceramic  |
| iX1 xDrive 30<br>sDrive 18 d<br>sDrive 18 i<br>sDrive 20 i<br>sDrive 20 i Mild-Hybrid<br>xDrive 20 d Mild-Hybrid<br>xDrive 23 d Mild-Hybrid<br>xDrive 23 i Mild-Hybrid<br>xDrive 25 e Plug-in-Hybrid | 200<br>100 - 110<br>100 - 115<br>110<br>125<br>120<br>155<br>160<br>180 | 11/22→<br>07/22→<br>07/22→<br>11/22→<br>11/22→<br>11/22→<br>07/22→<br>07/22→<br>07/22→ | ➔  |   |     | 13.0460-2664.2 602664<br>13.0470-2664.2 LD2664                                     | + WE / - WK + Zub<br>+ WE / - WK + Zub Ceramic  |
| iX1 xDrive 30<br>xDrive 30e Plug-in-Hybrid   | 230<br>240  | 07/22→<br>07/22→   | ➔  |   |     | 13.0460-2664.2 602664  | + WE / - WK + Zub   |
| <b>BMW - X2 (U10) 11/23→</b>   |   |  |  |   |     |  |   |
|  <b>Brake Pad Set, disc brake</b>   |   |  |  |   |     |  |   |
| iX2 xDrive 30  | 230   | 11/23→   | ➔  |   |     | 13.0460-2664.2 602664  | + WE / - WK + Zub   |
| sDrive 18 d<br>sDrive 20 i<br>xDrive 20 i  | 110<br>125<br>150   | 11/23→<br>11/23→<br>11/23→   | ➔  |   |     | 13.0460-2664.2 602664<br>13.0470-2664.2 LD2664                                     | + WE / - WK + Zub<br>+ WE / - WK + Zub Ceramic  |

|  | kw  |  |  |   | ! # |  |  |   |
|--|---|--|--|---|-----|--|--|---|
| <b>BMW - X3 (G01, F97) 07/17→</b>  |   |  |  |   |     |  |  |   |
| <b>Brake Disc</b>  |   |  |  |   |     |  |  |   |
| sDrive 18 d<br>sDrive 20 i<br>sDrive 20 i 1.6<br>xDrive 20 d<br>xDrive 30 i      | 100 - 110<br>135<br>125<br>140<br>183 - 185 | 04/18→06/20<br>12/17→<br>12/17→<br>08/17→03/20<br>08/17→                         | ←  | for vehicles without sports package   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without sports package;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without sports package;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| sDrive 18 d Mild-Hybrid  | 100 - 110                                   | 07/20→   | ←  | for vehicles without sports package   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 20 d  | 120   | 08/17→03/20  | ←  | 10/17→; for vehicles without sports package   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |   |  | →  | 10/17→; for vehicles without sports package;                                     |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | 10/17→; for vehicles without sports package;                                   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 20 d Mild-Hybrid  | 120 - 140                                   | 04/20→   | ←  | for vehicles without M-sport brakes   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 20 i  | 135   | 12/17→   | ←  | 03/18→; for vehicles without sports package   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|  |   |  | →  | 03/18→; for vehicles without sports package;                                   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | 03/18→; for vehicles without sports package;                                   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 20 i Mild Hybrid<br>xDrive 30 d Mild-Hybrid                               | 135 - 183 - 210                             | 08/21→<br>07/20→   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 30 e Plug-in-Hybrid<br>xDrive 30 i Mild Hybrid                            | 200 - 215 - 180                             | 12/19→<br>08/21→   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 25 d<br>xDrive 30 d   | 155 - 170 - 183 - 195                       | 04/18→<br>08/17→06/20  | →  | for vehicles without sports package;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |   |  | →  | for vehicles without sports package;   |     | 24.0120-0255.2   | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |















|                       | kW         |  |     |                                     | ! # |  |  |   |  |   |   |   |
|---|------------|--|---|---|-----|--|--|---|--|---|---|---|
| <b>BMW - X3 Van (G01) 07/17→</b>  |            |  |   |   |     |  |  |   |  |   |   |   |
|  <b>Brake Disc</b>   |            |  |   |   |     |  |  |   |  |   |   |   |
| sDrive 18 d<br>xDrive 20 d<br>xDrive 20 i<br>xDrive 30 i  | 110        | 04/18→   |    | for vehicles without sports package   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |  |   |   |   |
|   | 140        | 08/17→   |   |    |     |  |  |   | for vehicles without sports package;    | 24.0120-0254.2  | 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   | 135        | 12/17→   |   |   |     |  |  |   | for vehicles without sports package;    | 24.0120-0255.2  | 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 30 d   | 195        | 08/17→   |    | for vehicles without sports package;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |  |   |   |   |
|   |            |  |   | for vehicles without sports package;   |     |  |  | 24.0120-0255.2  | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |   |   |
| <b>BMW - X4 (G02, F98) 04/18→</b>   |            |  |   |   |     |  |  |   |  |   |   |   |
|  <b>Brake Disc</b>   |            |  |   |   |     |  |  |   |  |   |   |   |
| xDrive 20 d<br>xDrive 20 i<br>xDrive 30 i   | 120 - 140  | 04/18→03/20  |    | for vehicles without sports package   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |  |   |   |   |
|   | 135        | 04/18→   |   |    |     |  |  |   | for vehicles without sports package;    | 24.0120-0254.2  | 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   | 183 - 185  | 04/18→   |   |   |     |  |  |   | for vehicles without sports package;  | 24.0120-0255.2  | 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 20 d Mild-Hybrid<br>xDrive 20 i Mild Hybrid<br>xDrive 30 i Mild Hybrid                         | 120 - 140  | 04/20→   |  | for vehicles without M-sport brakes   |     | 24.0124-0264.2   | 424264   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |  |   |   |   |
|   | 135        | 08/21→   |   |    |     |  |  |   | for vehicles without M-sport brakes;  | 24.0120-0254.2  | 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   | 180        | 07/21→   |   |   |     |  |  |   | for vehicles without M-sport brakes;  | 24.0120-0255.2  | 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| xDrive 25 d<br>xDrive 30 d  | 155 - 170  | 04/18→   |  | for vehicles without sports package;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |  |   |   |   |
|   | 183 - 195  | 04/18→06/20  |   | for vehicles without sports package;   |     |  |  |   | 24.0120-0255.2   | 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |   |
| xDrive 30 d Mild-Hybrid   | 183 - 210  | 07/20→   |  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |  |   |   |   |
|   |            |  |   | for vehicles without M-sport brakes;   |     |  |  | 24.0120-0255.2  | 420255   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |   |   |
| <b>BMW - X5 (G05, F95) 08/18→</b>   |            |  |   |   |     |  |  |   |  |   |   |   |
| <b>Warning Contact, brake pad wear</b>  |            |  |   |   |     |  |  |   |  |   |   |   |
| M<br>M Competition  | 441<br>460 | 12/19→03/23<br>12/19→  |  |   | 1   | 24.8190-0841.2   | 620841   |   |  |   |   |   |
|  <b>Brake Disc</b> |            |  |   |   |     |  |  |   |  |   |   |   |
| xDrive 25 d<br><br>→  | 155 - 170  | 08/19→03/23  |  | for vehicles without M-sport brakes; for vehicles without trailer hitch / for vehicles without 3rd seating row;  |     | 24.0120-0254.2   | 420254   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |  |   |   |   |
|   |            |  |   |   |     |  |  |   |  |   |   |   |












|   | kW  |   |  |                                   | ! # |  |               |
|---|---|---|--|---|-----|--|---|
| <b>BMW - X5 (G05, F95) 08/18→</b>   |   |   |  |   |     |  |   |
|  <b>Brake Disc</b>   |   |   |  |   |     |  |   |
| xDrive 25 d   | 155 - 170   | 08/19→03/23   | →  | for vehicles without M-sport brakes; for vehicles without trailer hitch / for vehicles without 3rd seating row;  |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>BMW - XM (G09) 12/22→</b>  |   |   |  |   |     |  |   |
| <b>Warning Contact, brake pad wear</b>  |   |   |  |   |     |  |   |
| 50e All-wheel Drive<br>Label All-wheel Drive<br>XM All-wheel Drive  | 350<br>550<br>480   | 09/23→<br>08/23→<br>12/22→  | ←  |   | 1   | 24.8190-0841.2 620841  |   |
| <b>BMW - Z4 Roadster (G29) 11/18→</b>   |   |   |  |   |     |  |   |
|  <b>Brake Disc</b>   |   |   |  |   |     |  |   |
| sDrive 20 i<br>sDrive 30 i  | 120 - 145<br>190  | 11/18→<br>11/18→  | ←  | for vehicles without M-sport brakes   |     | 24.0124-0264.2 424264  | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S |
|   |   |   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0254.2 420254  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|   |   |   | →  | for vehicles without M-sport brakes;   |     | 24.0120-0255.2 420255  | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>CITROËN - C3 II (SC_) 09/09→</b>   |   |   |  |   |     |  |   |
|  <b>Brake Master Cylinder</b>  |   |   |  |   |     |  |   |
| 1.0 VTi 68<br>1.2 VTi 82  | 50<br>60  | 08/12→<br>06/12→09/16   |  | 10/12→; + DSC   |     | 24.4122-1726.3 011096  | Ø 22.2 without brake fluid reservoir  |
| 1.1 BiFuel<br>1.1 i<br>1.4<br>1.4 HDi 70<br>1.4 LPG<br>1.6 HDi 90   | 44<br>44<br>54<br>50<br>54<br>66  | 11/10→<br>09/09→01/13<br>11/09→09/16<br>11/09→<br>07/10→<br>11/09→  |  | →Orga 13152; + DSC  |     | 24.4122-1726.3 011096  | Ø 22.2 without brake fluid reservoir  |
| 1.2 THP 110   | 81  | 10/14→  |  | + DSC   |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir  |
|   |   |   |  | - DSC   |     | 24.4123-1735.3 011131  | Ø 23.8 without brake fluid reservoir  |
| 1.4 LPG   | 70  | 06/13→  |  | Drum Brake; + DSC   |     | 24.4122-1726.3 011096  | Ø 22.2 without brake fluid reservoir  |
| 1.4 VTi<br>1.4 VTi 95<br>1.6 HDi  | 72<br>70<br>68  | 11/09→<br>11/09→<br>11/09→09/16   |  | →Orga 13152; Drum Brake; + DSC  |     | 24.4122-1726.3 011096  | Ø 22.2 without brake fluid reservoir  |
|   |   |   |  | →Orga 13152; Disc Brake; + DSC  |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir  |
|   |   |   |  | →Orga 13152; Disc Brake; - DSC  |     | 24.4123-1735.3 011131  | Ø 23.8 without brake fluid reservoir  |
| 1.6 HDi 110<br>1.6 HDi 115<br>1.6 VTi 120   | 82<br>84<br>88  | 11/09→<br>09/12→<br>11/09→  |  | →Orga 13152; + DSC  |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir  |
|   |   |   |  | →Orga 13152; - DSC  |     | 24.4123-1735.3 011131  | Ø 23.8 without brake fluid reservoir  |
| <b>CITROËN - C3 II Hatchback Van (SC_) 06/10→</b>   |   |   |  |   |     |  |   |
|  <b>Brake Master Cylinder</b>  |   |   |  |   |     |  |   |
| 1.4 HDi   | 50  | 06/10→09/16   |  | →Orga 13152; + DSC  |     | 24.4122-1726.3 011096  | Ø 22.2 without brake fluid reservoir  |
| <b>CITROËN - C4 II (NC_) 02/09→</b>   |   |   |  |   |     |  |   |
|  <b>Brake Master Cylinder</b>  |   |   |  |   |     |  |   |
| 1.2 THP 110<br>1.2 THP 130<br>1.4 VTi 95<br>1.6<br>1.6 BlueHDi 100<br>1.6 BlueHDi 115<br>1.6 BlueHDi 120<br>1.6 HDi 110<br>1.6 HDi 115<br>1.6 HDi 90<br>1.6 THP 155<br>1.6 VTi 120<br>1.6 VTi 120 LPG | 81<br>96<br>70<br>81<br>73<br>85<br>88<br>82<br>84<br>68<br>115<br>88<br>88 | 02/15→12/17<br>04/14→<br>11/09→<br>01/10→<br>07/14→<br>08/14→<br>02/15→<br>11/09→<br>07/12→<br>11/09→<br>11/09→12/16<br>11/09→12/16<br>09/11→ |  | + DSC   |     | 24.4123-1726.3 011099  | Ø 23.8 without brake fluid reservoir  |

|                                  | kw                                |        |  |  |  | ! #            |  |  |
|--|-----------------------------------|--|--|--|--|----------------|--|--|
| <b>CITROËN - C4 II (NC_) 02/09→</b>  |                                   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b>   |                                   |  |  |  |  |                |  |  |
| 2.0 HDi / BlueHDi 150<br>2.0 HDi / BlueHDi 160   | 110<br>120                        | 11/09→<br>10/10→   |  | + DSC  |  | 24.4123-1726.3 | 011099   | Ø 23.8 without brake fluid reservoir   |
| <b>CITROËN - C4 II Hatchback Van (NC_) 11/09→</b>  |                                   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b>   |                                   |  |  |  |  |                |  |  |
| 1.6 BlueHDi<br>1.6 HDi   | 73 - 88<br>68 - 82                | 07/14→<br>11/09→   |  | + DSC  |  | 24.4123-1726.3 | 011099   | Ø 23.8 without brake fluid reservoir   |
| <b>CITROËN - C4 II Saloon (NC_) 01/13→</b>   |                                   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b>   |                                   |  |  |  |  |                |  |  |
| 1.6<br>1.6 HDi<br>1.6 THP  | 85 - 88<br>84<br>110              | 01/13→<br>08/13→<br>01/13→   |  | + DSC  |  | 24.4123-1726.3 | 011099   | Ø 23.8 without brake fluid reservoir   |
| <b>CITROËN - C-ELYSEE (DD_) 11/12→</b>   |                                   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b>   |                                   |  |  |  |  |                |  |  |
| 1.2 PureTech 82<br>1.2 VTi 82  | 61<br>60                          | 02/18→<br>12/14→   |  | + ESP; Automatic Transmission  |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | + ESP; Manual Transmission; for vehicles with vacuum pump                        |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
| 1.2 VTi 72   | 53                                | 11/12→01/17  |  | + ESP; Automatic Transmission; Orga 14021→                                       |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | + ESP; →Orga 13341   |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
| 1.5 BlueHDi 100<br>1.6 BlueHDi 100   | 75<br>73                          | 05/18→<br>11/14→   |  | + ESP; Automatic Transmission  |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
| 1.6 VTi 115  | 85                                | 11/12→   |  | + ESP; Manual Transmission; →Orga 13341  |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | + ESP; Automatic Transmission; Orga 13342→                                       |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
| <b>CITROËN - DS3 (SA_) 11/09→12/16</b>   |                                   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b> |                                   |  |  |  |  |                |  |  |
| 1.2 THP 110<br>1.6 BlueHDi 100<br>1.6 BlueHDi 120<br>1.6 BlueHDi 75<br>1.6 HDi 115<br>1.6 THP 165                | 81<br>73<br>88<br>55<br>85<br>121 | 10/14→03/15<br>07/14→07/15<br>10/13→07/15<br>03/15→07/15<br>10/13→07/15<br>10/14→06/15 |  |  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| 1.2 VTi 82   | 60                                | 01/13→03/15  |  |  |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
| 1.4 HDi 70<br>1.6 HDi 110<br>1.6 HDi 90<br>1.6 Racing  | 50<br>82<br>68<br>149 - 152       | 04/10→07/15<br>11/09→07/15<br>11/09→07/15<br>02/11→07/15                               |  | Orga 13342→  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| 1.6 THP 155<br>1.6 VTi 120   | 115<br>88                         | 04/10→07/15<br>04/10→07/15   |  | →Orga 12998  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| 1.4 VTi 95<br>1.4 VTi 95 LPG   | 70<br>70                          | 04/10→07/15<br>08/12→07/15   |  | 12775→ 12998   |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | Orga 13342→  |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | →Orga 12774  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| 1.4 VTi 98   | 72                                | 11/09→07/15  |  | 12775→ 12998   |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | Orga 13342→  |  | 24.4122-1726.3 | 011096   | Ø 22.2 without brake fluid reservoir   |
|  |                                   |  |  | 04/10→; →Orga 12774  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| 1.6 HDi 115  | 84                                | 08/12→07/15  |  | Orga 13342→  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| 1.6 THP 150  | 110                               | 01/10→07/15  |  | Orga 13342→  |  | 24.4123-1734.3 | 011130   | Ø 23.8 without brake fluid reservoir   |
| →  |                                   |  |  |  |  |                |  |  |














|                                  | kw        |  |  |   | ! # |  |  |
|--|-----------|--|--|---|-----|--|--|
| <b>CITROËN - DS3 (SA_) 11/09→12/16</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |   |     |  |  |
| 1.6 THP 150  | 110       | 01/10→07/15  |  | 04/10→; →Orga 12998   |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir   |
| 1.6 THP160   | 120       | 01/12→07/15  |  | 10/14→  |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir   |
| <b>CITROËN - DS3 Convertible 01/13→07/15</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |   |     |  |  |
| 1.2 THP 110  | 81        | 10/14→07/15  |  |   |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir   |
| 1.6 BlueHDi 100  | 73 - 75   | 07/14→07/15  |  |   |     |  |  |
| 1.6 BlueHDi 115  | 85        | 10/13→07/15  |  |   |     |  |  |
| 1.6 BlueHDi 120  | 88        | 07/14→07/15  |  |   |     |  |  |
| 1.6 Racing   | 149 - 152 | 03/14→07/15  |  |   |     |  |  |
| 1.6 THP 165  | 120 - 121 | 10/14→07/15  |  |   |     |  |  |
| 1.2 VTi 82   | 60        | 01/13→07/15  |  | 03/13→  |     | 24.4122-1726.3 011096  | Ø 22.2 without brake fluid reservoir   |
| 1.6 HDi 90   | 68        | 01/13→07/15  |  | 03/13→  |     | 24.4123-1734.3 011130  | Ø 23.8 without brake fluid reservoir   |
| 1.6 THP 150  | 110       | 01/13→07/15  |  |   |     |  |  |
| 1.6 THP 155  | 115       | 01/13→07/15  |  |   |     |  |  |
| 1.6 VTi 120  | 88        | 01/13→07/15  |  |   |     |  |  |
| <b>CITROËN - DS4 (NX_) 03/11→07/15</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |   |     |  |  |
| 1.2 THP 130  | 96        | 07/14→07/15  |  | + ESP   |     | 24.4123-1726.3 011099  | Ø 23.8 without brake fluid reservoir   |
| 1.6 BlueHDi 120  | 88        | 07/14→07/15  |  |   |     |  |  |
| 1.6 HDi 110  | 82        | 04/11→07/15  |  |   |     |  |  |
| 1.6 HDi 115  | 84        | 08/12→07/15  |  |   |     |  |  |
| 1.6 HDi 90   | 68        | 05/11→07/15  |  |   |     |  |  |
| 1.6 THP 150  | 110       | 04/11→07/15  |  |   |     |  |  |
| 1.6 THP 155  | 115       | 04/11→07/15  |  |   |     |  |  |
| 1.6 THP 160  | 120       | 04/12→07/15  |  |   |     |  |  |
| 1.6 VTi 120  | 88        | 04/11→07/15  |  |   |     |  |  |
| 2.0 BlueHDi 150  | 110       | 07/14→07/15  |  |   |     |  |  |
| 2.0 HDi / BlueHDi 135  | 100       | 09/11→07/15  |  |   |     |  |  |
| 2.0 HDi 165  | 120       | 04/11→07/15  |  |   |     |  |  |
| 1.6 BlueHDi 115  | 85        | 07/14→07/15  |  | 08/14→; + ESP   |     | 24.4123-1726.3 011099  | Ø 23.8 without brake fluid reservoir   |
| 1.6 THP 165  | 121       | 01/12→07/15  |  | 04/12→; + ESP   |     | 24.4123-1726.3 011099  | Ø 23.8 without brake fluid reservoir   |
| 2.0 BlueHDi 180  | 133       | 07/14→07/15  |  | 10/14→; + ESP   |     | 24.4123-1726.3 011099  | Ø 23.8 without brake fluid reservoir   |
| <b>DACIA - DUSTER (HM_) 10/17→</b>   |           |  |  |   |     |  |  |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |   |     |  |  |
| 1.0 TCe 100 4x4  | 74        | 01/19→   | ➡  | ☐   |     | 24.3222-1751.3 020613  | ALU  |
| 1.2 TCe 125 4x4  | 92        | 10/17→   | ➡  | ☐   |     | 24.3222-1752.3 020614  | ALU  |
| 1.3 TCe 130 4x4  | 96        | 01/19→   | ➡  | ☐   |     |  |  |
| 1.3 TCe 150 4x4  | 110       | 01/19→   |  |   |     |  |  |
| 1.5 dCi 110 4x4  | 80        | 10/17→   |  |   |     |  |  |
| 1.5 dCi 115 4x4  | 84 - 85   | 10/17→   |  |   |     |  |  |
| 1.6 S Ce 115 4x4   | 84        | 10/17→   |  |   |     |  |  |
| <b>DACIA - DUSTER (HS_) 04/10→01/18</b>  |           |  |  |   |     |  |  |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |   |     |  |  |
| 1.2 TCe 125 4x4  | 92        | 06/15→01/18  | ➡  | 07/16→; ☐   |     | 24.3222-1751.3 020613  | ALU  |
| 1.6 16V 4x4  | 77        | 06/10→01/18  | ➡  | 07/16→; ☐   |     | 24.3222-1752.3 020614  | ALU  |
| 1.6 S Ce 115 4x4   | 84        | 06/15→01/18  | ➡  | 07/16→; ☐   |     |  |  |
| <b>DACIA - DUSTER SUV Van 04/11→</b>   |           |  |  |   |     |  |  |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |   |     |  |  |
| 1.2 TCe 125 4x4  | 92        | 10/13→   | ➡  | 07/16→; ☐   |     | 24.3222-1751.3 020613  | ALU  |
| 1.6 16V 4x4  | 77        | 04/11→   | ➡  | 07/16→; ☐   |     | 24.3222-1752.3 020614  | ALU  |
| 1.6 S Ce 115 4x4   | 84        | 06/15→01/18  | ➡  | 07/16→; ☐   |     |  |  |
| <b>DACIA - LOGAN II 10/12→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b> |           |  |  |   |     |  |  |
| 1.2  | 54 - 55   | 10/12→   |  | for left-hand drive vehicles; - ABS   |     | 24.4120-1714.3 011110  | Ø 20.6 without brake fluid reservoir   |
| 1.2 LPG  | 53 - 55   | 10/12→   |  |   |     |  |  |
| 1.5 Blue dCi 95  | 70        | 05/18→   |  |   |     |  |  |





























|                                  | kw        |  |  |   | ! # |  |  |
|--|-----------|--|--|---|-----|--|--|
| <b>DACIA - LOGAN II 10/12→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |   |     |  |  |
| 1.5 dCi  | 63        | 10/12→   |  | for left-hand drive vehicles; - ABS   |     | <b>24.4120-1714.3 011110</b>   | Ø 20.6 without brake fluid reservoir   |
| 1.5 dCi / Blue dCi 75  | 66        | 10/12→   |  |   |     |  |  |
| 1.6 16V  | 55        | 10/12→   |  |   |     |  |  |
| TCe 90   | 77        | 01/13→   |  |   |     |  |  |
| TCe 90 LPG   | 66        | 10/12→   |  |   |     |  |  |
|  | 66        | 09/15→   |  |   |     |  |  |
| <b>DACIA - LOGAN III (3K_) 05/21→</b>  |           |  |  |   |     |  |  |
|  <b>Wheel Brake Cylinder</b>    |           |  |  |   |     |  |  |
| 1.0 SCe 65   | 49        | 05/21→   | ➔  | - eFSB  |     | <b>24.3220-1761.3 020618</b>   | ALU  |
| 1.0 TCe 100 ECO-G  | 74        | 05/21→   | ➔  | - eFSB  | 2   | <b>24.3220-1761.3 020618</b>   | ALU  |
| 1.0 TCe 90   | 67        | 05/21→   |  |   |     |  |  |
| <b>DACIA - LOGAN MCV II 02/13→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |   |     |  |  |
| 1.0 SCe 75   | 54        | 12/16→   |  | for left-hand drive vehicles; - ABS   |     | <b>24.4120-1714.3 011110</b>   | Ø 20.6 without brake fluid reservoir   |
| 1.2  | 54        | 02/13→   |  |   |     |  |  |
|  | 55        |  |  |   |     |  |  |
| 1.2 LPG  | 53        | 02/13→   |  |   |     |  |  |
|  | 55        |  |  |   |     |  |  |
| 1.5 Blue dCi 95  | 70        | 10/18→   |  |   |     |  |  |
| 1.5 dCi  | 55        | 02/13→   |  |   |     |  |  |
|  | 66        |  |  |   |     |  |  |
| 1.6  | 62        | 06/13→   |  |   |     |  |  |
| TCe 90   | 66        | 02/13→   |  |   |     |  |  |
| TCe 90 LPG   | 66        | 09/15→   |  |   |     |  |  |
| <b>DACIA - SANDERO II 10/12→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |   |     |  |  |
| 1.0 SCe 75   | 54        | 12/16→   |  | for left-hand drive vehicles; - ABS   |     | <b>24.4120-1714.3 011110</b>   | Ø 20.6 without brake fluid reservoir   |
| 1.2  | 54        | 05/15→   |  |   |     |  |  |
| 1.5 Blue dCi 95  | 70        | 08/18→   |  |   |     |  |  |
| 1.5 dCi  | 63        | 01/13→   |  |   |     |  |  |
| 1.5 dCi 75 / Blue dCi 75   | 55        | 10/12→   |  |   |     |  |  |
| 1.6  | 63        | 11/12→   |  |   |     |  |  |
| TCe 90 LPG   | 66        | 09/15→   |  |   |     |  |  |
| 1.2  | 55        | 10/12→   |  | 11/12→; for left-hand drive vehicles; - ABS   |     | <b>24.4120-1714.3 011110</b>   | Ø 20.6 without brake fluid reservoir   |
| 1.2 LPG  | 55        | 10/12→   |  |   |     |  |  |
| 1.5 dCi  | 66        | 10/12→   |  |   |     |  |  |
| TCe 90   | 66        | 10/12→   |  |   |     |  |  |
| <b>DACIA - SANDERO III 01/21→</b>  |           |  |  |   |     |  |  |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |   |     |  |  |
| 1.0 SCe 65   | 49        | 01/21→   | ➔  | - eFSB  | 2   | <b>24.3220-1761.3 020618</b>   | ALU  |
| 1.0 TCe 100  | 74        | 01/21→   |  |   |     |  |  |
| 1.0 TCe 100 ECO-G  | 74        | 01/21→   |  |   |     |  |  |
| 1.0 TCe 90   | 67        | 01/21→   |  |   |     |  |  |
| 1.0 TCe 90 ECO-G   | 67        | 01/21→   |  |   |     |  |  |
| <b>DS - DS 3 (SA_) 04/15→07/19</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b> |           |  |  |   |     |  |  |
| 1.2 THP 110 / PureTech 110   | 81        | 04/15→07/19  |  |   |     | <b>24.4123-1734.3 011130</b>   | Ø 23.8 without brake fluid reservoir   |
| 1.2 THP 130  | 96        | 09/15→07/19  |  |   |     |  |  |
| 1.2 VTi 82   | 60        | 04/15→07/19  |  |   |     |  |  |
| 1.4 HDi 70   | 50        | 07/15→12/16  |  |   |     |  |  |
| 1.6 BlueHDi 100  | 73        | 04/15→07/19  |  |   |     |  |  |
| 1.6 BlueHDi 116  | 85        | 07/15→07/19  |  |   |     |  |  |
| 1.6 BlueHDi 120  | 88        | 07/15→07/19  |  |   |     |  |  |
| 1.6 BlueHDi 75   | 55        | 07/15→07/19  |  |   |     |  |  |
| 1.6 THP  | 110 - 120 | 07/15→07/19  |  |   |     |  |  |
| 1.6 THP 165  | 121       | 07/15→07/19  |  |   |     |  |  |
| 1.6 THP 208  | 153       | 09/15→07/19  |  |   |     |  |  |
| <b>DS - DS 3 Convertible (SB_) 07/15→07/19</b>   |           |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b> |           |  |  |   |     |  |  |
| 1.2 THP 110  | 81        | 07/15→07/19  |  |   |     | <b>24.4123-1734.3 011130</b>   | Ø 23.8 without brake fluid reservoir   |
| 1.2 THP 130  | 96        | 09/15→07/19  |  |   |     |  |  |
| 1.2 VTi 82   | 60        | 07/15→07/19  |  |   |     |  |  |
| 1.6 BlueHDi 100  | 73        | 07/15→07/19  |  |   |     |  |  |
| 1.6 BlueHDi 116  | 85        | 07/15→07/19  |  |   |     |  |  |
| 1.6 BlueHDi 120  | 88        | 07/15→07/19  |  |   |     |  |  |
| 1.6 THP  | 110 - 120 | 07/15→07/19  |  |   |     |  |  |
| 1.6 THP 165  | 121       | 07/15→07/19  |  |   |     |  |  |
| 1.6 THP 208  | 153       | 09/15→07/19  |  |   |     |  |  |














|                                  | kw        |  |  |  |  | ! #            |  |  |
|--|-----------|--|--|--|--|----------------|--|--|
| <b>DS - DS 4 / DS 4 CROSSBACK (NX_) 07/15→12/18</b>  |           |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |  |  |                |  |  |
| 1.2 THP 130  | 96        | 07/15→12/18  |  | + ESP  |  | 24.4123-1726.3 | 011099   | Ø 23.8 without brake fluid reservoir   |
| 1.6 BlueHDi 100  | 73        | 04/16→12/18  |  |  |  |                |  |  |
| 1.6 BlueHDi 115  | 85        | 07/15→12/18  |  |  |  |                |  |  |
| 1.6 BlueHDi 120  | 88        | 07/15→12/18  |  |  |  |                |  |  |
| 1.6 THP 150  | 110       | 10/16→12/18  |  |  |  |                |  |  |
| 1.6 THP 160  | 120       | 07/15→12/18  |  |  |  |                |  |  |
| 1.6 THP 165  | 121       | 07/15→12/18  |  |  |  |                |  |  |
| 2.0 BlueHDi 150  | 110       | 07/15→12/18  |  |  |  |                |  |  |
| 2.0 BlueHDi 180  | 133       | 07/15→12/18  |  |  |  |                |  |  |
| <b>FIAT - DUCATO Bus (250_) 07/06→</b>   |           |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |  |  |                |  |  |
| 2 D  | 74        | 07/06→05/11  |  | + ASR; not for sequential manual transmission                                    |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 100 Multijet 2   | 74        | 07/06→05/11  |  |  |  |                |  |  |
| 3 D  | 82 - 130  | 05/14→   |  | + ASR; not for sequential manual transmission                                    |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 110 Multijet 2   | 82        | 05/14→   |  |  |  |                |  |  |
| 2 D  | 103       | 07/21→   |  | - ASR; Payload to [kg] 3,499; not for sequential manual transmission             |  | 24.4125-1712.3 | 011112   | Ø 25.4 without brake fluid reservoir   |
| 140 Multijet 2   | 103       | 05/19→   |  |  |  |                |  |  |
| 160 Multijet 2   | 118       | 05/19→   |  |  |  |                |  |  |
| 180 Multijet 2   | 130       | 05/19→   |  |  |  |                |  |  |
| 3 D  | 83 - 109  | 07/06→   |  | 05/14→; + ASR; not for sequential manual transmission                            |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 110 Multijet 2   | 83        | 10/11→   |  |  |  |                |  |  |
| 0 D  | 85 - 130  | 07/06→   |  | 05/14→; - ASR; Payload to [kg] 3,499; not for sequential manual transmission     |  | 24.4125-1712.3 | 011112   | Ø 25.4 without brake fluid reservoir   |
| 115 Multijet 2   | 85        | 06/11→   |  |  |  |                |  |  |
| 120 Multijet 2   | 88        | 07/06→   |  |  |  |                |  |  |
| 130 Multijet 2   | 96        | 01/07→   |  |  |  |                |  |  |
| 3 D 4x4  | 96        | 06/11→   |  |  |  |                |  |  |
| 140 Natural Power  | 100       | 04/09→   |  |  |  |                |  |  |
| 150 Multijet 2   | 109       | 06/11→   |  |  |  |                |  |  |
| 150 Multijet 3   | 107       | 04/10→   |  |  |  |                |  |  |
| 160 Multijet 3   | 115 - 116 | 07/06→   |  |  |  |                |  |  |
| 0 D 4x4  | 116       | 07/06→   |  |  |  |                |  |  |
| 180 Multijet 3   | 130       | 06/11→   |  |  |  |                |  |  |
| 3 D  | 110       | 04/15→   |  | 12/15→; + ASR; not for sequential manual transmission                            |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 150 Multijet 2   | 110       | 04/15→   |  |  |  |                |  |  |
| 3 D 4x4  | 110       | 04/15→   |  | 12/15→; - ASR; Payload to [kg] 3,499; not for sequential manual transmission     |  | 24.4125-1712.3 | 011112   | Ø 25.4 without brake fluid reservoir   |
| <b>FIAT - DUCATO Platform/Chassis (250_) 07/06→</b>  |           |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b> |           |  |  |  |  |                |  |  |
| 2 D  | 74        | 07/06→   |  | 05/14→; + ASR; not for sequential manual transmission                            |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 100 Multijet 2   | 74        | 07/06→   |  |  |  |                |  |  |
| 3 D  | 82 - 109  | 07/06→   |  | 05/14→; - ASR; Payload to [kg] 3,499; not for sequential manual transmission     |  | 24.4125-1712.3 | 011112   | Ø 25.4 without brake fluid reservoir   |
| 110 Multijet 2   | 82 - 83   | 08/06→   |  |  |  |                |  |  |
| 0 D  | 85 - 130  | 07/06→   |  |  |  |                |  |  |
| 115 Multijet 2   | 85        | 06/11→   |  |  |  |                |  |  |
| 120 Multijet 2   | 88        | 07/06→   |  |  |  |                |  |  |
| 3 D 4x4  | 88        | 03/10→   |  |  |  |                |  |  |
| 130 Multijet 2   | 96        | 08/06→   |  |  |  |                |  |  |
| 140 Natural Power  | 100       | 04/09→   |  |  |  |                |  |  |
| 150 Multijet 2   | 109       | 06/11→   |  |  |  |                |  |  |
| 150 Multijet 3   | 107       | 04/10→   |  |  |  |                |  |  |
| 160 Multijet 3   | 116       | 07/06→   |  |  |  |                |  |  |
| 180 Multijet 3   | 130       | 06/11→   |  |  |  |                |  |  |
| 120 Multijet 2   | 88 - 132  | 09/21→   |  | + ASR; not for sequential manual transmission                                    |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 2 D  | 88        | 09/21→   |  |  |  |                |  |  |
| 140 Multijet 2   | 103       | 05/19→   |  | - ASR; Payload to [kg] 3,499; not for sequential manual transmission             |  | 24.4125-1712.3 | 011112   | Ø 25.4 without brake fluid reservoir   |
| 3 D  | 103 - 130 | 12/15→   |  |  |  |                |  |  |
| 150 Multijet 2   | 110       | 12/15→   |  |  |  |                |  |  |
| 160 Multijet 2   | 118       | 05/19→   |  |  |  |                |  |  |
| 180 Multijet 2   | 130 - 132 | 12/15→   |  |  |  |                |  |  |
| 0 D  | 115       | 07/06→12/11  |  | + ASR; not for sequential manual transmission                                    |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 160 Multijet 3   | 115       | 07/06→12/11  |  |  |  |                |  |  |
| <b>FIAT - DUCATO Van (250_) 07/06→</b>   |           |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b> |           |  |  |  |  |                |  |  |
| 2 D  | 74        | 07/06→   |  | 05/14→; + ASR; not for sequential manual transmission                            |  | 24.4125-1711.3 | 011111   | Ø 25.4 without brake fluid reservoir   |
| 100 Multijet 2   | 74        | 07/06→   |  |  |  |                |  |  |
| →  |           |  |  |  |  |                |  |  |
































|   | kW  |    |  |   | ! # |  |  |
|---|---|--|--|---|-----|--|--|
| <b>FIAT - DUCATO Van (250_) 07/06→</b>  |   |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>  |   |  |  |   |     |  |  |
| 3 D<br>110 Multijet 2<br>0 D<br>115 Multijet 2<br>120 Multijet 2<br>3 D 4x4<br>130 Multijet 2<br>140 Natural Power<br>150 Multijet 2<br>150 Multijet 3<br>160 Multijet 3<br>0 D 4x4<br>180 Multijet 3 | 83 - 109<br>83<br>85 - 130<br>85<br>88<br>88 - 96<br>96<br>100<br>109<br>107<br>116<br>116<br>130 | 07/06→<br>10/11→<br>07/06→<br>06/11→<br>07/06→<br>03/10→<br>06/11→<br>04/09→<br>06/11→<br>04/10→<br>07/06→<br>07/06→<br>06/11→ |  | 05/14→; - ASR; Payload to [kg] 3,499; not for sequential manual transmission  |     | <b>24.4125-1712.3 011112</b>   | Ø 25.4 without brake fluid reservoir   |
| 3 D<br>110 Multijet 2<br>130 Multijet 2<br>3 D 4x4<br>150 Multijet 2  | 82 - 96<br>82<br>96<br>110<br>110   | 08/06→<br>05/14→<br>08/06→<br>04/15→<br>04/15→   |  | 12/15→; + ASR; not for sequential manual transmission   |     | <b>24.4125-1711.3 011111</b>   | Ø 25.4 without brake fluid reservoir   |
|   |   |  |  | 12/15→; - ASR; Payload to [kg] 3,499; not for sequential manual transmission  |     | <b>24.4125-1712.3 011112</b>   | Ø 25.4 without brake fluid reservoir   |
| 120 Multijet 2<br>2 D<br>140 Multijet 2<br>3 D<br>150 Multijet 2<br>160 Multijet 2<br>180 Multijet 2  | 88 - 103<br>88 - 103<br>103 - 130<br>110<br>118<br>130 - 132                                      | 07/21→<br>07/21→<br>05/19→<br>12/15→<br>12/15→<br>05/19→<br>12/15→   |  | + ASR; not for sequential manual transmission   |     | <b>24.4125-1711.3 011111</b>   | Ø 25.4 without brake fluid reservoir   |
|   |   |  |  | - ASR; Payload to [kg] 3,499; not for sequential manual transmission  |     | <b>24.4125-1712.3 011112</b>   | Ø 25.4 without brake fluid reservoir   |
| 0 D<br>160 Multijet 3   | 115<br>115  | 07/06→12/11<br>07/06→12/11   |  | + ASR; not for sequential manual transmission   |     | <b>24.4125-1711.3 011111</b>   | Ø 25.4 without brake fluid reservoir   |
| <b>FIAT - FIORINO Box Body/MPV (225_) 01/07→</b>  |   |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>  |   |  |  |   |     |  |  |
| 1.3 D Multijet<br>1.4<br>1.4 Natural Power<br>Ecargo  | 55 - 59<br>57<br>51<br>24   | 11/07→<br>10/09→<br>06/08→<br>01/10→12/12  |  | for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.3 D Multijet  | 70  | 07/09→   |  | 07/10→; for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.4   | 54  | 11/07→   |  | 09/08→; for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.4 Natural Power   | 57  | 06/08→   |  | 10/09→; for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>FIAT - FIORINO MPV (225_) 01/07→</b>   |   |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>  |   |  |  |   |     |  |  |
| 1.3 JTD Multijet<br>1.4<br>1.4 CNG  | 55 - 70<br>54 - 57<br>51 - 57   | 11/07→<br>11/07→<br>06/08→   |  | for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>FIAT - PUNTO (188_) 09/99→07/12</b>  |   |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>  |   |  |  |   |     |  |  |
| 1.2 Bifuel  | 44  | 08/07→03/12  |  | 10/09→; for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>FIAT - PUNTO (199_) 06/05→</b>   |   |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>  |   |  |  |   |     |  |  |
| 1.3 D Multijet  | 56  | 06/09→07/14  |  | 10/09→; for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>FIAT - PUNTO (199_) 01/12→</b>   |   |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>  |   |  |  |   |     |  |  |
| 0.9<br>0.9 Bifuel<br>0.9 Twinair Turbo<br>→   | 74 - 77<br>63<br>63   | 07/13→<br>03/12→<br>03/12→   |  | for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |

|                                  | kW       |  |  |   | ! # |  |  |
|--|----------|--|--|---|-----|--|--|
| <b>FIAT - PUNTO (199_) 01/12→</b>  |          |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |          |  |  |   |     |  |  |
| 1.2  | 49 - 51  | 03/12→   |  | for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.3 D Multijet   | 55 - 70  | 03/12→   |  |   |     |  |  |
| 1.3 JTD Multijet   | 66       | 05/18→   |  |   |     |  |  |
| 1.4  | 55 - 57  | 03/12→   |  |   |     |  |  |
| 1.4 Bifuel   | 57       | 03/12→   |  |   |     |  |  |
| 1.4 Multi Air  | 77       | 03/12→   |  |   |     |  |  |
| 1.4 Natural Power  | 57       | 03/12→   |  |   |     |  |  |
| 1.4 Turbo Multi Air  | 99       | 03/12→   |  |   |     |  |  |
| <b>FIAT - PUNTO EVO (199_) 07/08→</b>  |          |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |          |  |  |   |     |  |  |
| 1.2  | 48 - 51  | 10/09→   |  | for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.3 D Multijet   | 51 - 70  | 07/08→   |  |   |     |  |  |
| 1.4  | 57       | 10/09→02/12  |  |   |     |  |  |
| 1.4 16V  | 77 - 99  | 10/09→02/12  |  |   |     |  |  |
| 1.4 LPG  | 57       | 06/09→02/12  |  |   |     |  |  |
| 1.4 Natural Power  | 57       | 10/09→02/12  |  |   |     |  |  |
| 1.6 D Multijet   | 88       | 10/09→02/12  |  |   |     |  |  |
| 1.4  | 55       | 07/09→02/12  |  | 10/09→; for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>FIAT - PUNTO EVO Hatchback Van (199_) 03/09→02/12</b>   |          |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b>   |          |  |  |   |     |  |  |
| 1.3 D Multijet   | 55 - 70  | 03/09→02/12  |  | 10/09→; for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.4  | 57       | 03/09→02/12  |  |   |     |  |  |
| <b>FIAT - PUNTO Hatchback Van (199_) 04/08→</b>  |          |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b> |          |  |  |   |     |  |  |
| 0.9 Twinair Turbo  | 63       | 03/12→   |  | for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.3 D Multijet   | 62       | 03/12→   |  |   |     |  |  |
| 1.4  | 57       | 03/12→   |  |   |     |  |  |
| 1.4 LPG  | 57       | 03/12→   |  |   |     |  |  |
| 1.3 D Multijet   | 70       | 03/09→   |  | 10/09→; for right-hand drive vehicles; + ESP  |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.4 Natural Power  | 57       | 03/09→   |  |   |     |  |  |
| <b>FIAT - QUBO (225_) 02/08→</b>   |          |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b> |          |  |  |   |     |  |  |
| 1.3 D Multijet   | 59 - 70  | 07/10→   |  | for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.4  | 57       | 10/09→   |  |   |     |  |  |
| 1.4 Natural Power  | 57       | 10/09→   |  |   |     |  |  |
| 1.3 D Multijet   | 55       | 02/08→   |  | 09/08→; for right-hand drive vehicles   |     | <b>24.4122-1727.3 011098</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.4  | 54       | 02/08→   |  |   |     |  |  |
| <b>FORD - FIESTA VII (HJ, HF) 05/17→</b>   |          |  |  |   |     |  |  |
|  <b>Brake Disc</b>            |          |  |  |   |     |  |  |
| 1.0 EcoBoost   | 63 - 103 | 05/17→   | ←  |   |     | <b>24.0123-0127.1 423127</b>   | Ø 262 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21 Vented                |
| 1.0 EcoBoost Active  | 74 - 103 | 04/18→   |  |   |     |  |  |
| 1.0 EcoBoost Flex  | 70       | 03/20→12/22  |  |   |     |  |  |
| 1.0 EcoBoost mHEV  | 92 - 114 | 11/19→   |  |   |     |  |  |
| 1.0 EcoBoost mHEV Active   | 92 - 114 | 01/21→   |  |   |     |  |  |
| 1.1 Ti-VCT   | 52 - 63  | 05/17→   |  |   |     |  |  |
| 1.1 Ti-VCT LPG   | 55       | 10/19→   |  |   |     |  |  |
| 1.5 TDCi   | 63 - 88  | 05/17→   |  |   |     |  |  |
| 1.5 TDCi Active  | 63 - 88  | 05/17→   |  |   |     |  |  |

















|                       | kW        |  |  |   | ! # |  |  |
|---|-----------|--|--|---|-----|--|--|
| <b>FORD - FIESTA VII Van 09/18→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Disc</b>   |           |  |  |   |     |  |  |
| 1.0 EcoBoost  | 70 - 103  | 09/18→   | ←  |   |     | 24.0123-0127.1 423127  | Ø 262 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21 Vented                |
| 1.0 EcoBoost Flex   | 70        | 12/19→   |  |   |     |  |  |
| 1.0 EcoBoost mHEV   | 92        | 06/20→   |  |   |     |  |  |
| 1.1 Ti-VCT  | 52 - 63   | 04/19→   |  |   |     |  |  |
| 1.5 TDCi  | 63 - 88   | 09/18→   |  |   |     |  |  |
| <b>FORD - KUGA I 02/08→11/12</b>  |           |  |  |   |     |  |  |
|  <b>Brake Hose</b>   |           |  |  |   |     |  |  |
| 2.0 TDCi  | 100       | 03/08→11/12  | ←  | 04/08→  | 2   | 24.5105-0435.3 331737  | L= 465   |
| 2.0 TDCi 4x4  | 100       | 03/08→11/12  |  |   |     |  |  |
| 2.0 TDCi  | 103       | 03/10→11/12  | ←  |   | 2   | 24.5105-0435.3 331737  | L= 465   |
| 2.0 TDCi 4x4  | 103 - 120 | 03/10→11/12  |  |   |     |  |  |
| 2.5 4x4   | 147       | 02/08→11/12  |  |   |     |  |  |
| <b>FORD - KUGA I VAN 02/08→11/12</b>  |           |  |  |   |     |  |  |
|  <b>Brake Hose</b>   |           |  |  |   |     |  |  |
| 2.5 TDCi  | 147       | 02/08→11/12  | ←  |   | 2   | 24.5105-0435.3 331737  | L= 465   |
| TDCi  | 103       | 03/10→11/12  |  |   |     |  |  |
| TDCi 4x4  | 103 - 120 | 03/10→11/12  |  |   |     |  |  |
| <b>FORD - KUGA II (DM2) 05/12→</b>  |           |  |  |   |     |  |  |
|  <b>Brake Disc</b>   |           |  |  |   |     |  |  |
| 1.5 EcoBoost  | 88 - 134  | 09/14→   | →  | + eFSB  |     | 24.0111-0196.1 411196  | Ø 316 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9.5                      |
| 1.5 EcoBoost 4x4  | 110 - 134 | 09/14→12/19  |  |   |     |  |  |
| 1.5 EcoBoost E85  | 110       | 02/19→11/19  |  |   |     |  |  |
| 1.5 TDCi  | 88        | 07/16→06/19  |  |   |     |  |  |
| 1.6 EcoBoost  | 110       | 03/13→09/14  |  |   |     |  |  |
| 1.6 EcoBoost 4x4  | 110 - 134 | 10/12→12/19  |  |   |     |  |  |
| 2.0 4x4   | 179       | 03/13→06/16  |  |   |     |  |  |
| 2.0 EcoBoost 4x4  | 169 - 178 | 08/17→12/19  |  |   |     |  |  |
| 2.0 TDCi  | 85 - 110  | 03/13→12/19  |  |   |     |  |  |
| 2.0 TDCi 4x4  | 100 - 132 | 03/13→12/19  |  |   |     |  |  |
| 2.5   | 110 - 125 | 09/13→   |  |   |     |  |  |
| <b>FORD - KUGA II VAN 05/12→12/19</b>   |           |  |  |   |     |  |  |
|  <b>Brake Disc</b> |           |  |  |   |     |  |  |
| 1.5 EcoBoost  | 88 - 110  | 09/14→12/19  | →  | + eFSB  |     | 24.0111-0196.1 411196  | Ø 316 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9.5                      |
| 1.5 EcoBoost 4x4  | 129 - 134 | 09/14→12/19  |  |   |     |  |  |
| 1.5 TDCi  | 88        | 01/19→12/19  |  |   |     |  |  |
| 2.0 TDCi  | 88 - 110  | 09/14→12/19  |  |   |     |  |  |
| 2.0 TDCi 4x4  | 110 - 132 | 09/14→12/19  |  |   |     |  |  |
| <b>FORD - TOURNEO CONNECT / GRAND TOURNEO CONNECT V408 MPV 09/13→</b>                                 |           |  |  |   |     |  |  |
|  <b>Brake Disc</b> |           |  |  |   |     |  |  |
| 1.0 EcoBoost  | 74        | 11/13→12/22  | →  | 05/18→  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 1.5 TDCi  | 55 - 88   | 05/15→12/22  |  |   |     |  |  |
| 1.6 EcoBoost  | 110       | 11/13→12/22  |  |   |     |  |  |
| 1.6 TDCi  | 70 - 85   | 09/13→12/22  |  |   |     |  |  |
| 1.5 EcoBlue   | 55 - 88   | 05/18→12/22  | →  |   |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 1.6 TDCi  | 55        | 09/13→12/22  | →  | 05/19→  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |















|    | kW        |  |  |  |  | ! # |  |  |
|--|-----------|--|--|--|--|-----|--|--|
| <b>FORD - TRANSIT CONNECT MPV 02/13→</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Disc</b>                      |           |  |  |  |  |     |  |  |
| 1.5 EcoBlue  | 55 - 88   | 05/15→   | ➔  |  |  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 1.5 TDCi   | 55 - 88   | 05/15→   | ➔  | 05/18→   |  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 1.6 TDCi   | 55 - 85   | 02/13→   |  |  |  |     |  |  |
| 2.5 CNG  | 126       | 09/13→   | ➔  | 06/18→   |  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 2.5 Duratec  | 126       | 09/13→   |  |  |  |     |  |  |
| 2.5 LPG  | 126       | 09/13→   |  |  |  |     |  |  |
| <b>FORD - TRANSIT CONNECT V408 Box Body/MPV 02/13→</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Disc</b>                      |           |  |  |  |  |     |  |  |
| 1.0 EcoBoost   | 74        | 02/13→   | ➔  | 05/18→   |  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 1.5 TDCi   | 55 - 88   | 05/15→   |  |  |  |     |  |  |
| 1.6 EcoBoost   | 110       | 11/13→   |  |  |  |     |  |  |
| 1.6 TDCi   | 55 - 85   | 02/13→   |  |  |  |     |  |  |
| 1.0 Flexifuel  | 74        | 05/21→   | ➔  |  |  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 1.5 EcoBlue  | 55 - 88   | 05/18→   |  |  |  |     |  |  |
| 2.5 CNG  | 126       | 09/13→   | ➔  | 06/18→   |  |     | 24.0111-0194.1 411194  | Ø 280 Brake Disc Thickness [mm] 11 Minimum thickness [mm] 9                        |
| 2.5 Duratec  | 126       | 09/13→   |  |  |  |     |  |  |
| 2.5 LPG  | 126       | 09/13→   |  |  |  |     |  |  |
| <b>JEEP - COMMANDER (XK, XH) 09/05→12/10</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Shoe Set, parking brake</b>   |           |  |  |  |  |     |  |  |
| 3.0 CRD 4x4  | 155 - 160 | 09/05→12/10  | ➔  |  |  |     | 03.0137-3056.2 653056  | Ø 205 Width [mm] 31 - HEB  |
| 3.7 V6 4x4   | 157       | 09/05→12/10  |  |  |  |     |  |  |
| 4.7 V8 4x4   | 170 - 223 | 09/05→12/10  |  |  |  |     |  |  |
| 5.7 HEMI 4x4   | 255       | 06/09→12/10  |  |  |  |     |  |  |
| 5.7 V8 4x4   | 240       | 09/05→12/10  |  |  |  |     |  |  |
| <b>JEEP - COMMANDER VAN (XH) 09/05→12/10</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Shoe Set, parking brake</b> |           |  |  |  |  |     |  |  |
| 3.0 CRD 4x4  | 160       | 09/05→12/10  | ➔  |  |  |     | 03.0137-3056.2 653056  | Ø 205 Width [mm] 31 - HEB  |
| 5.7 HEMI V8 4x4  | 240       | 09/05→12/10  |  |  |  |     |  |  |
| <b>JEEP - GRAND CHEROKEE III (WH, WK) 10/04→10/11</b>  |           |  |  |  |  |     |  |  |
|  <b>Brake Shoe Set, parking brake</b> |           |  |  |  |  |     |  |  |
| 3.0 CRD  | 160       | 06/05→12/10  | ➔  |  |  |     | 03.0137-3056.2 653056  | Ø 205 Width [mm] 31 - HEB  |
| 3.0 CRD 4x4  | 132 - 165 | 03/05→10/11  |  |  |  |     |  |  |
| 3.7 V6 4x4   | 148       | 01/08→12/10  |  |  |  |     |  |  |
| 4.7 V8   | 167       | 10/04→05/10  |  |  |  |     |  |  |
| 4.7 V8 4x4   | 164 - 170 | 06/05→12/10  |  |  |  |     |  |  |
| 4.7 V8 FLEX  | 167       | 10/04→05/10  |  |  |  |     |  |  |
| 5.7  | 240       | 06/05→12/08  |  |  |  |     |  |  |
| 5.7 V8 4x4   | 240 - 265 | 06/05→12/10  |  |  |  |     |  |  |
| 6.1 SRT8 4x4   | 313       | 03/06→12/10  |  |  |  |     |  |  |
| 6.1 SRT8 RWD   | 313       | 03/06→05/10  |  |  |  |     |  |  |
| 3.7 V6   | 157       | 10/04→12/10  | ➔  | 06/05→   |  |     | 03.0137-3056.2 653056  | Ø 205 Width [mm] 31 - HEB  |
| 3.7 V6 4x4   | 157       | 10/04→12/10  |  |  |  |     |  |  |
| 4.7 V8 4x4   | 167 - 223 | 09/07→05/10  | ➔  | → 12/08  |  |     | 03.0137-3056.2 653056  | Ø 205 Width [mm] 31 - HEB  |
| <b>LAND ROVER - RANGE ROVER SPORT I (L320) 02/05→03/13</b>   |           |  |  |  |  |     |  |  |
| <b>Warning Contact, brake pad wear</b>   |           |  |  |  |  |     |  |  |
| 5.0 4x4  | 372 - 375 | 04/09→03/13  | ←  |  |  |     | 24.8190-0840.2 620840  |  |
| <b>LEXUS - ES (_Z10_, _A10_, _H10_) 07/18→</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Disc</b>                    |           |  |  |  |  |     |  |  |
| 200  | 110 - 127 | 10/18→   | ➔  |  |  |     | 24.0112-0228.1 412228  | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| 250  | 147 - 152 | 10/18→   |  |  |  |     |  |  |
| 300h   | 160       | 07/18→   |  |  |  |     |  |  |
| 350  | 183       | 10/18→   |  |  |  |     |  |  |













|                                      | kW        |  |  |   | ! # |  |  |
|--|-----------|--|--|---|-----|--|--|
| <b>LEXUS - NX (_Z1_) 07/14→</b>  |           |  |  |   |     |  |  |
|  <b>Brake Disc</b>                  |           |  |  |   |     |  |  |
| 200  | 110       | 11/14→   | ➔  |   |     | 24.0112-0228.1 412228  | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| 200 AWD  | 110       | 11/14→   |  |   |     |  |  |
| 200t   | 175       | 07/14→   |  |   |     |  |  |
| 200t AWD   | 175       | 07/14→   |  |   |     |  |  |
| 300  | 175       | 09/17→   |  |   |     |  |  |
| 300 AWD  | 175       | 09/17→   |  |   |     |  |  |
| 300h   | 145       | 07/14→   |  |   |     |  |  |
| 300h AWD   | 145 - 147 | 07/14→   |  |   |     |  |  |
| <b>LEXUS - UX (_AA1_, _AH1_, _MA1_) 10/18→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Disc</b>                  |           |  |  |   |     |  |  |
| 200  | 110 - 127 | 10/18→   | ➔  |   |     | 24.0112-0228.1 412228  | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| 250h   | 131 - 135 | 10/18→   |  |   |     |  |  |
| 250h E-Four  | 131 - 135 | 10/18→   |  |   |     |  |  |
| <b>MERCEDES-BENZ - C-CLASS (W206) 03/21→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b>   |           |  |  |   |     |  |  |
| C 300 de   | 230       | 12/22→   | ➔  |   |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| C 300 de 4-matic   | 230       | 12/22→   |  |   |     |  |  |
| C 300 e  | 230       | 12/21→   |  |   |     |  |  |
| C 300 e 4-matic  | 230       | 05/22→   |  |   |     |  |  |
| <b>MERCEDES-BENZ - C-CLASS T-MODEL (S206) 03/21→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b>   |           |  |  |   |     |  |  |
| C 300 de   | 230       | 12/22→   | ➔  |   |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| C 300 de 4-matic   | 230       | 12/22→   |  |   |     |  |  |
| C 300 e  | 230       | 12/21→   |  |   |     |  |  |
| <b>MERCEDES-BENZ - CLE (C236) 10/23→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |           |  |  |   |     |  |  |
| CLE 450 4-matic  | 280       | 10/23→   | ➔  |   |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - CLE Convertible (A236) 02/24→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |           |  |  |   |     |  |  |
| CLE 450 4-matic  | 280       | 02/24→   | ➔  |   |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - E-CLASS (W214) 07/23→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |           |  |  |   |     |  |  |
| E 180  | 125       | 07/23→   | ➔  | +SA B3C; for brake disc diameter [mm]: 320  |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| E 200  | 150       | 07/23→   |  |   |     |  |  |
| E 220 d  | 145       | 07/23→   |  |   |     |  |  |
| E 220 d 4-matic  | 145       | 07/23→   |  |   |     |  |  |
| E 300 e  | 230       | 07/23→   |  |   |     |  |  |
| E 300 e 4-matic  | 230       | 07/23→   |  |   |     |  |  |
| E 400 e 4-matic  | 280       | 07/23→   |  |   |     |  |  |
| E 200 4-matic  | 150       | 07/23→   | ➔  | +SA B3B; for brake disc diameter [mm]: 300  |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| E 300 de   | 230       | 10/23→   |  |   |     |  |  |
| E 300 de 4-matic   | 230       | 10/23→   |  |   |     |  |  |
| E 450 4-matic  | 280       | 10/23→   |  |   |     |  |  |
| E 450 d 4-matic  | 270       | 10/23→   |  |   |     |  |  |
| <b>MERCEDES-BENZ - E-CLASS All-Terrain (S214) 10/23→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |           |  |  |   |     |  |  |
| E 220 d 4-matic  | 145       | 10/23→   | ➔  | +SA B3B; for brake disc diameter [mm]: 300  |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| E 300 de 4-matic   | 230       | 10/23→   |  |   |     |  |  |
| E 450 4-matic  | 280       | 10/23→   |  |   |     |  |  |
| E 450 d 4-matic  | 270       | 10/23→   | ➔  | +SA B3C; for brake disc diameter [mm]: 320  |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - E-CLASS T-Model (S214) 07/23→</b>   |           |  |  |   |     |  |  |
|  <b>Brake Pad Set, disc brake</b> |           |  |  |   |     |  |  |
| E 200  | 150       | 07/23→   | ➔  | +SA B3B; for brake disc diameter [mm]: 300  |     | 13.0460-2660.2 602660  | TRW + WE / - WK  |
| E 220 d  | 145       | 06/23→   |  |   |     |  |  |
| E 220 d 4-matic  | 145       | 10/23→   |  |   |     |  |  |
| E 300 de   | 230       | 10/23→   |  |   |     |  |  |
| E 300 de 4-matic   | 230       | 10/23→   |  |   |     |  |  |
| E 300 e  | 230       | 07/23→   |  |   |     |  |  |
| E 450 4-matic  | 280       | 10/23→   |  |   |     |  |  |
| →  |           |  |  |   |     |  |  |


















|   | kW  |    |  |  |  | ! # |  |  |
|---|---|--|--|--|--|-----|--|--|
| <b>MERCEDES-BENZ - E-CLASS T-Model (S214) 07/23→</b>  |   |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b>  |   |  |  |  |  |     |  |  |
| E 200 4-matic<br>E 450 d 4-matic  | 150<br>270  | 02/24→<br>10/23→   | ➔  | +SA B3C; for brake disc diameter [mm]:<br>320                                    |  |     | <b>13.0460-2660.2 602660</b>   | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - GLC (X254) 06/22→</b>  |   |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b>  |   |  |  |  |  |     |  |  |
| 200 4-matic<br>220d 4-matic<br>300 4-matic<br>300d 4-matic  | 150<br>145<br>190<br>198  | 06/22→<br>09/22→<br>06/22→<br>09/22→   | ➔  |  |  |     | <b>13.0460-2660.2 602660</b>   | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - GLC Coupe (C254) 04/23→</b>  |   |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b>  |   |  |  |  |  |     |  |  |
| 200 4-matic<br>220d 4-matic<br>300 4-matic<br>300d 4-matic  | 150<br>145<br>190<br>198  | 06/22→<br>09/22→<br>06/22→<br>09/22→   | ➔  |  |  |     | <b>13.0460-2660.2 602660</b>   | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - S-CLASS (V223) 09/20→</b>  |   |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b>  |   |  |  |  |  |     |  |  |
| S 350 d<br>S 350 d 4-matic<br>S 350 d Mild Hybrid<br>S 350 d Mild Hybrid 4-matic<br>S 400 d 4-matic<br>S 450 d Mild Hybrid 4-matic<br>S 450 EQ Boost<br>S 450 EQ Boost 4-matic    | 210<br>210<br>230<br>230<br>243<br>270<br>270<br>280                      | 09/20→<br>09/20→<br>05/23→<br>05/23→<br>09/20→<br>05/23→<br>07/21→<br>10/20→   | ➔  | for vehicles without sports brake system;<br>not for armoured vehicles           |  |     | <b>13.0460-2660.2 602660</b>   | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - S-CLASS (W222, V222, X222) 05/13→08/20</b>   |   |  |  |  |  |     |  |  |
|  <b>Wheel Speed Sensor</b>   |   |  |  |  |  |     |  |  |
| AMG S 63<br>S 320   | 450<br>200  | 05/17→07/20<br>05/14→07/20   | ➔  | for vehicles without ABC   | 2  |     | <b>24.0711-5808.4 360646</b>   | L= 953   |
|   |   |  | ➔  |  |  |     | <b>24.0711-5807.4 360645</b>   | L= 600   |
| AMG S 63 4-matic+<br>S 400 4-matic<br>S 500 4-matic<br>S 500 EQ Boost 4-matic<br>S 560 4-matic  | 450<br>245<br>320<br>320<br>345   | 05/17→07/20<br>11/14→05/17<br>11/17→04/20<br>09/19→04/20<br>05/17→07/20  | ➔  |  |  |     | <b>24.0711-5807.4 360645</b>   | L= 600   |
| S 300 BlueTEC Hybrid / h<br>S 350 BlueTEC / d<br>S 400<br>S 400 Hybrid / h<br>S 500<br>S 500 Hybrid / e<br>S 600<br>S 63 AMG<br>S 65 AMG  | 170<br>190<br>245<br>225<br>320 -<br>335<br>325<br>390<br>430<br>463      | 02/14→05/17<br>05/13→05/17<br>03/14→05/17<br>05/13→05/17<br>05/13→05/17<br>07/14→05/17<br>02/14→07/20<br>05/13→05/17<br>02/14→11/19                | ➔  | for vehicles without ABC   | 2  |     | <b>24.0711-5808.4 360646</b>   | L= 953   |
| S 350 d<br>S 400 d<br>S 450<br>S 450 EQ Boost<br>S 500 Maybach<br>S 560<br>S 560 e<br>S 560 Maybach<br>S 600 Maybach<br>S 650 Maybach   | 210<br>250<br>270<br>270<br>335<br>345<br>350<br>345<br>390<br>390<br>463 | 07/17→07/20<br>07/17→07/20<br>02/17→07/20<br>07/17→07/20<br>12/14→05/17<br>07/17→07/20<br>10/18→07/20<br>07/17→07/20<br>12/14→11/18<br>07/17→07/20 | ➔  | not for armoured vehicles; for vehicles without ABC                              | 2  |     | <b>24.0711-5808.4 360646</b>   | L= 953   |
|   |   |  | ➔  | not for armoured vehicles; ☐   |  |     | <b>24.0711-5807.4 360645</b>   | L= 600   |
| S 350 d 4-matic<br>S 400 d 4-matic<br>S 400 Maybach 4-matic<br>S 450 4-matic<br>S 450 EQ Boost 4-matic<br>S 450 Maybach 4-matic<br>S 500 Maybach 4-matic<br>S 560 Maybach 4-matic | 183 -<br>210<br>250<br>245<br>270<br>270<br>270<br>335<br>345             | 05/17→07/20<br>05/17→07/20<br>01/15→05/17<br>02/17→07/20<br>07/17→07/20<br>09/17→07/20<br>04/15→05/17<br>07/17→07/20                               | ➔  | not for armoured vehicles; ☐   |  |     | <b>24.0711-5807.4 360645</b>   | L= 600   |
| <b>MERCEDES-BENZ - S-CLASS (W223) 09/20→</b>  |   |  |  |  |  |     |  |  |
|  <b>Brake Pad Set, disc brake</b>  |   |  |  |  |  |     |  |  |
| S 350 d<br>S 350 d 4-matic<br>➔   | 210<br>210  | 09/20→06/23<br>09/20→06/23   | ➔  | for vehicles without sports brake system;<br>not for armoured vehicles           |  |     | <b>13.0460-2660.2 602660</b>   | TRW + WE / - WK  |





























|    | kW  |  |  |  |  | ! #            |  |  |
|--|---|--|--|--|--|----------------|--|--|
| <b>MERCEDES-BENZ - S-CLASS (W223) 09/20→</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Pad Set, disc brake</b>       |   |  |  |  |  |                |  |  |
| S 400 d 4-matic<br>S 450 EQ Boost<br>S 450 EQ Boost 4-matic  | 243<br>270<br>270 - 280                     | 09/20→<br>07/21→<br>10/20→   | ➔  | for vehicles without sports brake system;<br>not for armoured vehicles           |  | 13.0460-2660.2 | 602660   | TRW + WE / - WK  |
| S 350 d Mild Hybrid<br>S 350 d Mild Hybrid 4-matic<br>S 450 d Mild Hybrid 4-matic  | 230<br>230<br>270                           | 06/23→<br>06/23→<br>05/23→   | ➔  | for vehicles without sports brake system   |  | 13.0460-2660.2 | 602660   | TRW + WE / - WK  |
| <b>MERCEDES-BENZ - S-CLASS Convertible (A217) 12/15→08/20</b>  |   |  |  |  |  |                |  |  |
|  <b>Wheel Speed Sensor</b>              |   |  |  |  |  |                |  |  |
| AMG S 63<br>AMG S 65<br>S 500<br>S 560<br>S 650 Maybach  | 430 - 450<br>463<br>335<br>345<br>463       | 02/16→07/20<br>04/16→05/19<br>12/15→10/17<br>10/17→07/20<br>08/17→05/19          | ➔  |  |  | 2              | 24.0711-5808.4   | 360646 L= 953  |
| <b>MERCEDES-BENZ - S-CLASS Coupe (C217) 04/14→08/20</b>  |   |  |  |  |  |                |  |  |
|  <b>Wheel Speed Sensor</b>              |   |  |  |  |  |                |  |  |
| S 400 4-matic<br>S 450 4-matic<br>S 500 4-matic<br>S 560 4-matic<br>S 63 AMG 4-matic+                                    | 270<br>270<br>335<br>345<br>450             | 10/15→07/20<br>12/15→07/20<br>04/14→10/17<br>10/17→07/20<br>10/17→07/20          | ➔  |  |  |                | 24.0711-5807.4   | 360645 L= 600  |
| S 500<br>S 560<br>S 63 AMG   | 335<br>345<br>450                           | 11/14→10/17<br>10/17→07/20<br>12/18→07/20  | ➔  | for vehicles without ABC   |  | 2              | 24.0711-5808.4   | 360646 L= 953  |
| S 63 AMG<br>S 63 AMG 4-matic<br>S 65 AMG   | 430<br>430<br>463                           | 07/14→10/17<br>04/14→10/17<br>07/14→05/19  | ➔  |  |  | 1              | 24.0711-5808.4   | 360646 L= 953  |
|  |   |  | ➔  |  |  |                | 24.0711-5807.4   | 360645 L= 600  |
| <b>MINI - MINI COOPER (J01) 11/23→</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Pad Set, disc brake</b>     |   |  |  |  |  |                |  |  |
| Cooper E<br>Cooper SE  | 135<br>160                                  | 11/23→<br>11/23→   | ➔  |  |  |                | 13.0460-2664.2   | 602664 + WE / - WK + Zub   |
|  |   |  |  |  |  |                | 13.0470-2664.2   | LD2664 + WE / - WK + Zub Ceramic   |
| <b>MINI - MINI COUNTRYMAN (U25) 11/23→</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Pad Set, disc brake</b>     |   |  |  |  |  |                |  |  |
| 1.5 C  | 125   | 11/23→   | ➔  |  |  |                | 13.0460-2664.2   | 602664 + WE / - WK + Zub   |
|  |   |  |  |  |  |                | 13.0470-2664.2   | LD2664 + WE / - WK + Zub Ceramic   |
| <b>MITSUBISHI - PAJERO IV Van (V9_, V8_, V8_V) 11/06→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Shoe Set, parking brake</b> |   |  |  |  |  |                |  |  |
| 3.2 DI-D<br>3.2 TD 4WD   | 118<br>147                                  | 11/06→<br>01/10→   | ➔  | 02/07→; for extended wheelbase<br>for extended wheelbase                         |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |
|  |   |  |  |  |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |
| <b>MITSUBISHI - PAJERO IV Wagon Hardtop (V8_W, V9_W, NS, NT, NW, NX) 10/06→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Shoe Set, parking brake</b> |   |  |  |  |  |                |  |  |
| 3.2 DI-D<br>3.2 DI-D 4WD<br>3.5 V6 4WD<br>3.8 V6<br>3.8 V6   | 118 - 125<br>140 - 147<br>139<br>184<br>182 | 02/07→<br>02/07→<br>09/09→<br>02/07→<br>10/06→                                   | ➔  | for extended wheelbase<br><br><br>02/10→; for extended wheelbase                 |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |
|  |   |  |  |  |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |
| <b>MITSUBISHI - PAJERO CLASSIC (V2_W, V6_W, V7_W) 07/01→</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Shoe Set, parking brake</b> |   |  |  |  |  |                |  |  |
| 3.0<br>3.0 ZR<br>3.2 DI-D<br>3.8 All-wheel Drive   | 131<br>132<br>125<br>184                    | 09/06→<br>08/03→<br>09/06→<br>09/06→   | ➔  | 02/07→; for extended wheelbase<br><br><br>for extended wheelbase                 |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |
|  |   |  |  |  |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |
| <b>MITSUBISHI - ZINGER MPV (KB0_A) 10/05→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Shoe Set, parking brake</b> |   |  |  |  |  |                |  |  |
| 2.4  | 94 - 100                                    | 10/05→   | ➔  |  |  |                | 03.0137-3058.2   | 653058 Ø 210 Width [mm] 40 - HEB   |















|                                | kw       |  |  |   | ! # |  |  |
|--|----------|--|--|---|-----|--|--|
| <b>NISSAN - MICRA II (K11) 01/92→12/07</b>   |          |  |  |   |     |  |  |
|  <b>Brake Master Cylinder</b> |          |  |  |   |     |  |  |
| 1.0 i 16V  | 40       | 08/92→07/00  |  | 04/95→; - ABS   |     | <b>24.2119-1715.3 011095</b>   | Ø 19 without brake fluid reservoir   |
| 1.0 i 16V  | 44       | 07/00→02/03  |  | 09/00→ 12/02; - ABS   |     | <b>24.2119-1715.3 011095</b>   | Ø 19 without brake fluid reservoir   |
| 1.3 i 16V  | 55       | 08/92→09/00  |  | 04/95→ 08/00; - ABS   |     | <b>24.2119-1715.3 011095</b>   | Ø 19 without brake fluid reservoir   |
| 1.4 i 16V  | 60       | 09/00→02/03  |  | → 12/02; - ABS  |     | <b>24.2119-1715.3 011095</b>   | Ø 19 without brake fluid reservoir   |
| 1.5 D  | 42       | 02/98→02/03  |  |   |     |  |  |
| <b>NISSAN - MICRA V (K14) 12/16→</b>   |          |  |  |   |     |  |  |
|  <b>Brake Shoe Set</b>        |          |  |  |   |     |  |  |
| 0.9 IG-T   | 66       | 12/16→   | ➔  | 03/17→  |     | <b>03.0137-0543.2 650543</b>   | Ø 203 Width [mm] 32 + HEB  |
| 1.0  | 54       | 12/16→   |  |   |     |  |  |
| 1.5 DCI  | 66       | 12/16→   |  |   |     |  |  |
| 0.9 LPG  | 64       | 03/19→   | ➔  |   |     | <b>03.0137-0543.2 650543</b>   | Ø 203 Width [mm] 32 + HEB  |
| 1.0  | 52       | 12/16→   |  |   |     |  |  |
| 1.0 DIG-T 117  | 86       | 02/19→   |  |   |     |  |  |
| 1.0 IG-T   | 68       | 01/21→   |  |   |     |  |  |
| 1.0 IG-T 100   | 74       | 12/18→   |  |   |     |  |  |
| 1.0 LPG  | 66       | 01/23→   |  |   |     |  |  |
| <b>OPEL - ASTRA K (B16) 06/15→12/22</b>  |          |  |  |   |     |  |  |
|  <b>Brake Caliper</b>         |          |  |  |   |     |  |  |
| 1.0 Turbo  | 66 - 77  | 06/15→12/22  | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB  |
| 1.2 Turbo  | 81 - 107 | 08/19→12/22  | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB  |
| 1.4  | 74       | 06/15→12/22  |  |   |     |  |  |
| 1.4 CNG  | 81       | 10/17→12/22  |  |   |     |  |  |
| 1.4 Turbo  | 92 - 110 | 06/15→12/22  |  |   |     |  |  |
| 1.5 CRDI   | 77 - 90  | 08/19→12/22  |  |   |     |  |  |
| 1.6 BiTurbo  | 110      | 08/18→12/22  |  |   |     |  |  |
| 1.6 CDTi   | 70 - 118 | 06/15→12/22  |  |   |     |  |  |
| 1.6 Turbo  | 147      | 11/15→12/22  |  |   |     |  |  |
| <b>OPEL - ASTRA K Estate Van 11/15→</b>  |          |  |  |   |     |  |  |
|  <b>Brake Caliper</b>       |          |  |  |   |     |  |  |
| 1.0  | 77       | 05/18→   | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB  |
| 1.4  | 110      | 06/18→   |  |   |     |  |  |
| 1.5 CRDI   | 77       | 08/19→   | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB  |
| <b>OPEL - ASTRA K Hatchback Van 06/15→</b>   |          |  |  |   |     |  |  |
|  <b>Brake Caliper</b>       |          |  |  |   |     |  |  |
| 1.6 CDTi   | 100      | 04/18→   | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB  |
|  |          |  | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB  |
| <b>OPEL - ASTRA K Sports Tourer (B16) 11/15→12/22</b>  |          |  |  |   |     |  |  |
|  <b>Brake Caliper</b>       |          |  |  |   |     |  |  |
| 1.0 Turbo  | 66 - 77  | 11/15→12/22  | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB  |
| 1.2 Turbo  | 81 - 107 | 08/19→12/22  | ➔  | <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB  |
| 1.4  | 74       | 11/15→12/22  |  |   |     |  |  |
| 1.4 CNG  | 81       | 10/17→12/22  |  |   |     |  |  |
| 1.4 Turbo  | 92 - 110 | 11/15→12/22  |  |   |     |  |  |
| 1.5 CRDI   | 77 - 90  | 08/19→12/22  |  |   |     |  |  |
| 1.6 BiTurbo  | 110      | 08/18→12/22  |  |   |     |  |  |
| 1.6 CDTi   | 70 - 118 | 11/15→12/22  |  |   |     |  |  |
| 1.6 Turbo  | 147      | 11/15→12/22  |  |   |     |  |  |
| <b>OPEL - ZAFIRA / ZAFIRA FAMILY B (A05) 07/05→05/19</b>   |          |  |  |   |     |  |  |
|  <b>Brake Disc</b>          |          |  |  |   |     |  |  |
| 1.6 CNG  | 69       | 07/05→04/15  | ➔  | 01/06→  |     | <b>24.0110-0423.1 410423</b>   | Ø 264 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8 + S                    |
| 1.6 CNG Turbo  | 110      | 04/10→04/15  | ➔  |   |     | <b>24.0110-0423.1 410423</b>   | Ø 264 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8 + S                    |
















|    | kw  |                       |  |  |  | ! # |  |  |
|--|---|---|--|--|--|-----|--|--|
| <b>OPEL - ZAFIRA B Box Body/MPV (A05) 07/05→04/15</b>  |   |   |  |  |  |     |  |  |
|  <b>Brake Disc</b>                      |   |   |  |  |  |     |  |  |
| 1.6 CNG Turbo VAN  | 110   | 02/09→04/15   | ➔  |  |  |     | <b>24.0110-0423.1 410423</b>   | Ø 264 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8 + S                    |
| <b>PEUGEOT - 208 I (CA_, CC_) 03/12→03/20</b>  |   |   |  |  |  |     |  |  |
|  <b>Brake Master Cylinder</b>           |   |   |  |  |  |     |  |  |
| 1.0 VTi<br>1.2 GPL<br>1.2 PureTech 82<br>1.2 THP 110<br>1.2 VTi 68 / PureTech 68<br>1.2 VTi 82<br>1.5 BlueHDI 100        | 50<br>60<br>61<br>81<br>50<br>60<br>75        | 03/12→12/19<br>06/15→12/19<br>03/18→12/19<br>01/13→12/19<br>08/16→12/19<br>03/12→12/19<br>05/18→12/19 |  | Drum Brake; →Orga 13341; + DSC   |  |     | <b>24.4122-1726.3 011096</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>PEUGEOT - 208 Hatchback Van (CR_) 02/13→12/19</b>   |   |   |  |  |  |     |  |  |
|  <b>Brake Master Cylinder</b>           |   |   |  |  |  |     |  |  |
| 1.2 VTi 68 / PureTech 68<br>1.2 VTi 82 / PureTech 82<br>1.5 BlueHDI 100  | 50<br>60<br>75                                | 06/15→12/19<br>06/15→12/19<br>05/18→12/19   |  | Drum Brake; →Orga 13341; + DSC   |  |     | <b>24.4122-1726.3 011096</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>PEUGEOT - 301 11/12→</b>  |   |   |  |  |  |     |  |  |
|  <b>Brake Master Cylinder</b>           |   |   |  |  |  |     |  |  |
| 1.2 PureTech 82  | 61  | 02/18→  |  | + DSC; Orga 15344→   |  |     | <b>24.4122-1726.3 011096</b>   | Ø 22.2 without brake fluid reservoir   |
| 1.2 VTi 72<br>1.2 VTi 82<br>1.6 LPG<br>1.6 VTi 115   | 53<br>60<br>85<br>85                          | 11/12→<br>12/14→<br>07/14→<br>11/12→10/17   |  | + ESP  |  |     | <b>24.4122-1726.3 011096</b>   | Ø 22.2 without brake fluid reservoir   |
| <b>PEUGEOT - 2008 I (CU_) 03/13→</b>   |   |   |  |  |  |     |  |  |
|  <b>Brake Master Cylinder</b>          |   |   |  |  |  |     |  |  |
| 1.2 PureTech 82  | 61  | 01/18→12/19   |  | →Orga 13383  |  |     | <b>24.4123-1734.3 011130</b>   | Ø 23.8 without brake fluid reservoir   |
| 1.2 VTi  | 60  | 03/13→12/18   |  | Orga 13383→  |  |     | <b>24.4123-1734.3 011130</b>   | Ø 23.8 without brake fluid reservoir   |
| <b>PORSCHE - 718 BOXSTER (982) 04/16→</b>  |   |   |  |  |  |     |  |  |
| <b>Warning Contact, brake pad wear</b>   |   |   |  |  |  |     |  |  |
| 2.0 T<br>2.5 GTS<br>2.5 S<br>GTS 4.0   | 220<br>269<br>257<br>294                      | 04/16→<br>10/17→<br>04/16→<br>01/19→  | ←  | for vehicles without ceramic brakes  | 2  |     | <b>24.8190-0842.2 620842</b>   | L2= 96   |
| <b>PORSCHE - 718 BOXSTER Spyder (982) 07/19→</b>   |   |   |  |  |  |     |  |  |
| <b>Warning Contact, brake pad wear</b>   |   |   |  |  |  |     |  |  |
| 4.0  | 309   | 07/19→  | ←  |  | 2  |     | <b>24.8190-0842.2 620842</b>   | L2= 96   |
| <b>PORSCHE - 718 CAYMAN (982) 04/16→</b>   |   |   |  |  |  |     |  |  |
| <b>Warning Contact, brake pad wear</b>   |   |   |  |  |  |     |  |  |
| 2.0<br>2.5 GTS<br>S 2.5<br>4.0 GT4<br>4.0 GT4 RS<br>GTS 4.0  | 220<br>269<br>257<br>309<br>368<br>294        | 04/16→<br>10/17→<br>04/16→<br>07/19→<br>11/21→<br>01/19→  | ←  | for vehicles without ceramic brakes  | 2  |     | <b>24.8190-0842.2 620842</b>   | L2= 96   |
| <b>PORSCHE - 911 (991) 05/11→12/20</b>   |   |   |  |  |  |     |  |  |
| <b>Warning Contact, brake pad wear</b>   |   |   |  |  |  |     |  |  |
| 3.0 Carrera<br>3.0 Carrera 4<br>3.0 Carrera 4 GTS<br>3.0 Carrera 4S<br>3.0 Carrera GTS<br>3.0 Carrera S<br>3.0 Carrera T | 272<br>272<br>331<br>309<br>331<br>309<br>272 | 11/15→12/19<br>11/15→12/19<br>03/17→12/19<br>11/15→12/19<br>03/17→12/19<br>11/15→12/19<br>01/18→12/19 | ←  | for vehicles without ceramic brakes  | 2  |     | <b>24.8190-0842.2 620842</b>   | L2= 96   |
| <b>PORSCHE - 911 Convertible (991) 03/12→05/20</b>   |   |   |  |  |  |     |  |  |
| <b>Warning Contact, brake pad wear</b>   |   |   |  |  |  |     |  |  |
| 3.0 Carrera<br>3.0 Carrera 4<br>3.0 Carrera 4 GTS<br>→   | 272<br>272<br>331                             | 11/15→12/19<br>11/15→12/19<br>03/17→12/19   | ←  | for vehicles without ceramic brakes  | 2  |     | <b>24.8190-0842.2 620842</b>   | L2= 96   |

|                                  | kw        |  |  |   | ! # |  |  |                                      |
|--|-----------|--|--|---|-----|--|--|--------------------------------------|
| <b>PORSCHE - 911 Convertible (991) 03/12→05/20</b>   |           |  |  |   |     |  |  |                                      |
| <b>Warning Contact, brake pad wear</b>   |           |  |  |   |     |  |  |                                      |
| 3.0 Carrera 4S   | 309       | 11/15→12/19  | ←  | for vehicles without ceramic brakes   | 2   | 24.8190-0842.2   | 620842   | L2= 96                               |
| 3.0 Carrera GTS  | 331       | 03/17→12/19  |  |   |     |  |  |                                      |
| 3.0 Carrera S  | 309       | 11/15→12/19  |  |   |     |  |  |                                      |
| <b>PORSCHE - 911 Targa (991) 05/14→12/19</b>   |           |  |  |   |     |  |  |                                      |
| <b>Warning Contact, brake pad wear</b>   |           |  |  |   |     |  |  |                                      |
| 3.0 Carrera 4  | 272       | 11/15→12/19  | ←  | for vehicles without ceramic brakes   | 2   | 24.8190-0842.2   | 620842   | L2= 96                               |
| 3.0 Carrera 4 GTS  | 331       | 03/17→12/19  |  |   |     |  |  |                                      |
| 3.0 Carrera 4S   | 309       | 11/15→12/19  |  |   |     |  |  |                                      |
| <b>PORSCHE - MACAN (95B) 02/14→</b>  |           |  |  |   |     |  |  |                                      |
| <b>Warning Contact, brake pad wear</b>   |           |  |  |   |     |  |  |                                      |
| 2.0  | 174 - 195 | 05/14→   | ←  | +PR 1LH   | 2   | 24.8190-0839.2   | 620839   |                                      |
| 2.9 GTS  | 280       | 05/19→   |  |   |     |  |  |                                      |
| 2.9 Turbo AWD  | 324       | 05/18→   |  |   |     |  |  |                                      |
| 3.0 GTS  | 265       | 10/15→09/18  |  |   |     |  |  |                                      |
| 3.0 S  | 250 - 260 | 02/14→   |  |   |     |  |  |                                      |
| 3.0 S Diesel   | 155 - 190 | 02/14→09/18  |  |   |     |  |  |                                      |
| 3.6 Turbo  | 294 - 324 | 02/14→   |  |   |     |  |  |                                      |
| <b>RENAULT - ARKANA I (LCM_, LDN_) 08/19→</b>  |           |  |  |   |     |  |  |                                      |
|  <b>Wheel Brake Cylinder</b>    |           |  |  |   |     |  |  |                                      |
| 1.3 TCe 150 4x4  | 110       | 08/19→   | →  |    |     | 24.3222-1751.3   | 020613   | ALU                                  |
| 1.6 4x4  | 84        | 08/19→   |  |   |     |  |  |                                      |
| <b>RENAULT - CLIO V (B7_) 06/19→</b>   |           |  |  |   |     |  |  |                                      |
|  <b>Wheel Brake Cylinder</b>   |           |  |  |   |     |  |  |                                      |
| 1.0 LPG  | 67 - 74   | 06/19→   | →  |   | 2   | 24.3220-1761.3   | 020618   | ALU                                  |
| 1.0 SCe 65   | 48 - 49   | 11/19→   |  |   |     |  |  |                                      |
| 1.0 SCe 75   | 53        | 06/19→   |  |   |     |  |  |                                      |
| 1.0 TCe 100  | 74        | 06/19→   |  |   |     |  |  |                                      |
| 1.0 TCe 90   | 67        | 08/20→   |  |   |     |  |  |                                      |
| 1.5 Blue dCi 100   | 74        | 11/21→   |  |   |     |  |  |                                      |
| 1.5 Blue dCi 115   | 85        | 06/19→   |  |   |     |  |  |                                      |
| 1.5 Blue dCi 85  | 63        | 06/19→   |  |   |     |  |  |                                      |
| <b>RENAULT - DUSTER (HM_) 10/17→</b>   |           |  |  |   |     |  |  |                                      |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |   |     |  |  |                                      |
| 1.3 TCe 150 4x4  | 110       | 11/21→   | →  |    |     | 24.3222-1751.3   | 020613   | ALU                                  |
| 1.5 dCi 110 4x4  | 80        | 07/19→   |  |   |     |  |  |                                      |
| 1.6 SCe 115 4x4  | 84        | 07/19→   | →  |    |     | 24.3222-1752.3   | 020614   | ALU                                  |
| 2.0 4x4  | 105       | 11/21→   |  |   |     |  |  |                                      |
| <b>RENAULT - KAPTUR (H5_) 03/16→</b>   |           |  |  |   |     |  |  |                                      |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |   |     |  |  |                                      |
| 1.3 TCe 150 4x4  | 110       | 10/21→   | →  |    |     | 24.3222-1751.3   | 020613   | ALU                                  |
| 2.0 4WD  | 105       | 03/16→   |  |   |     |  |  |                                      |
| <b>RENAULT - LOGAN/STEPWAY II (L8_) 09/12→</b>   |           |  |  |   |     |  |  |                                      |
|  <b>Brake Master Cylinder</b> |           |  |  |   |     |  |  |                                      |
| 1.2  | 55        | 11/13→   |  | for left-hand drive vehicles; - ABS   |     | 24.4120-1714.3   | 011110   | Ø 20.6 without brake fluid reservoir |
| 1.2 16V LPG  | 53        | 11/13→   |  |   |     |  |  |                                      |
| 1.5 dCi  | 62 - 66   | 12/13→   |  |   |     |  |  |                                      |
| 1.6  | 59 - 83   | 11/13→   |  |   |     |  |  |                                      |
|  |           |  |  |   |     |  |  |                                      |
| <b>RENAULT - LOGAN II Estate (K8_) 11/13→</b>  |           |  |  |   |     |  |  |                                      |
|  <b>Brake Master Cylinder</b> |           |  |  |   |     |  |  |                                      |
| 1.2 16V  | 54        | 12/13→   |  | for left-hand drive vehicles; - ABS   |     | 24.4120-1714.3   | 011110   | Ø 20.6 without brake fluid reservoir |
| 1.2 16V LPG  | 53        | 12/13→   |  |   |     |  |  |                                      |
| 1.5 dCi  | 62 - 66   | 12/13→   |  |   |     |  |  |                                      |
| 1.6  | 59 - 78   | 12/13→   |  |   |     |  |  |                                      |
|  |           |  |  |   |     |  |  |                                      |















|                       | kw      |  |  |  |  | ! # |  |  |
|---|---------|--|--|--|--|-----|--|--|
| <b>RENAULT - MEGANE II (BM0/1_ , CM0/1_) 07/01→10/12</b>  |         |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>   |         |  |  |  |  |     |  |  |
| 1.4 16V   | 60 - 72 | 11/02→02/08  | ➡  | ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.5 dCi   | 60 - 78 | 09/02→06/08  |  |  |  |     |  |  |
| 1.6   | 77 - 79 | 06/05→01/11  |  |  |  |     |  |  |
| 1.6 16V   | 82 - 83 | 11/02→06/08  |  |  |  |     |  |  |
| 1.6 Flex-Fuel   | 77      | 01/07→02/08  |  |  |  |     |  |  |
| 1.9 dCi   | 66 - 88 | 11/02→02/08  |  |  |  |     |  |  |
| 2.0   | 169     | 08/06→02/08  |  |  |  |     |  |  |
| 2.0 16V   | 99      | 11/02→02/08  |  |  |  |     |  |  |
| 2.0 16V Turbo   | 120     | 05/04→02/08  |  |  |  |     |  |  |
| 2.0 dCi   | 110     | 09/05→02/08  |  |  |  |     |  |  |
| 1.5 dCi   | 76      | 01/07→03/09  | ➡  | → 11/08; ☐   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.9 dCi   | 96      | 05/05→12/09  |  |  |  |     |  |  |
| 1.6 Bifuel  | 77      | 06/05→02/08  | ➡  | 01/07→; ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.9 dCi   | 68 - 85 | 11/02→02/08  | ➡  | 01/06→; ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| <b>RENAULT - MEGANE II Coupé-Cabriolet (EM0/1_) 09/03→03/10</b>                                       |         |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>   |         |  |  |  |  |     |  |  |
| 1.5 dCi   | 76      | 01/07→06/09  | ➡  | ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 2.0 dCi   | 110     | 09/05→03/09  |  |  |  |     |  |  |
| 1.5 dCi   | 78      | 03/06→01/09  | ➡  | → 06/08; ☐ / outer   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6   | 77 - 83 | 09/03→03/09  | ➡  | 09/05→; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.9 dCi   | 81 - 96 | 09/03→03/09  |  |  |  |     |  |  |
| 2.0   | 102     | 09/03→02/07  |  |  |  |     |  |  |
| 2.0 16V Turbo   | 120     | 05/04→03/09  |  |  |  |     |  |  |
| 1.6 16V   | 82      | 01/06→06/08  | ➡  | 01/07→; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.9 dCi   | 85      | 09/03→03/09  | ➡  | 01/06→; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 2.0   | 99      | 09/03→12/09  | ➡  | 09/05→ 03/07; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| <b>RENAULT - MEGANE II Estate (KM0/1_) 08/03→08/12</b>  |         |  |  |  |  |     |  |  |
|  <b>Brake Hose</b> |         |  |  |  |  |     |  |  |
| 1.4   | 72      | 08/03→07/09  | ➡  | 09/03→ 12/08; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6   | 83      | 08/03→07/09  |  |  |  |     |  |  |
| 1.9 dCi   | 88      | 08/03→07/09  |  |  |  |     |  |  |
| 1.5 dCi   | 63 - 78 | 02/04→07/09  | ➡  | ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6 16V   | 75 - 77 | 05/05→07/09  |  |  |  |     |  |  |
| 1.6 LPG 16V   | 82      | 01/06→08/09  |  |  |  |     |  |  |
| 1.9 dCi   | 66 - 68 | 03/04→02/07  |  |  |  |     |  |  |
| 1.5 dCi   | 60      | 08/03→05/06  | ➡  | 09/03→; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.5 dCi   | 76      | 01/07→07/09  | ➡  | → 12/08; ☐ / outer   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6 16V Hi-Flex   | 77      | 02/08→07/09  |  |  |  |     |  |  |
| 1.9 dCi   | 81 - 85 | 05/05→07/09  |  |  |  |     |  |  |
| 2.0 dCi   | 110     | 09/05→07/09  |  |  |  |     |  |  |
| 1.6 16V   | 81      | 05/06→10/11  | ➡  | → 07/09; ☐ / outer   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6 16V   | 82      | 01/06→08/09  | ➡  | 01/07→ 12/08; ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.9 dCi   | 96      | 05/05→07/09  | ➡  | → 02/07; ☐ / outer   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 2.0   | 99      | 08/03→07/09  |  | 09/03→ 12/08; outer  | 2  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 2.0   | 102     | 12/06→01/11  |  | outer  | 2  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| <b>RENAULT - MEGANE II Estate Van (KM_) 08/03→07/09</b>   |         |  |  |  |  |     |  |  |
|  <b>Brake Hose</b> |         |  |  |  |  |     |  |  |
| 1.5 dCi   | 60 - 78 | 08/03→07/09  | ➡  | ☐ / outer  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6   | 82      | 10/03→01/08  |  |  |  |     |  |  |
| 1.9 dCi   | 96      | 02/06→10/06  |  |  |  |     |  |  |
| <b>RENAULT - MEGANE II Hatchback Van (KM0/2_) 08/03→07/09</b>   |         |  |  |  |  |     |  |  |
|  <b>Brake Hose</b> |         |  |  |  |  |     |  |  |
| 1.5 dCi   | 60 - 78 | 08/03→03/09  | ➡  | ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
















|                                  | kw        |  |  |  |  | ! # |  |  |
|--|-----------|--|--|--|--|-----|--|--|
| <b>RENAULT - MEGANE II Saloon (LM0/1_) 08/03→</b>  |           |  |  |  |  |     |  |  |
|  <b>Brake Hose</b>              |           |  |  |  |  |     |  |  |
| 1.4  | 60        | 09/03→   | →  | → 08/06; ☐   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.4  | 72        | 09/03→   | →  | → 12/08; ☐   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.5 dCi  | 63 - 78   | 05/05→12/10  |  |  |  |     |  |  |
| 1.6  | 77 - 83   | 09/03→   |  |  |  |     |  |  |
| 1.6 Hi-Flex  | 85        | 03/06→   |  |  |  |     |  |  |
| 1.9 dCi  | 68 - 96   | 09/03→   |  |  |  |     |  |  |
| 2.0  | 99        | 09/03→   |  |  |  |     |  |  |
| 1.5 dCi  | 74        | 02/04→12/10  | →  | → 03/06; ☐   |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.5 dCi  | 60        | 08/03→12/10  | →  | 09/03→ 12/08; ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.5 dCi  | 76        | 10/03→12/10  | →  | 01/07→ 12/08; ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.6 16V  | 82        | 01/06→   |  |  |  |     |  |  |
| 1.6  | 81        | 09/03→11/08  | →  | ☐  |  |     | 24.1294-0020.3 331715  | L= 195 with pipe   |
| 1.9 dCi  | 66        | 09/03→12/05  |  |  |  |     |  |  |
| 2.0  | 101       | 04/06→11/10  |  |  |  |     |  |  |
| <b>RENAULT - SANDERO/STEPWAY II (B8_) 11/13→</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Master Cylinder</b>   |           |  |  |  |  |     |  |  |
| 1.0 SCe 75   | 54        | 12/19→   |  | for left-hand drive vehicles; - ABS  |  |     | 24.4120-1714.3 011110  | Ø 20.6 without brake fluid reservoir   |
| 1.2 16V  | 54 - 55   | 12/13→   |  |  |  |     |  |  |
| 1.2 16V LPG  | 53        | 12/13→   |  |  |  |     |  |  |
| 1.5 dCi  | 62        | 12/13→   |  |  |  |     |  |  |
| 1.6  | 59 - 83   | 11/13→   |  |  |  |     |  |  |
| 1.6 16V  | 75        | 04/14→   |  |  |  |     |  |  |
| 1.6 Flex   | 78        | 03/14→07/18  |  |  |  |     |  |  |
| TCe 90   | 66        | 09/15→   |  |  |  |     |  |  |
| <b>RENAULT - TALIAN 08/21→</b>   |           |  |  |  |  |     |  |  |
|  <b>Wheel Brake Cylinder</b>  |           |  |  |  |  |     |  |  |
| 1.0 SCe 65   | 48        | 08/21→   | →  | - eFSB   | 2  |     | 24.3220-1761.3 020618  | ALU  |
| 1.0 TCe 100 ECO LPG  | 74        | 08/21→   |  |  |  |     |  |  |
| 1.0 TCe 90   | 66        | 08/21→   |  |  |  |     |  |  |
| <b>RENAULT - THALIA III (L8_) 12/13→</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Master Cylinder</b> |           |  |  |  |  |     |  |  |
| 0.9 TCe  | 66        | 06/14→   |  | for left-hand drive vehicles; - ABS  |  |     | 24.4120-1714.3 011110  | Ø 20.6 without brake fluid reservoir   |
| 1.2 16V  | 55        | 12/13→   |  |  |  |     |  |  |
| 1.2 LPG  | 55        | 03/14→   |  |  |  |     |  |  |
| 1.5 dCi  | 55 - 70   | 12/13→   |  |  |  |     |  |  |
| <b>SEAT - ALHAMBRA (710, 711) 06/10→12/22</b>  |           |  |  |  |  |     |  |  |
|  <b>Brake Caliper</b>         |           |  |  |  |  |     |  |  |
| 1.4 TSI  | 110       | 05/15→12/22  | →  | ☐  |  |     | 24.6241-1713.5 241561  | TRW + EMot / without holder + FSB  |
| 2.0 TDI  | 110 - 135 | 05/15→12/22  |  |  |  |     |  |  |
| 2.0 TDi 4Drive   | 130       | 11/18→12/22  | →  | ☐  |  |     | 24.6241-1714.5 241562  | TRW + EMot / without holder + FSB  |
| 2.0 TDI 4Drive   | 110 - 135 | 05/15→12/22  |  |  |  |     |  |  |
| 2.0 TSI  | 162       | 05/15→12/22  |  |  |  |     |  |  |
| <b>SEAT - ALHAMBRA VAN (711) 06/10→06/23</b>   |           |  |  |  |  |     |  |  |
|  <b>Brake Caliper</b>         |           |  |  |  |  |     |  |  |
| TDI  | 85 - 135  | 10/14→12/22  | →  | ☐  |  |     | 24.6241-1713.5 241561  | TRW + EMot / without holder + FSB  |
| TDI 4Drive   | 110       | 05/15→12/22  | →  | ☐  |  |     | 24.6241-1714.5 241562  | TRW + EMot / without holder + FSB  |
| TSi  | 110       | 05/15→12/22  |  |  |  |     |  |  |
| <b>SEAT - ARONA (KJ7, KJP) 07/17→</b>  |           |  |  |  |  |     |  |  |
|  <b>Wheel Speed Sensor</b>    |           |  |  |  |  |     |  |  |
| 1.0 TGi  | 66        | 11/18→   | →  | → 07/20; ☐   |  |     | 24.0711-6432.3 360658  |  |
| 1.0 TSI  | 70 - 85   | 07/17→   | →  | → 07/20; ☐   |  |     | 24.0711-6433.3 360659  |  |
| 1.5 TSI  | 110       | 07/17→   |  |  |  |     |  |  |
| 1.6 SRE  | 81        | 07/17→   |  |  |  |     |  |  |
| 1.6 TDI  | 70 - 85   | 07/17→   |  |  |  |     |  |  |
| 1.0 TSI  | 81        | 06/20→   | →  | ☐  |  |     | 24.0711-6432.3 360658  |  |
|  |           |  | →  | ☐  |  |     | 24.0711-6433.3 360659  |  |














|                             | kW       |  |  |   | ! # |  |  |   |   |
|---|----------|--|--|---|-----|--|--|---|---|
| <b>SEAT - IBIZA V (KJ1, KJG) 01/17→</b>   |          |  |  |   |     |  |  |   |   |
|  <b>Wheel Speed Sensor</b> |          |  |  |   |     |  |  |   |   |
| 1.0   | 48 - 55  | 01/17→   | →  | → 07/20; ☐  |     | 24.0711-6432.3   | 360658   |   |   |
| 1.0 MPI   | 59       | 07/18→   | →  | → 07/20; ☐  |     | 24.0711-6433.3   | 360659   |   |   |
| 1.0 TGI   | 66       | 11/17→   |  |   |     |  |  |   |   |
| 1.0 TSI   | 70 - 85  | 01/17→   |  |   |     |  |  |   |   |
| 1.5 TSI   | 110      | 07/17→   |  |   |     |  |  |   |   |
| 1.6   | 81       | 05/17→   |  |   |     |  |  |   |   |
| 1.6 TDI   | 59 - 85  | 09/17→   |  |   |     |  |  |   |   |
| <b>SKODA - KAMIQ (NW4) 07/19→</b>   |          |  |  |   |     |  |  |   |   |
|  <b>Wheel Speed Sensor</b> |          |  |  |   |     |  |  |   |   |
| 1.0 TGI CNG   | 66       | 11/19→   | →  | → 07/20; ☐  |     | 24.0711-6432.3   | 360658   |   |   |
| 1.0 TSI   | 70 - 85  | 07/19→   | →  | → 07/20; ☐  |     | 24.0711-6433.3   | 360659   |   |   |
| 1.5 TSI   | 110      | 07/19→   |  |   |     |  |  |   |   |
| 1.6 SRE   | 81       | 07/19→   |  |   |     |  |  |   |   |
| 1.6 TDI   | 70 - 85  | 07/19→   |  |   |     |  |  |   |   |
| <b>SKODA - SCALA (NW1) 02/19→</b>   |          |  |  |   |     |  |  |   |   |
|  <b>Wheel Speed Sensor</b> |          |  |  |   |     |  |  |   |   |
| 1.0 TGI CNG   | 66       | 11/19→   | →  | → 07/20; ☐  |     | 24.0711-6432.3   | 360658   |   |   |
| 1.0 TSI   | 70 - 85  | 02/19→   | →  | → 07/20; ☐  |     | 24.0711-6433.3   | 360659   |   |   |
| 1.5 TSI   | 110      | 02/19→   |  |   |     |  |  |   |   |
| 1.6 SRE   | 81       | 02/19→   |  |   |     |  |  |   |   |
| 1.6 TDI   | 70 - 85  | 02/19→   |  |   |     |  |  |   |   |
| <b>SSANGYONG - TIVOLI 01/15→</b>  |          |  |  |   |     |  |  |   |   |
|  <b>Brake Disc</b>        |          |  |  |   |     |  |  |   |   |
| 1.2   | 94       | 03/20→   | ←  |   |     | 24.0123-0128.1   | 423128   | Ø 298 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21 Vented |   |
| 1.2 T-GDi LPG   | 94       | 06/22→   |  |   |     |  |  |   |   |
| 1.5   | 120      | 06/19→   |  |   |     |  |  |   |   |
| 1.5 All-wheel Drive   | 120      | 06/19→   |  |   |     |  |  |   |   |
| 1.6   | 93 - 94  | 04/15→   |  |   |     |  |  |   |   |
| 1.6 All-wheel Drive   | 93 - 94  | 03/15→   |  |   |     |  |  |   |   |
| 1.6 CNG   | 94       | 07/18→   |  |   |     |  |  |   |   |
| 1.6 GPL   | 94       | 04/15→   |  |   |     |  |  |   |   |
| 1.6 GPL All-wheel Drive   | 94       | 03/15→   |  |   |     |  |  |   |   |
| 1.6 XDi 160   | 83 - 100 | 04/15→   |  |   |     |  |  |   |   |
| 1.6 XDi 160 All-wheel Drive   | 85 - 100 | 04/15→   |  |   |     |  |  |   |   |
| <b>SSANGYONG - TIVOLI GRAND 06/21→</b>  |          |  |  |   |     |  |  |   |   |
|  <b>Brake Disc</b>       |          |  |  |   |     |  |  |   |   |
| 1.2 T-GDi   | 94       | 06/21→   | ←  |   |     | 24.0123-0128.1   | 423128   |   | Ø 298 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21 Vented |
| 1.5 T-GDi   | 120      | 06/21→   |  |   |     |  |  |   |   |
| <b>SSANGYONG - XLV SUV 04/16→</b>   |          |  |  |   |     |  |  |   |   |
|  <b>Brake Disc</b>       |          |  |  |   |     |  |  |   |   |
| 1.6 CNG   | 94       | 07/18→   | ←  |   |     | 24.0123-0128.1   | 423128   | Ø 298 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21 Vented |   |
| 1.6 GPL   | 94       | 05/16→   |  |   |     |  |  |   |   |
| 1.6 GPL All-wheel Drive   | 94       | 05/16→   |  |   |     |  |  |   |   |
| e-XDi 160   | 85       | 04/16→   |  |   |     |  |  |   |   |
| e-XDi 160 All-wheel Drive   | 85       | 04/16→   |  |   |     |  |  |   |   |
| e-XGi 160   | 93 - 94  | 04/16→   |  |   |     |  |  |   |   |
| e-XGi 160 All-wheel Drive   | 93 - 94  | 04/16→   |  |   |     |  |  |   |   |
| <b>SSANGYONG - XLV VAN 04/16→</b>   |          |  |  |   |     |  |  |   |   |
|  <b>Brake Disc</b>       |          |  |  |   |     |  |  |   |   |
| e-XDi   | 85       | 12/16→   | ←  |   |     | 24.0123-0128.1   | 423128   |   | Ø 298 Brake Disc Thickness [mm] 23 Minimum thickness [mm] 21 Vented |
| e-XDi All-wheel Drive   | 85       | 12/16→   |  |   |     |  |  |   |   |
| e-XGi   | 94       | 12/16→   |  |   |     |  |  |   |   |
| e-XGi All-wheel Drive   | 94       | 12/16→   |  |   |     |  |  |   |   |











|                                | kW  |  |  |  |  | ! #            |  |  |
|--|---|--|--|--|--|----------------|--|--|
| <b>SUZUKI - SWACE (AMZ_) 10/20→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Disc</b>            |   |  |  |  |  |                |  |  |
| 1.8 Hybrid   | 75 - 103  | 10/20→   | →  |  |  | 24.0110-0425.1 | 410425   | Ø 274 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8.5                      |
| <b>TOYOTA - AVENSIS Estate (_T27_) 11/08→10/18</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b> |   |  |  |  |  |                |  |  |
| 1.6 D4-D<br>1.8 VVT-i<br>2.0 D-4D  | 82<br>108<br>91 - 105   | 04/15→10/18<br>11/08→10/18<br>11/08→10/18  |  | for left-hand drive vehicles   |  | 24.4123-1732.3 | 011101   | Ø 23.8 without brake fluid reservoir   |
| 2.0 VVT-i<br>2.2 D-4D  | 112<br>110 - 130  | 11/08→10/18<br>11/08→10/18   |  |  |  |                |  |  |
| 1.6 VVT-i  | 97  | 11/08→10/18  |  | + ESP; for left-hand drive vehicles  |  | 24.4123-1732.3 | 011101   | Ø 23.8 without brake fluid reservoir   |
| <b>TOYOTA - AVENSIS Saloon (_T27_) 11/08→10/18</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Master Cylinder</b> |   |  |  |  |  |                |  |  |
| 1.6 D4-D<br>1.8 VVT-i<br>2.0 D-4D  | 82<br>108<br>91 - 105   | 04/15→10/18<br>11/08→10/18<br>11/08→10/18  |  | for left-hand drive vehicles   |  | 24.4123-1732.3 | 011101   | Ø 23.8 without brake fluid reservoir   |
| 2.0 VVT-i<br>2.2 D-4D  | 112<br>110 - 130  | 11/08→10/18<br>11/08→10/18   |  |  |  |                |  |  |
| 1.6 VVT-i<br>2.0 VVT-i   | 97<br>100   | 11/08→10/18<br>11/08→04/11   |  | + ESP; for left-hand drive vehicles  |  | 24.4123-1732.3 | 011101   | Ø 23.8 without brake fluid reservoir   |
| <b>TOYOTA - CAMRY (_V7_, _VA7_, _VH7_) 06/17→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Disc</b>            |   |  |  |  |  |                |  |  |
| 2.0<br>2.5<br>2.5 Hybrid<br>2.5 VVTi Hybrid<br>3.5<br>3.5 AWD<br>3.5 XLE                                       | 110 - 127<br>131 - 154<br>153 - 160<br>155<br>183 - 224<br>224<br>228 | 10/17→<br>08/17→<br>08/17→<br>05/22→<br>08/17→<br>05/20→<br>12/17→               | →  |  |  | 24.0112-0228.1 | 412228   | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| <b>TOYOTA - C-HR (_X1_) 10/16→</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Disc</b>          |   |  |  |  |  |                |  |  |
| 1.2<br>1.8 Hybrid<br>2.0   | 85<br>90<br>109   | 10/16→<br>10/16→<br>11/16→   | →  |  |  | 24.0112-0228.1 | 412228   | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| 1.2 4WD  | 85 - 96   | 10/16→   | →  | → 04/18  |  | 24.0112-0228.1 | 412228   | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| <b>TOYOTA - C-HR VAN (_X1_) 10/16→</b>   |   |  |  |  |  |                |  |  |
|  <b>Brake Disc</b>          |   |  |  |  |  |                |  |  |
| 1.8 Hybrid   | 90  | 10/16→   | →  |  |  | 24.0112-0228.1 | 412228   | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |
| <b>TOYOTA - COROLLA COMMERCIAL (_E21_) 06/22→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Disc</b>          |   |  |  |  |  |                |  |  |
| 1.8 VVTi Hybrid  | 90 - 103  | 06/22→   | →  |  |  | 24.0110-0425.1 | 410425   | Ø 274 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8.5                      |
| <b>TOYOTA - COROLLA Cross (ZVG1_, ZSG1_, MXGH1_, MXGA1_) 07/20→</b>  |   |  |  |  |  |                |  |  |
|  <b>Brake Disc</b>          |   |  |  |  |  |                |  |  |
| 1.8 Hybrid<br>2.0 VVTi Hybrid<br>2.0 VVTi Hybrid AWD   | 103<br>144<br>144   | 02/23→<br>08/22→<br>08/22→   | →  |  |  | 24.0112-0228.1 | 412228   | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                     |













|                                    | kW  |          |  |  |  | ! #  |  |   |
|--|---|--|--|--|--|--|--|---|
| <b>TOYOTA - COROLLA Estate (_E21_) 02/19→</b>  |   |  |  |  |  |  |  |   |
|  <b>Brake Disc</b>                |   |  |  |  |  |  |  |   |
| 1.2<br>1.8 Hybrid<br>1.8 VVTi Hybrid<br>2.0 Hybrid   | 85<br>90<br>103<br>132 -<br>144   | 02/19→<br>02/19→<br>09/22→<br>02/19→   | →  |  |  | 24.0110-0425.1<br>410425                           |  | Ø 274 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8.5   |
| <b>TOYOTA - COROLLA Hatchback (_E21_, _EA1_, _EH1_) 10/18→</b>   |   |  |  |  |  |  |  |   |
|  <b>Brake Disc</b>                |   |  |  |  |  |  |  |   |
| 1.2<br>1.2 4WD<br>1.8 Hybrid<br>1.8 VVTi Hybrid<br>2.0<br>2.0 Hybrid   | 85<br>85<br>90<br>103<br>125<br>132 -<br>144                                    | 01/19→<br>01/19→<br>10/18→<br>09/22→<br>10/18→<br>02/19→                                 | →  |  |  | 24.0110-0425.1<br>410425                           |  | Ø 274 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8.5   |
| <b>TOYOTA - COROLLA Saloon (_E21_) 01/19→</b>  |   |  |  |  |  |  |  |   |
|  <b>Brake Disc</b>                |   |  |  |  |  |  |  |   |
| 1.5 VVTi<br>1.8 VVTi<br><br>1.8 VVTi Hybrid<br><br>1.8 VVTi Hybrid Flex<br><br>1.6 VVTi                            | 92<br>103 -<br>111<br>90 -<br>103<br>90<br>90 -<br>97                           | 01/21→<br>01/19→<br><br>01/19→<br><br>09/19→<br><br>01/19→                               | →<br><br><br>→   |  | - eFSB   | 24.0110-0425.1<br>410425                           |  | Ø 274 Brake Disc Thickness [mm] 10 Minimum thickness [mm] 8.5   |
| <b>TOYOTA - PRIUS PHV (_W52_) 01/16→12/22</b>  |   |  |  |  |  |  |  |   |
|  <b>Brake Pad Set, disc brake</b> |   |  |  |  |  |  |  |   |
| 1.8 Plug-in Hybrid   | 90  | 01/16→12/22  | ←  | 05/19→   |  | 13.0460-5558.2<br>13.0470-5558.2                   | 605558<br>LD5558   | ADV - WE / - WK<br>ADV - WE / - WK Ceramic  |
| <b>TOYOTA - RAV 4 V (_A5_, _H5_) 12/18→</b>  |   |  |  |  |  |  |  |   |
|  <b>Brake Disc</b>              |   |  |  |  |  |  |  |   |
| 2.0<br>2.0 AWD<br>2.0 VVTi<br><br>2.0 VVTi AWD<br><br>2.5 Hybrid AWD<br>2.5 VVTi<br>2.5 VVTi AWD<br><br>2.5 Hybrid | 129<br>129<br>110 -<br>127<br>110 -<br>127<br>163<br>149<br>149 -<br>152<br>160 | 12/18→<br>12/18→<br>12/18→<br><br>12/18→<br><br>12/18→<br>12/18→<br>12/18→<br><br>12/18→ | →<br><br><br>→   |  | + RUS  | 24.0112-0228.1<br>412228                           |  | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5  |
| <b>TOYOTA - RAV 4 V VAN (_A5_, _H5_) 12/18→</b>  |   |  |  |  |  |  |  |   |
|  <b>Brake Disc</b>              |   |  |  |  |  |  |  |   |
| 2.0 VVTi<br>2.0 VVTi AWD<br>2.5 Hybrid<br>2.5 Hybrid AWD   | 129<br>129<br>160<br>163  | 12/18→<br>12/18→<br>12/18→<br>12/18→   | →  |  |  | 24.0112-0228.1<br>412228                           |  | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5  |
| <b>TOYOTA - SUPRA (DB_) 03/19→</b>   |   |  |  |  |  |  |  |   |
|  <b>Brake Disc</b>              |   |  |  |  |  |  |  |   |
| 2.0  | 145 -<br>190  | 06/19→   | ←  |  |  | 24.0124-0264.2<br>24.0120-0254.2<br>24.0120-0255.2 | 424264<br>420254<br>420255   | Ø 330 Brake Disc Thickness [mm] 24 Minimum thickness [mm] 22.4 two-part brake disc / Vented + S<br>Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S<br>Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| →  |   |  |  |  |  |  |  |   |

|                                    | kw                               |  |  |   | ! # |  |               |
|--|----------------------------------|--|--|---|-----|--|---|
| <b>TOYOTA - SUPRA (DB_) 03/19→</b>   |                                  |  |  |   |     |  |   |
|  <b>Brake Disc</b>                |                                  |  |  |   |     |  |   |
| 3.0 GR   | 250                              | 03/19→   | →  | <input type="checkbox"/>  |     | <b>24.0120-0254.2 420254</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
|  |                                  |  | →  | <input type="checkbox"/>  |     | <b>24.0120-0255.2 420255</b>   | Ø 330 Brake Disc Thickness [mm] 20 Minimum thickness [mm] 18.4 two-part brake disc / Vented + S |
| <b>TOYOTA - YARIS CROSS (MXP_) 09/20→</b>  |                                  |  |  |   |     |  |   |
|  <b>Brake Pad Set, disc brake</b> |                                  |  |  |   |     |  |   |
| 1.5 Hybrid   | 92<br>85                         | 09/20→<br>09/20→   | ←  |   |     | <b>13.0460-5558.2 605558</b><br><b>13.0470-5558.2 LD5558</b>                       | ADV - WE / - WK<br>ADV - WE / - WK Ceramic  |
|  <b>Brake Disc</b>                |                                  |  |  |   |     |  |   |
| 1.5 Hybrid All-wheel Drive   | 85                               | 09/20→   | →  |   |     | <b>24.0112-0228.1 412228</b>   | Ø 281 Brake Disc Thickness [mm] 12 Minimum thickness [mm] 10.5                                  |
| <b>VAUXHALL - ASTRA Mk VII (K) (B16) 07/15→</b>  |                                  |  |  |   |     |  |   |
|  <b>Brake Caliper</b>             |                                  |  |  |   |     |  |   |
| 1.0<br>1.2 Turbo   | 77<br>81 - 107                   | 07/15→<br>08/19→   | →  | <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB   |
| 1.4<br>1.4 Turbo   | 74<br>92 - 110                   | 07/15→<br>07/15→   | →  | <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB   |
| 1.5 CRDI   | 77 - 90                          | 08/19→   |  |   |     |  |   |
| 1.6 BiTurbo  | 110                              | 08/18→   |  |   |     |  |   |
| 1.6 CDTi   | 70 - 118                         | 07/15→   |  |   |     |  |   |
| 1.6 Turbo  | 147                              | 11/15→   |  |   |     |  |   |
| <b>VAUXHALL - ASTRA Mk VII (K) Estate (B16) 07/15→</b>   |                                  |  |  |   |     |  |   |
|  <b>Brake Caliper</b>           |                                  |  |  |   |     |  |   |
| 1.0<br>1.2 Turbo   | 77<br>81 - 107                   | 11/15→<br>08/19→   | →  | <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB   |
| 1.4<br>1.4 Turbo   | 74<br>92 - 110                   | 11/15→<br>11/15→   | →  | <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB   |
| 1.5 CRDI   | 77 - 90                          | 08/19→   |  |   |     |  |   |
| 1.6 BiTurbo  | 110                              | 08/18→   |  |   |     |  |   |
| 1.6 CDTi   | 70 - 118                         | 11/15→   |  |   |     |  |   |
| 1.6 Turbo  | 147                              | 11/15→   |  |   |     |  |   |
| 1.6 CDTi   | 81                               | 07/15→   | →  | 11/15→; <input type="checkbox"/>  |     | <b>24.6236-7005.5 241587</b>   | TRW + EMot / without holder + FSB   |
|  |                                  |  | →  | 11/15→; <input type="checkbox"/>  |     | <b>24.6236-7006.5 241588</b>   | TRW + EMot / without holder + FSB   |
| <b>VOLVO - 240 Kombi (P245) 08/74→12/93</b>  |                                  |  |  |   |     |  |   |
|  <b>Brake Hose</b>              |                                  |  |  |   |     |  |   |
| 2.0<br>2.3 i Cat<br>2.4 Diesel   | 86<br>85<br>58 - 60              | 08/83→07/93<br>08/86→07/93<br>04/79→08/93  | →  | 928358→   | 2   | <b>24.5103-0305.3 331732</b>   | L= 335  |
| <b>VOLVO - 240 Sedan (P242, P244) 08/74→12/93</b>  |                                  |  |  |   |     |  |   |
|  <b>Brake Hose</b>              |                                  |  |  |   |     |  |   |
| 2.3 i Cat<br>2.4 Diesel  | 85<br>58                         | 08/86→07/93<br>08/87→08/93   | →  | 471318→   | 2   | <b>24.5103-0305.3 331732</b>   | L= 335  |
| <b>VOLVO - 740 Kombi (745) 08/84→12/92</b>   |                                  |  |  |   |     |  |   |
|  <b>Brake Hose</b>              |                                  |  |  |   |     |  |   |
| 2.0<br>2.3<br>2.3 Turbo<br>→   | 76 - 89<br>82 - 117<br>115 - 140 | 08/85→07/92<br>08/85→07/92<br>08/85→07/90  | →  |   | 2   | <b>24.5103-0305.3 331732</b>   | L= 335  |

|                       | kW        |  |  |   | ! # |  |  |
|---|-----------|--|--|---|-----|--|--|
| <b>VOLVO - 740 Kombi (745) 08/84→12/92</b>  |           |  |  |   |     |  |  |
|  <b>Brake Hose</b>   |           |  |  |   |     |  |  |
| 2.4 Diesel  | 60        | 08/85→07/88  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 TD Interc.  | 90        | 08/86→07/88  | ➔  |   |     |  |  |
| 2.0   | 82        | 08/89→07/91  | ➔  | → 08/90   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3   | 96        | 07/90→12/92  | ➔  | → 07/90   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3   | 111       | 07/89→08/92  | ➔  | → 07/92   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 Turbo-Diesel  | 80        | 09/85→07/92  | ➔  | - ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
| <b>VOLVO - 740 Saloon (744) 04/83→12/92</b>   |           |  |  |   |     |  |  |
|  <b>Brake Hose</b>   |           |  |  |   |     |  |  |
| 2.0   | 76 - 120  | 12/83→07/92  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3   | 82 - 117  | 08/83→12/92  | ➔  |   |     |  |  |
| 2.3 Turbo   | 115 - 140 | 08/85→07/90  | ➔  |   |     |  |  |
| 2.4 Diesel  | 60        | 08/84→07/92  | ➔  |   |     |  |  |
| 2.0   | 86        | 01/87→08/88  | ➔  | Rigid Axle  | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3   | 111       | 08/88→08/92  | ➔  | → 07/92   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 TD  | 80        | 08/85→12/90  | ➔  | → 07/87; - ABS  | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 TD  | 83 - 90   | 08/84→07/90  | ➔  | - ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
| <b>VOLVO - 760 Kombi (704, 765) 01/82→07/92</b>   |           |  |  |   |     |  |  |
|  <b>Brake Hose</b>   |           |  |  |   |     |  |  |
| 2.3   | 84        | 08/84→08/87  | ➔  | + ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
|   |           |  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3 Turbo   | 134       | 08/84→08/90  | ➔  | 09/85→ 08/87; + ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 D   | 60        | 01/82→07/92  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 TD Interc.  | 85        | 08/87→07/92  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.8   | 95 - 115  | 05/86→08/91  | ➔  | → 08/87; + ABS  | 2   | 24.5103-0305.3 331732  | L= 335   |
|   |           |  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| <b>VOLVO - 760 Sedan (704, 764) 08/81→07/92</b>   |           |  |  |   |     |  |  |
|  <b>Brake Hose</b> |           |  |  |   |     |  |  |
| 2.3 Turbo   | 127       | 08/82→07/84  | ➔  | 09/82→; + ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
|   |           |  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3 Turbo   | 134       | 08/84→10/88  | ➔  | 09/85→ 08/87; + ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.8   | 95 - 115  | 08/81→07/88  | ➔  | → 08/87   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 Turbo Diesel  | 80        | 04/87→07/92  | ➔  | → 08/87; + ABS  | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.8   | 105 - 108 | 05/86→08/91  | ➔  | → 08/87   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.4 Turbo Diesel  | 82        | 08/82→07/87  | ➔  | 09/85→; + ABS   | 2   | 24.5103-0305.3 331732  | L= 335   |
|   |           |  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| <b>VOLVO - 940 II (944) 08/94→12/98</b>   |           |  |  |   |     |  |  |
|  <b>Brake Hose</b> |           |  |  |   |     |  |  |
| 2.0 Turbo   | 114       | 04/96→10/98  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3   | 85 - 96   | 08/94→10/98  | ➔  |   |     |  |  |
| 2.3 ti  | 99        | 01/95→10/98  | ➔  |   |     |  |  |
| 2.3 Turbo   | 121       | 08/94→10/98  | ➔  |   |     |  |  |
| 2.4 TD Interc.  | 90        | 08/94→10/98  | ➔  |   |     |  |  |
| 2.3 Turbo   | 126       | 01/95→12/98  | ➔  | → 10/98   | 2   | 24.5103-0305.3 331732  | L= 335   |
| <b>VOLVO - 940 II Estate (945) 09/90→10/98</b>  |           |  |  |   |     |  |  |
|  <b>Brake Hose</b> |           |  |  |   |     |  |  |
| 2.0 Turbo   | 114       | 04/96→10/98  | ➔  |   | 2   | 24.5103-0305.3 331732  | L= 335   |
| 2.3   | 85 - 96   | 08/94→10/98  | ➔  |   |     |  |  |
| 2.3 ti  | 99        | 01/95→10/98  | ➔  |   |     |  |  |
| 2.3 Turbo   | 121 - 126 | 08/94→10/98  | ➔  |   |     |  |  |
| 2.4 TD Interc.  | 90        | 08/94→10/98  | ➔  |   |     |  |  |

|                      | kW           |  |  |   | ! # |  |  |
|--|--------------|--|--|---|-----|--|--|
| <b>VOLVO - 940 Kombi (945) 08/90→10/95</b>   |              |  |  |   |     |  |  |
|  <b>Brake Hose</b>  |              |  |  |   |     |  |  |
| 2.0  | 82           | 01/92→07/94  | ➔  |   | 2   | 24.5103-0305.3   | 331732 L= 335  |
| 2.0 Turbo  | 114          | 01/91→07/95  |  |   |     |  |  |
| 2.3  | 85 -<br>114  | 08/90→07/94  |  |   |     |  |  |
| 2.3 Turbo  | 121 -<br>140 | 08/90→07/94  |  |   |     |  |  |
| 2.4 D  | 60           | 08/90→07/95  |  |   |     |  |  |
| 2.4 Turbo Diesel   | 80           | 08/90→07/94  |  |   |     |  |  |
| 2.3  | 96           | 08/90→12/94  | ➔  | → 07/94   | 2   | 24.5103-0305.3   | 331732 L= 335  |
| 2.4 TD Intercooler   | 90           | 08/90→08/94  |  |   |     |  |  |
| <b>VOLVO - 940 Sedan (944) 08/90→03/95</b>   |              |  |  |   |     |  |  |
|  <b>Brake Hose</b>  |              |  |  |   |     |  |  |
| 2.0  | 82           | 01/92→07/94  | ➔  |   | 2   | 24.5103-0305.3   | 331732 L= 335  |
| 2.3  | 85 -<br>114  | 08/90→12/94  |  |   |     |  |  |
| 2.3 Turbo  | 121 -<br>140 | 08/90→07/94  |  |   |     |  |  |
| 2.4 D  | 60           | 08/90→12/94  |  |   |     |  |  |
| 2.4 TD Intercooler   | 90           | 08/90→12/94  |  |   |     |  |  |
| 2.4 Turbo Diesel   | 80           | 08/90→12/94  |  |   |     |  |  |
| 2.0 Turbo  | 114          | 08/90→12/94  | ➔  | 01/91→  | 2   | 24.5103-0305.3   | 331732 L= 335  |
| <b>VOLVO - 960 (964) 08/90→07/94</b>   |              |  |  |   |     |  |  |
|  <b>Brake Hose</b>  |              |  |  |   |     |  |  |
| 2.0  | 103 -<br>140 | 08/90→09/93  | ➔  | 01/92→  | 2   | 24.5103-0305.3   | 331732 L= 335  |
| 2.4 TD Interc.   | 85           | 09/91→07/94  |  |   |     |  |  |
| 2.9  | 150          | 08/90→07/94  |  |   |     |  |  |
| <b>VOLVO - 960 Kombi (965) 08/90→07/94</b>   |              |  |  |   |     |  |  |
|  <b>Brake Hose</b> |              |  |  |   |     |  |  |
| 2.0  | 103 -<br>140 | 08/90→09/93  | ➔  | 01/92→  | 2   | 24.5103-0305.3   | 331732 L= 335  |
| 2.4 TD Interc.   | 85           | 09/91→07/94  |  |   |     |  |  |
| 2.8  | 108          | 09/90→05/92  |  |   |     |  |  |
| 2.9  | 150          | 08/90→07/94  |  |   |     |  |  |
| <b>VW - CRAFTER Bus (SYI, SYJ) 09/16→</b>  |              |  |  |   |     |  |  |
| <b>Accessory Kit, parking brake shoes</b>  |              |  |  |   |     |  |  |
| 2.0 TDI  | 75 -<br>130  | 09/16→   | ➔  |   |     | 03.0137-9709.2   | 669709   |
| 2.0 TDI 4motion  | 103 -<br>130 | 03/17→   |  |   |     |  |  |
| <b>VW - CRAFTER Platform/Chassis (SZ_) 11/16→</b>  |              |  |  |   |     |  |  |
| <b>Accessory Kit, parking brake shoes</b>  |              |  |  |   |     |  |  |
| 2.0 TDI  | 75 -<br>130  | 11/16→   | ➔  |   |     | 03.0137-9709.2   | 669709   |
| 2.0 TDI 4motion  | 103 -<br>130 | 03/17→   |  |   |     |  |  |
| 2.0 TDI RWD  | 80 -<br>130  | 11/16→   |  |   |     |  |  |
| <b>VW - CRAFTER Van (SY_, SX_) 09/16→</b>  |              |  |  |   |     |  |  |
| <b>Accessory Kit, parking brake shoes</b>  |              |  |  |   |     |  |  |
| 2.0 TDI  | 75 -<br>130  | 09/16→   | ➔  |   |     | 03.0137-9709.2   | 669709   |
| 2.0 TDI 4motion  | 103 -<br>130 | 03/17→   |  |   |     |  |  |
| 2.0 TDI RWD  | 80 -<br>130  | 05/17→   |  |   |     |  |  |
| e-Crafter  | 100          | 07/18→   |  |   |     |  |  |
| <b>VW - GRAND CALIFORNIA Camper (SCB, SCC) 04/19→</b>  |              |  |  |   |     |  |  |
| <b>Accessory Kit, parking brake shoes</b>  |              |  |  |   |     |  |  |
| 2.0 TDI  | 103 -<br>130 | 04/19→   | ➔  |   |     | 03.0137-9709.2   | 669709   |
| 2.0 TDI 4motion  | 103 -<br>130 | 04/19→   |  |   |     |  |  |

|                             | kW        |  |  |   | ! # |  |  |
|---|-----------|--|--|---|-----|--|--|
| <b>VW - POLO VI (AW1, BZ1, AE1) 06/17→</b>  |           |  |  |   |     |  |  |
|  <b>Wheel Speed Sensor</b> |           |  |  |   |     |  |  |
| 1.0   | 48 - 55   | 06/17→08/21  | ➡  | 09/17→; ☐   |     | 24.0711-6432.3   | 360658   |
| 1.0 TSI   | 70        | 06/17→   | ➡  | 09/17→; ☐   |     | 24.0711-6433.3   | 360659   |
| 1.0 MPI   | 59        | 09/18→   | ➡  | ☐   |     | 24.0711-6432.3   | 360658   |
| 1.0 TGI   | 66        | 09/17→   |  |   |     |  |  |
| 1.0 TSI   | 81 - 85   | 09/17→   | ➡  | ☐   |     | 24.0711-6433.3   | 360659   |
| 1.5 TSI   | 110       | 10/18→08/21  |  |   |     |  |  |
| 1.6 MSi   | 81        | 09/17→   |  |   |     |  |  |
| 1.6 TDI   | 59 - 70   | 11/17→02/21  |  |   |     |  |  |
| 2.0 GTI   | 147       | 11/17→   |  |   |     |  |  |
| GTI   | 152       | 04/21→   |  |   |     |  |  |
| <b>VW - SHARAN (7N1, 7N2) 05/10→11/22</b>   |           |  |  |   |     |  |  |
|  <b>Brake Caliper</b>      |           |  |  |   |     |  |  |
| 1.4 TSI   | 110       | 05/15→11/22  | ➡  | ☐   |     | 24.6241-1713.5   | 241561   |
| 2.0 TDI   | 110 - 135 | 05/15→10/20  |  |   |     |  | TRW + EMot / without holder + FSB  |
| 2.0 TDI 4motion   | 110 - 135 | 05/15→10/20  | ➡  | ☐   |     | 24.6241-1714.5   | 241562   |
| 2.0 TSI   | 162       | 05/15→12/20  |  |   |     |  | TRW + EMot / without holder + FSB  |
| <b>VW - T-CROSS (C11, D31) 12/18→</b>   |           |  |  |   |     |  |  |
|  <b>Wheel Speed Sensor</b> |           |  |  |   |     |  |  |
| 1.0 TSi   | 70 - 85   | 12/18→   | ➡  | → 07/20; ☐  |     | 24.0711-6432.3   | 360658   |
| 1.0 TSI   | 81        | 06/20→   | ➡  | → 07/20; ☐  |     | 24.0711-6433.3   | 360659   |
| 1.5 TSI   | 110       | 01/20→   |  |   |     |  |  |
| 1.6 TDi   | 70        | 12/18→   |  |   |     |  |  |















- EN** Technical translations
- DE** Technische Übersetzungen
- ES** Traducciones técnicas
- FR** Traductions techniques
- IT** Traduzioni tecniche

**3/2024**



# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| EN  |   | EN   |   |
|---|---|--|---|
|    | Brake Master Cylinder                       | <b>Abfrage Produktbild vorhanden</b>             | Abfrage Produktbild vorhanden                 |
|    | Brake Hose                                  | <b>- ABS</b>                                     | for vehicles without ABS                      |
|    | Brake Shoe Set, parking brake               | <b>adjusting nut</b>                             | additional article information, adjusting nut |
|    | Brake Caliper                               | <b>ADV</b>                                       | Brake System, Advics                          |
|    | Brake Pad Set, disc brake                   | <b>ALU</b>                                       | Aluminium                                     |
|    | Brake Disc                                  | <b>Article number of recommended accessories</b> | Article number of recommended accessories     |
|    | Wheel Brake Cylinder                        | <b>- ASR</b>                                     | for vehicles without ASR                      |
|    | Wheel Speed Sensor                          | <b>ATE Ceramic</b>                               | additional article information, ATE Ceramic   |
|   | Brake Shoe Set                              | <b>Automatic Transmission</b>                    | Automatic Transmission                        |
|  | Rear Axle Left                              | <b>B</b>   | Coated  |
|  | Rear Axle Right                             | <b>Bolt Hole Circle Ø [mm]</b>                   | Bolt Hole Circle Ø [mm]                       |
|  | Front Axle Right                            | <b>Bore Ø [mm]</b>                               | Bore Ø [mm]                                   |
| <b>+ ABS</b>  | for vehicles with ABS                       | <b>Brake Disc Thickness [mm]</b>                 | Brake Disc Thickness [mm]                     |
| <b>+ ASR</b>  | for vehicles with ASR                       | <b>BRE</b>                                       | Brake System, Brembo                          |
| <b>+ DSC</b>  | for vehicles with DSC                       | <b>Cast Aluminium</b>                            | Cast Aluminium                                |
| <b>+ eFSB</b>   | for vehicles with electric parking brake    | <b>CB compatible package</b>                     | CB compatible package                         |
| <b>+ EMot</b>   | with electric motor                         | <b>Centering Diameter [mm]</b>                   | Centering Diameter [mm]                       |
| <b>+ ESP</b>  | for vehicles with ESP                       | <b>Country specific package and status data</b>  | Country specific package and status data      |
| <b>+ FSB</b>  | Brake Caliper with integrated parking brake | <b>Disc Brake</b>                                | Disc Brake                                    |
| <b>+ HEB</b>  | with lever                                  | <b>Drum Brake</b>                                | Drum Brake                                    |
| <b>+PR</b>  | for PR number                               | <b>- DSC</b>                                     | for vehicles without DSC                      |
| <b>+ RUS</b>  | Russia                                      | <b>- eFSB</b>                                    | for vehicles without electric parking brake   |
| <b>+ S</b>  | with bolts/screws                           |  |   |
| <b>+SA</b>  | for SA code                                 |  |   |
| <b>+ WE</b>   | prepared for wear indicator                 |  |   |
| <b>+ WK</b>   | incl. wear warning contact                  |  |   |
| <b>+ Zub</b>  | with accessories                            |  |   |

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

| EN  |  | EN   |   |
|---|--|--|---|
| <b>External Thread 1 [mm]</b>                   | External Thread 1 [mm]                   | <b>- HEB</b>                                   | without lever                           |
|   |  | <b>Height [mm]</b>                             | Height [mm]                             |
| <b>External Thread 2 [mm]</b>                   | External Thread 2 [mm]                   | <b>Height 1 [mm]</b>                           | Height 1 [mm]                           |
|   |  | <b>Height 2 [mm]</b>                           | Height 2 [mm]                           |
| <b>for brake disc diameter [mm]</b>             | for brake disc diameter [mm]             | <b>Internal Thread 1 [mm]</b>                  | Internal Thread 1 [mm]                  |
| <b>for extended wheelbase</b>                   | for extended wheelbase                   | <b>L=</b>                                      | Length [mm]                             |
| <b>for left-hand drive vehicles</b>             | for left-hand drive vehicles             | <b>L=</b>                                      | Warning Contact Length [mm]             |
|   |  | <b>L1=</b>                                     | Length 1 [mm]                           |
| <b>for right-hand drive vehicles</b>            | for right-hand drive vehicles            | <b>L2=</b>                                     | Length 2 [mm]                           |
| <b>for vehicles with M-sport brakes</b>         | for vehicles with M-sport brakes         | <b>Machining</b>                               | Machining                               |
| <b>for vehicles without 3rd seating row</b>     | for vehicles without 3rd seating row     | <b>Manual Transmission</b>                     | Manual Transmission                     |
| <b>for vehicles without ABC</b>                 | for vehicles without ABC                 | <b>Minimum thickness [mm]</b>                  | Minimum thickness [mm]                  |
| <b>for vehicles without ceramic brakes</b>      | for vehicles without ceramic brakes      | <b>not for armoured vehicles</b>               | not for armoured vehicles               |
| <b>for vehicles without M-sport brakes</b>      | for vehicles without M-sport brakes      | <b>not for sequential manual transmission</b>  | not for sequential manual transmission  |
| <b>for vehicles without sports brake system</b> | for vehicles without sports brake system | <b>not for vehicles with reinforced brakes</b> | not for vehicles with reinforced brakes |
| <b>for vehicles without sports package</b>      | for vehicles without sports package      | <b>Number of Holes</b>                         | Number of Holes                         |
| <b>for vehicles without trailer hitch</b>       | for vehicles without trailer hitch       | <b>Orga →</b>                                  | for RPO number from                     |
| <b>for vehicles with vacuum pump</b>            | for vehicles with vacuum pump            | <b>outer</b>                                   | outer                                   |
| <b>HC</b>                                       | High-carbon                              | <b>Payload to [kg]</b>                         | Payload to [kg]                         |
| <b>HC L</b>                                     | Alloyed/High-carbon                      | <b>- Performance Parts</b>                     | for vehicles without Performance brakes |
|   |  | <b>Piston Diameter [mm]</b>                    | Piston Diameter [mm]                    |
|   |  | <b>Produkttyp vorhanden</b>                    | Produkttyp vorhanden                    |
|   |  | <b>Reached Quality Gates</b>                   | Reached Quality Gates                   |

















# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| EN                                   |  | EN            |   |
|--------------------------------------|--|---------------|---|
| <b>replacement part</b>              | replacement part   | →             | Construction Year from Vehicle Identification Number (VIN) from |
| <b>Rigid Axle</b>                    | Rigid Axle   |               |   |
| <b>Service exchange part</b>         | Service exchange part  | →             | Construction Year to  |
|                                      |  | → <b>Orga</b> | for RPO number up to  |
| <b>Spanner Size</b>                  | Spanner Size   |               |   |
| <b>Spanner size 1 [mm]</b>           | Spanner size 1 [mm]  |               |   |
| <b>Spanner size 2 [mm]</b>           | Spanner size 2 [mm]  |               |   |
| <b>Surface</b>                       | Surface  |               |   |
| <b>Thickness [mm]</b>                | Thickness [mm]   |               |   |
| <b>Thread Size 1</b>                 | Thread Size 1  |               |   |
| <b>TRW</b>                           | Brake System, Lucas / TRW  |               |   |
| <b>two-part brake disc</b>           | two-part brake disc  |               |   |
| <b>Unreached Quality Gates</b>       | Unreached Quality Gates  |               |   |
| <b>usage number</b>                  | usage number   |               |   |
| <b>- WE</b>                          | not prepared for wear indicator  |               |   |
| <b>Width [mm]</b>                    | Width [mm]   |               |   |
| <b>with brake caliper screws</b>     | with brake caliper screws  |               |   |
| <b>without brake fluid reservoir</b> | without brake fluid reservoir  |               |   |
| <b>without cable</b>                 | without cable  |               |   |
| <b>with pipe</b>                     | with pipe  |               |   |
| <b>- WK</b>                          | excl. wear warning contact   |               |   |
| <b>x</b>                             | Number of wear indicators [per axle]<br>Number of connectors                               |               |   |
| <b>Yes</b>                           | Yes  |               |   |
| <b>Ø</b>                             | Diameter [mm]<br>Inner Diameter [mm]<br>Outer Diameter [mm]<br>Brake diameter, inside [mm] |               |   |
| <b>Ø1</b>                            | Diameter 1 [mm]  |               |   |
| <b>Ø2</b>                            | Diameter 2 [mm]  |               |   |

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| DE  |  | DE   |   |
|---|--|--|---|
|    | Hauptbremszylinder                             | <b>Abfrage Produktbild vorhanden</b>             | Abfrage Produktbild vorhanden                           |
|    | Bremsschlauch                                  | <b>- ABS</b>                                     | für Fahrzeuge ohne ABS                                  |
|    | Bremsbackensatz, Feststellbremse               | <b>adjusting nut</b>                             | Artikelzusatzbezeichnung, dado di regolazione           |
|    | Bremssattel                                    | <b>ADV</b>                                       | Bremssystem, Advics                                     |
|    | Bremsbelagsatz, Scheibenbremse                 | <b>ALU</b>                                       | Aluminium   |
|    | Bremsscheibe                                   | <b>Article number of recommended accessories</b> | Artikelnummer des empfohlenen Zubehörs                  |
|    | Radbremszylinder                               | <b>- ASR</b>                                     | für Fahrzeuge ohne ASR                                  |
|    | Raddrehzahlsensor                              | <b>ATE Ceramic</b>                               | Artikelzusatzbezeichnung, ATE Ceramic                   |
|   | Bremsbackensatz                                | <b>Automatic Transmission</b>                    | Automatikgetriebe                                       |
|  | Hinterachse links                              | <b>B</b>   | beschichtet   |
|  | Hinterachse rechts                             | <b>Bolt Hole Circle Ø [mm]</b>                   | Lochkreis-Ø [mm]  |
|  | Vorderachse rechts                             | <b>Bore Ø [mm]</b>                               | Bohrung-Ø [mm]  |
| <b>+ ABS</b>  | für Fahrzeuge mit ABS                          | <b>Brake Disc Thickness [mm]</b>                 | Bremsscheibendicke [mm]                                 |
| <b>+ ASR</b>  | für Fahrzeuge mit ASR                          | <b>BRE</b>                                       | Bremssystem, Brembo                                     |
| <b>+ DSC</b>  | für Fahrzeuge mit DSC                          | <b>Cast Aluminium</b>                            | Aluguss   |
| <b>+ eFSB</b>   | für Fahrzeuge mit elektrischer Feststellbremse | <b>CB compatible package</b>                     | SB gerechte Verpackung                                  |
| <b>+ EMot</b>   | mit Elektromotor                               | <b>Centering Diameter [mm]</b>                   | Zentrierungsdurchmesser [mm]                            |
| <b>+ ESP</b>  | für Fahrzeuge mit ESP                          | <b>Country specific package and status data</b>  | Länderspezifische Verpackungs- und Status-Informationen |
| <b>+ FSB</b>  | Bremssattel m. integr. Feststellbremse         | <b>Disc Brake</b>                                | Scheibenbremse  |
| <b>+ HEB</b>  | mit Hebel                                      | <b>Drum Brake</b>                                | Trommelbremse   |
| <b>+PR</b>  | für PR-Nummer                                  | <b>- DSC</b>                                     | für Fahrzeuge ohne DSC                                  |
| <b>+ RUS</b>  | Russland                                       | <b>- eFSB</b>                                    | für Fahrzeuge ohne elektrische Feststellbremse          |
| <b>+ S</b>  | mit Schrauben                                  | <b>External Thread 1 [mm]</b>                    | Außengewinde 1 [mm]                                     |
| <b>+SA</b>  | für SA Code                                    |  |   |
| <b>+ WE</b>   | für Verschleißwarnanzeiger vorbereitet         |  |   |
| <b>+ WK</b>   | inkl. Verschleißwarnkontakt                    |  |   |
| <b>+ Zub</b>  | mit Zubehör                                    |  |   |

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| DE  |  | DE   |  |
|---|--|--|--|
| <b>External Thread 2 [mm]</b>                   | Außengewinde 2 [mm]                    | <b>Height 1 [mm]</b>                           | Höhe 1 [mm]                                |
| <b>for brake disc diameter [mm]</b>             | für Bremsscheibendurchmesser [mm]      | <b>Height 2 [mm]</b>                           | Höhe 2 [mm]                                |
| <b>for extended wheelbase</b>                   | für verlängerten Radstand              | <b>Internal Thread 1 [mm]</b>                  | Innengewinde 1 [mm]                        |
| <b>for left-hand drive vehicles</b>             | für Linkslenker                        | <b>L=</b>                                      | Länge [mm]                                 |
| <b>for right-hand drive vehicles</b>            | für Rechtslenker                       | <b>L=</b>                                      | Warnkontaktlänge [mm]                      |
| <b>for vehicles with M-sport brakes</b>         | für Fahrzeuge mit M-Sportbremse        | <b>L1=</b>                                     | Länge 1 [mm]                               |
| <b>for vehicles without 3rd seating row</b>     | für Fahrzeuge ohne 3. Sitzreihe        | <b>L2=</b>                                     | Länge 2 [mm]                               |
| <b>for vehicles without ABC</b>                 | für Fahrzeuge ohne ABC                 | <b>Machining</b>                               | Bearbeitung                                |
| <b>for vehicles without ceramic brakes</b>      | für Fahrzeuge ohne Keramikbremse       | <b>Manual Transmission</b>                     | Schaltgetriebe                             |
| <b>for vehicles without M-sport brakes</b>      | für Fahrzeuge ohne M-Sportbremse       | <b>Minimum thickness [mm]</b>                  | Mindestdicke [mm]                          |
| <b>for vehicles without sports brake system</b> | für Fahrzeuge ohne Sportbremsanlage    | <b>not for armoured vehicles</b>               | nicht für gepanzerte Fahrzeuge             |
| <b>for vehicles without sports package</b>      | für Fahrzeuge ohne Sportpaket          | <b>not for sequential manual transmission</b>  | nicht für Schaltgetriebe sequentiell       |
| <b>for vehicles without trailer hitch</b>       | für Fahrzeuge ohne Anhängervorrichtung | <b>not for vehicles with reinforced brakes</b> | nicht für Fahrzeuge mit verstärkter Bremse |
| <b>for vehicles with vacuum pump</b>            | für Fahrzeuge mit Vakuumpumpe          | <b>Number of Holes</b>                         | Lochanzahl                                 |
| <b>HC</b>                                       | hochgekohlt                            | <b>Orga →</b>                                  | für Organisationsnummer ab                 |
| <b>HC L</b>                                     | legiert/hochgekohlt                    | <b>outer</b>                                   | außen                                      |
| <b>- HEB</b>                                    | ohne Hebel                             | <b>Payload to [kg]</b>                         | Nutzlast bis [kg]                          |
| <b>Height [mm]</b>                              | Höhe [mm]                              | <b>- Performance Parts</b>                     | für Fahrzeuge ohne Performance Bremse      |
|   |  | <b>Piston Diameter [mm]</b>                    | Kolbendurchmesser [mm]                     |
|   |  | <b>Produkttyp vorhanden</b>                    | Produkttyp vorhanden                       |
|   |  | <b>Reached Quality Gates</b>                   | Erfüllte Qualitätsstufen                   |
|   |  | <b>replacement part</b>                        | Austauschteil                              |
|   |  | <b>Rigid Axle</b>                              | Starrachse                                 |

# Technical translations













Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| DE                                   |   | DE    |                             |
|--------------------------------------|---|-------|-----------------------------|
| <b>Service exchange part</b>         | Austauschteil   | →Orga | für Organisationsnummer bis |
| <b>Spanner Size</b>                  | Schlüsselweite  |       |                             |
| <b>Spanner size 1 [mm]</b>           | Schlüsselweite 1 [mm]   |       |                             |
| <b>Spanner size 2 [mm]</b>           | Schlüsselweite 2 [mm]   |       |                             |
| <b>Surface</b>                       | Oberfläche  |       |                             |
| <b>Thickness [mm]</b>                | Dicke/Stärke [mm]   |       |                             |
| <b>Thread Size 1</b>                 | Gewindemaß 1  |       |                             |
| <b>TRW</b>                           | Bremssystem, Lucas / TRW  |       |                             |
| <b>two-part brake disc</b>           | zweiteilige Bremsscheibe  |       |                             |
| <b>Unreached Quality Gates</b>       | Nicht erfüllte Qualitätsstufen  |       |                             |
| <b>usage number</b>                  | Gebrauchsnummer   |       |                             |
| <b>- WE</b>                          | nicht für Verschleißwarnanzeiger vorbereitet  |       |                             |
| <b>Width [mm]</b>                    | Breite [mm]   |       |                             |
| <b>with brake caliper screws</b>     | mit Bremssattelschrauben  |       |                             |
| <b>without brake fluid reservoir</b> | ohne Bremsflüssigkeitsbehälter  |       |                             |
| <b>without cable</b>                 | ohne Kabel  |       |                             |
| <b>with pipe</b>                     | mit Rohrleitung   |       |                             |
| <b>- WK</b>                          | exkl. Verschleißwarnkontakt   |       |                             |
| <b>x</b>                             | Anzahl der Verschleißanzeigen [pro Achse]<br>Anschlussanzahl  |       |                             |
| <b>Yes</b>                           | Ja  |       |                             |
| <b>Ø</b>                             | Durchmesser [mm]<br>Innendurchmesser [mm]<br>Außendurchmesser [mm]<br>Bremsstrommeldurchmesser innen [mm] |       |                             |
| <b>Ø1</b>                            | Durchmesser 1 [mm]  |       |                             |
| <b>Ø2</b>                            | Durchmesser 2 [mm]  |       |                             |
| <b>→</b>                             | Baujahr ab<br>Fahrgestellnummer (VIN) ab  |       |                             |
| <b>→</b>                             | Baujahr bis   |       |                             |



# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

| ES  |   | ES   |   |
|---|---|--|---|
|    | Cilindro principal de freno                             | <b>+ Zub</b>                                     | con accesorios  |
|    | Tubo flexible de frenos                                 | <b>Abfrage Produktbild vorhanden</b>             | Abfrage Produktbild vorhanden                                       |
|    | Juego de zapatas de frenos, freno de estacionamiento    | <b>- ABS</b>                                     | para vehículos sin ABS  |
|    | Pinza de freno  | <b>adjusting nut</b>                             | Denominación adicional del artículo, tuerca de ajuste               |
|    | Juego de pastillas de freno                             | <b>ADV</b>                                       | Sistema de frenos, Advics   |
|    | Disco de freno  | <b>ALU</b>                                       | Aluminio  |
|    | Cilindro de freno de rueda                              | <b>Article number of recommended accessories</b> | Nº art. de accesorio recomendado                                    |
|    | Sensor de velocidad de la rueda                         | <b>- ASR</b>                                     | para vehículos sin ASR  |
|   | Juego de zapatas de frenos                              | <b>ATE Ceramic</b>                               | Denominación adicional del artículo, ATE Ceramic                    |
|  | Eje trasero izquierda                                   | <b>Automatic Transmission</b>                    | Transmisión automática  |
|  | Eje trasero, derecha                                    | <b>B</b>   | revestido   |
|  | Eje delantero, derecha                                  | <b>Bolt Hole Circle Ø [mm]</b>                   | corona de agujeros - Ø [mm]   |
| <b>+ ABS</b>  | para vehículos con ABS                                  | <b>Bore Ø [mm]</b>                               | Taladro Ø [mm]  |
| <b>+ ASR</b>  | para vehículos con ASR                                  | <b>Brake Disc Thickness [mm]</b>                 | Espesor de disco de frenos [mm]                                     |
| <b>+ DSC</b>  | para vehículos con DSC                                  | <b>BRE</b>                                       | Sistema de frenos, Brembo   |
| <b>+ eFSB</b>   | para vehículos con freno de estacionamiento electrónico | <b>Cast Aluminium</b>                            | Fundición de aluminio   |
| <b>+ EMot</b>   | con electromotor  | <b>CB compatible package</b>                     | Embalaje apto para autoservicio                                     |
| <b>+ ESP</b>  | para vehículos con ESP                                  | <b>Centering Diameter [mm]</b>                   | Diámetro de centrado [mm]   |
| <b>+ FSB</b>  | Pinza con freno estacionamiento integrado               | <b>Country specific package and status data</b>  | Información específica del país sobre el embalaje y sobre el estado |
| <b>+ HEB</b>  | con palanca   | <b>Disc Brake</b>                                | Discos  |
| <b>+PR</b>  | Número de PR  | <b>Drum Brake</b>                                | Tambor  |
| <b>+ RUS</b>  | Rusia   | <b>- DSC</b>                                     | para vehículos sin DSC  |
| <b>+ S</b>  | con tornillos   | <b>- eFSB</b>                                    | para vehículos sin freno de estacionamiento electrónico             |
| <b>+SA</b>  | para código SA  |  |   |
| <b>+ WE</b>   | preparado para indicador desgaste                       |  |   |
| <b>+ WK</b>   | con contacto avisador de desgaste                       |  |   |

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

| ES  |   | ES   |  |
|---|---|--|--|
| <b>External Thread 1 [mm]</b>                   | Rosca exterior 1 [mm]                           | <b>- HEB</b>                                   | sin palanca                                |
| <b>External Thread 2 [mm]</b>                   | Rosca exterior 2 [mm]                           | <b>Height [mm]</b>                             | Altura [mm]                                |
| <b>for brake disc diameter [mm]</b>             | para diámetro disco de freno [mm]               | <b>Height 1 [mm]</b>                           | Altura 1 [mm]                              |
| <b>for extended wheelbase</b>                   | para distancia entre ejesprolongada             | <b>Height 2 [mm]</b>                           | Altura 2 [mm]                              |
| <b>for left-hand drive vehicles</b>             | para vehic. dirección izquierda                 | <b>Internal Thread 1 [mm]</b>                  | Rosca interior 1 [mm]                      |
| <b>for right-hand drive vehicles</b>            | para vehíc. dirección a la derecha              | <b>L=</b>                                      | Longitud [mm]                              |
| <b>for vehicles with M-sport brakes</b>         | Para vehículos con frenos deportivos M          | <b>L=</b>                                      | Longitud contacto de aviso [mm]            |
| <b>for vehicles without 3rd seating row</b>     | para vehículos sin 3 hileras de asientos        | <b>L1=</b>                                     | Longitud 1 [mm]                            |
| <b>for vehicles without ABC</b>                 | para vehículos sin ABC                          | <b>L2=</b>                                     | Longitud 2 [mm]                            |
| <b>for vehicles without ceramic brakes</b>      | para vehículos sin frenos de cerámica           | <b>Machining</b>                               | Procesamiento                              |
| <b>for vehicles without M-sport brakes</b>      | Para vehículos sin frenos deportivos M          | <b>Manual Transmission</b>                     | Caja de cambios manual                     |
| <b>for vehicles without sports brake system</b> | para vehículos sin sistema de frenos deportivos | <b>Minimum thickness [mm]</b>                  | Espesor mínimo [mm]                        |
| <b>for vehicles without sports package</b>      | para vehículos sin paquete sport                | <b>not for armoured vehicles</b>               | no para vehículos blindados                |
| <b>for vehicles without trailer hitch</b>       | para vehículos si enganche de remolque          | <b>not for sequential manual transmission</b>  | no para caja de cambios manual secuencial  |
| <b>for vehicles with vacuum pump</b>            | para vehículos con bomba vacío                  | <b>not for vehicles with reinforced brakes</b> | no para vehículos con frenos reforzados    |
| <b>HC</b>                                       | altamente carbonizado                           | <b>Number of Holes</b>                         | Número de orificios                        |
| <b>HC L</b>                                     | aleado/alt. carburado                           | <b>Orga →</b>                                  | para número de OPR desde                   |
|   |   | <b>outer</b>                                   | exterior                                   |
|   |   | <b>Payload to [kg]</b>                         | carga útil hasta [kg]                      |
|   |   | <b>- Performance Parts</b>                     | para vehículos sin frenos alto rendimiento |
|   |   | <b>Piston Diameter [mm]</b>                    | Diámetro del pistón [mm]                   |
|   |   | <b>Produkttyp vorhanden</b>                    | Produkttyp vorhanden                       |
|   |   | <b>Reached Quality Gates</b>                   | Erfüllte Qualitätsstufen                   |















# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| ES                                   |  | ES            |  |
|--------------------------------------|--|---------------|--|
| <b>replacement part</b>              | Recambio   | <b>Ø2</b>     | Diámetro 2 [mm]                                  |
| <b>Rigid Axle</b>                    | Eje rígido   | →             | año construcción desde N.º de chasis (VIN) desde |
| <b>Service exchange part</b>         | Pieza de intercambio   | →             | año construcción hasta                           |
| <b>Spanner Size</b>                  | Ancho de llave   | → <b>Orga</b> | para número de OPR hasta                         |
| <b>Spanner size 1 [mm]</b>           | Ancho de llave 1 [mm]  |               |  |
| <b>Spanner size 2 [mm]</b>           | Ancho de llave 2 [mm]  |               |  |
| <b>Surface</b>                       | Superficie   |               |  |
| <b>Thickness [mm]</b>                | Espesor [mm]   |               |  |
| <b>Thread Size 1</b>                 | Rosca 1  |               |  |
| <b>TRW</b>                           | Sistema de frenos, Lucas / TRW   |               |  |
| <b>two-part brake disc</b>           | disco de freno de dos piezas   |               |  |
| <b>Unreached Quality Gates</b>       | Nicht erfüllte Qualitätsstufen   |               |  |
| <b>usage number</b>                  | Número de uso  |               |  |
| <b>- WE</b>                          | no preparado para indicador de desgaste  |               |  |
| <b>Width [mm]</b>                    | Ancho [mm]   |               |  |
| <b>with brake caliper screws</b>     | con tornillos pinza freno  |               |  |
| <b>without brake fluid reservoir</b> | sin depósito líquido frenos  |               |  |
| <b>without cable</b>                 | sin cable  |               |  |
| <b>with pipe</b>                     | con tubo   |               |  |
| <b>- WK</b>                          | excl. contacto de avisador de desgaste   |               |  |
| <b>x</b>                             | Número de indicadores de desgaste [por eje]<br>Número de conexiones  |               |  |
| <b>Yes</b>                           | sí   |               |  |
| <b>Ø</b>                             | Diámetro [mm]<br>Diámetro interior [mm]<br>Diámetro exterior [mm]<br>Diámetro interior de tambor de freno [mm] |               |  |
| <b>Ø1</b>                            | Diámetro 1 [mm]  |               |  |

# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

| FR  |  | FR   |  |
|---|--|--|--|
|    | Maître-cylindre de frein                             | <b>+ Zub</b>                                     | avec accessoires   |
|    | Flexible de frein                                    | <b>Abfrage Produktbild vorhanden</b>             | Abfrage Produktbild vorhanden                            |
|    | Jeu de mâchoires de frein, frein de stationnement    | <b>- ABS</b>                                     | pour véhicules sans système antiblo-cage                 |
|    | Étrier de frein                                      | <b>adjusting nut</b>                             | Designation d'article complémentaire, écrou de réglage   |
|    | Kit de plaquettes de frein, frein à disque           | <b>ADV</b>                                       | Système de freinage, Advics                              |
|    | Disque de frein                                      | <b>ALU</b>                                       | Aluminium  |
|    | Cylindre de roue                                     | <b>Article number of recommended accessories</b> | Référence de l'accessoire recommandé                     |
|    | Capteur de vitesse de roue                           | <b>- ASR</b>                                     | pour véhicules sans ASR                                  |
|   | Jeu de mâchoires de frein                            | <b>ATE Ceramic</b>                               | Designation d'article complémentaire, ATE Ceramic        |
|  | Essieu arrière gauche                                | <b>Automatic Transmission</b>                    | Boîte automatique  |
|  | Essieu arrière droit                                 | <b>B</b>   | revêtu   |
|  | Essieu avant droit                                   | <b>Bolt Hole Circle Ø [mm]</b>                   | Cercle de perçage -Ø [mm]                                |
| <b>+ ABS</b>  | pour véhicules avec système antiblo-cage             | <b>Bore Ø [mm]</b>                               | Alésage-Ø [mm]   |
| <b>+ ASR</b>  | pour véhicules avec ASR                              | <b>Brake Disc Thickness [mm]</b>                 | Épaisseur du disque de frein [mm]                        |
| <b>+ DSC</b>  | pour véhicules avec DSC                              | <b>BRE</b>                                       | Système de freinage, Brembo                              |
| <b>+ eFSB</b>   | pour véhicules avec frein d'arrêt élec-trique        | <b>Cast Alumi-nium</b>                           | Fonte d'aluminium  |
| <b>+ EMot</b>   | avec moteur électrique                               | <b>CB compat-ible package</b>                    | Emballage LS   |
| <b>+ ESP</b>  | pour véhicules avec ESP                              | <b>Centering Diameter [mm]</b>                   | Diamètre du centrage [mm]                                |
| <b>+ FSB</b>  | Étrier de frein avec frein de stationne-ment intégré | <b>Country specific package and status data</b>  | Informations d'emballage et d'état spéc-ifiques aux pays |
| <b>+ HEB</b>  | avec levier  | <b>Disc Brake</b>                                | Frein à disque   |
| <b>+PR</b>  | pour numéro PR                                       | <b>Drum Brake</b>                                | Frein à tambour  |
| <b>+ RUS</b>  | Russie   | <b>- DSC</b>                                     | pour véhicules sans DSC                                  |
| <b>+ S</b>  | avec vis/boulons                                     | <b>- eFSB</b>                                    | pour véhicules sans frein d'arrêt élec-trique            |
| <b>+SA</b>  | pour SA code   |  |  |
| <b>+ WE</b>   | préparé pour indicateur d'usure                      |  |  |
| <b>+ WK</b>   | contact de signal d'usure inclu                      |  |  |



# Technical translations

Technische Übersetzungen - Traducciones técnicas - Traductions techniques - Traduzioni tecniche

| FR  |   | FR   |  |
|---|---|--|--|
| <b>External Thread 1 [mm]</b>                   | Filetage extérieur 1 [mm]                       | <b>- HEB</b>                                   | sans levier  |
| <b>External Thread 2 [mm]</b>                   | Filetage extérieur 2 [mm]                       | <b>Height [mm]</b>                             | Hauteur [mm]   |
| <b>for brake disc diameter [mm]</b>             | pour diamètre du disque de frein [mm]           | <b>Height 1 [mm]</b>                           | Hauteur 1 [mm]   |
| <b>for extended wheelbase</b>                   | pour empattement rallongé                       | <b>Height 2 [mm]</b>                           | Hauteur 2 [mm]   |
| <b>for left-hand drive vehicles</b>             | pour véhicules avec direction à gauche          | <b>Internal Thread 1 [mm]</b>                  | Tarudage 1 [mm]  |
| <b>for right-hand drive vehicles</b>            | pour véhicules avec direction à droite          | <b>L=</b>                                      | Longueur [mm]  |
| <b>for vehicles with M-sport brakes</b>         | pour véhicules avec système de freinage sport M | <b>L=</b>                                      | Longueur de contacts d'avertissement [mm]                |
| <b>for vehicles without 3rd seating row</b>     | pour véhicules sans 3ième rangée de sièges      | <b>L1=</b>                                     | Longueur 1 [mm]  |
| <b>for vehicles without ABC</b>                 | pour véhicules sans ABC                         | <b>L2=</b>                                     | Longueur 2 [mm]  |
| <b>for vehicles without ceramic brakes</b>      | pour véhicules sans frein en céramique          | <b>Machining</b>                               | Traitement   |
| <b>for vehicles without M-sport brakes</b>      | pour véhicules sans système de freinage sport M | <b>Manual Transmission</b>                     | boîte de vitesses manuelle                               |
| <b>for vehicles without sports brake system</b> | pour véhicules sans système de freinage sport   | <b>Minimum thickness [mm]</b>                  | Épaisseur minimum [mm]                                   |
| <b>for vehicles without sports package</b>      | pour véhicules sans équipement sport            | <b>not for armoured vehicles</b>               | pas pour véhicules blindés                               |
| <b>for vehicles without trailer hitch</b>       | pour véhicules sans attelage de remorque        | <b>not for sequential manual transmission</b>  | pas pour boîte de vitesse séquentielle                   |
| <b>for vehicles with vacuum pump</b>            | pour véhicules avec pompe à vide                | <b>not for vehicles with reinforced brakes</b> | pas pour véhicules avec frein assisté                    |
| <b>HC</b>                                       | à haute teneur en carbone                       | <b>Number of Holes</b>                         | Nombre de trous  |
| <b>HC L</b>                                     | allié/carbonisé                                 | <b>Orga →</b>                                  | pour n° OPR(date de fabrication du véhicule) à partir de |
|   |   | <b>outer</b>                                   | extérieur  |
|   |   | <b>Payload to [kg]</b>                         | Charge utile jusqu'à [kg]                                |
|   |   | <b>- Performance Parts</b>                     | pour véhicules sans frein Performance                    |
|   |   | <b>Piston Diameter [mm]</b>                    | Diamètre du piston [mm]                                  |
|   |   | <b>Produkttyp vorhanden</b>                    | Produkttyp vorhanden                                     |













# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| FR                                   |  | FR            |  |
|--------------------------------------|--|---------------|--|
| <b>Reached Quality Gates</b>         | Erfüllte Qualitätsstufen   | <b>Ø2</b>     | Diamètre 2[mm]   |
| <b>replacement part</b>              | Pièce de rechange  | →             | Année à partir de<br>Numéro de châssis (VIN) à partir de |
| <b>Rigid Axle</b>                    | Essieu rigide  | →             | Année jusqu'à  |
| <b>Service exchange part</b>         | Echange standard   | → <b>Orga</b> | pour numéro OPR jusqu'à                                  |
| <b>Spanner Size</b>                  | Ouverture de la clé  |               |  |
| <b>Spanner size 1 [mm]</b>           | Largeur de clé 1 [mm]  |               |  |
| <b>Spanner size 2 [mm]</b>           | Largeur de clé 2 [mm]  |               |  |
| <b>Surface</b>                       | Surface  |               |  |
| <b>Thickness [mm]</b>                | Épaisseur [mm]   |               |  |
| <b>Thread Size 1</b>                 | Taraudage/Filetage 1   |               |  |
| <b>TRW</b>                           | Système de freinage, Lucas / TRW   |               |  |
| <b>two-part brake disc</b>           | disque de frein à deux pièces  |               |  |
| <b>Unreached Quality Gates</b>       | Nicht erfüllte Qualitätsstufen   |               |  |
| <b>usage number</b>                  | Numéro d'utilisation   |               |  |
| <b>- WE</b>                          | non préparé pour indicateur d'usure  |               |  |
| <b>Width [mm]</b>                    | Largeur [mm]   |               |  |
| <b>with brake caliper screws</b>     | avec vis d'étrier de frein   |               |  |
| <b>without brake fluid reservoir</b> | sans réservoir du liquide de frein   |               |  |
| <b>without cable</b>                 | sans câble   |               |  |
| <b>with pipe</b>                     | avec tuyau   |               |  |
| <b>- WK</b>                          | contact de signal d'usure exclu  |               |  |
| <b>x</b>                             | Nombre de témoins d'usure [par essieu]<br>Nombre de connexions   |               |  |
| <b>Yes</b>                           | Oui  |               |  |
| <b>Ø</b>                             | Diamètre [mm]<br>Diamètre intérieur [mm]<br>Diamètre extérieur [mm]<br>Diamètre intérieur du tambour de frein [mm] |               |  |
| <b>Ø1</b>                            | Diamètre 1 [mm]  |               |  |

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| IT  |   | IT   |   |
|---|---|--|---|
|    | Cilindro maestro del freno                    | <b>+ Zub</b>                                     | con accessori   |
|    | Flessibile del freno                          | <b>Abfrage Produktbild vorhanden</b>             | Abfrage Produktbild vorhanden   |
|    | Kit ganasce, Freno stazionamento              | <b>- ABS</b>                                     | per veicoli senza ABS   |
|    | Pinza freno                                   | <b>adjusting nut</b>                             | Denominazione aggiuntiva dell'articolo, dado di regolazione           |
|    | Kit pastiglie freno, Freno a disco            | <b>ADV</b>                                       | Sistema frenante, Advics  |
|    | Discofreno                                    | <b>ALU</b>                                       | Alluminio   |
|    | Cilindretto freno                             | <b>Article number of recommended accessories</b> | N° articolo accessorio consigliato                                    |
|    | Sensore velocità ruote                        | <b>- ASR</b>                                     | per veicoli senza ASR   |
|   | Kit ganasce freno                             | <b>ATE Ceramic</b>                               | Denominazione aggiuntiva dell'articolo, ATE Ceramic                   |
|  | Assale posteriore Sx                          | <b>Automatic Transmission</b>                    | Trasmissione automatica   |
|  | Assale posteriore Dx                          | <b>B</b>   | rivestito   |
|  | Assale anteriore Dx                           | <b>Bolt Hole Circle Ø [mm]</b>                   | Cerchio foro-Ø [mm]   |
| <b>+ ABS</b>  | per veicoli con ABS                           | <b>Bore Ø [mm]</b>                               | Alesaggio-Ø [mm]  |
| <b>+ ASR</b>  | per veicoli con ASR                           | <b>Brake Disc Thickness [mm]</b>                 | Spessore disco freno [mm]   |
| <b>+ DSC</b>  | per veicoli con DSC                           | <b>BRE</b>                                       | Sistema frenante, Brembo  |
| <b>+ eFSB</b>   | per veicoli con freno stazionamento elettrico | <b>Cast Aluminium</b>                            | Alluminio pressofuso  |
| <b>+ EMot</b>   | con motore elettrico                          | <b>CB compatible package</b>                     | Imballaggio self-service  |
| <b>+ ESP</b>  | per veicoli con ESP                           | <b>Centering Diameter [mm]</b>                   | Diametro centraggio [mm]  |
| <b>+ FSB</b>  | Pinza freno con freno-stazionamento integrato | <b>Country specific package and status data</b>  | Informazioni di imballaggio e di stato specifiche per i diversi Paesi |
| <b>+ HEB</b>  | con leva                                      | <b>Disc Brake</b>                                | Freno a disco   |
| <b>+PR</b>  | per N° PR                                     | <b>Drum Brake</b>                                | Freno a tamburo   |
| <b>+ RUS</b>  | Russia  | <b>- DSC</b>                                     | per veicoli senza DSC   |
| <b>+ S</b>  | con bulloni/viti                              | <b>- eFSB</b>                                    | per veicoli senza freno stazionamento elettrico                       |
| <b>+SA</b>  | per codice SA                                 |  |   |
| <b>+ WE</b>   | Predisposto per contatto segnalazione usura   |  |   |
| <b>+ WK</b>   | Con contatto segnalazione usura               |  |   |

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| IT  |  | IT   |   |
|---|--|--|---|
| <b>External Thread 1 [mm]</b>                   | Filetto esterno 1 [mm]                       | <b>- HEB</b>                                   | senza leva                              |
| <b>External Thread 2 [mm]</b>                   | Filetto esterno 2 [mm]                       | <b>Height [mm]</b>                             | Altezza [mm]                            |
| <b>for brake disc diameter [mm]</b>             | per diametro disco freno [mm]                | <b>Height 1 [mm]</b>                           | Altezza 1 [mm]                          |
| <b>for extended wheelbase</b>                   | per passo route allungato                    | <b>Height 2 [mm]</b>                           | Altezza 2 [mm]                          |
| <b>for left-hand drive vehicles</b>             | per veicolo con guida a Sx                   | <b>Internal Thread 1 [mm]</b>                  | Filettatura interna 1 [mm]              |
| <b>for right-hand drive vehicles</b>            | per veicolo con guida a Dx                   | <b>L=</b>                                      | Lunghezza [mm]                          |
| <b>for vehicles with M-sport brakes</b>         | per veicoli con freni sportivi M             | <b>L=</b>                                      | Lunghezza contatti di segnalazione [mm] |
| <b>for vehicles without 3rd seating row</b>     | per veicoli senza 3ª fila sedili             | <b>L1=</b>                                     | Lunghezza 1 [mm]                        |
| <b>for vehicles without ABC</b>                 | per veicoli senza ABC                        | <b>L2=</b>                                     | Lunghezza 2 [mm]                        |
| <b>for vehicles without ceramic brakes</b>      | per veicoli senza freni in ceramica          | <b>Machining</b>                               | Lavorazione/Trattamento                 |
| <b>for vehicles without M-sport brakes</b>      | per veicoli senza freni sportivi M           | <b>Manual Transmission</b>                     | Cambio manuale                          |
| <b>for vehicles without sports brake system</b> | per veicoli senza impianti frenante sportivo | <b>Minimum thickness [mm]</b>                  | Spessore min. [mm]                      |
| <b>for vehicles without sports package</b>      | per veicoli senza pacchetto sportivo         | <b>not for armoured vehicles</b>               | Non per veicoli corazzati               |
| <b>for vehicles without trailer hitch</b>       | per veicoli senza gancio traino              | <b>not for sequential manual transmission</b>  | non per cambio manuale sequenziale      |
| <b>for vehicles with vacuum pump</b>            | per veicoli con pompa a depressione          | <b>not for vehicles with reinforced brakes</b> | Non per veicoli con freno rinforzato    |
| <b>HC</b>                                       | ad alto tenore di carbonio                   | <b>Number of Holes</b>                         | N° fori                                 |
| <b>HC L</b>                                     | legato /ad alto tenore di carbonio           | <b>Orga →</b>                                  | per numero organizzazione da            |
|   |  | <b>outer</b>                                   | Esterno                                 |
|   |  | <b>Payload to [kg]</b>                         | Portata utile fino a [kg]               |
|   |  | <b>- Performance Parts</b>                     | per veicoli senza freno Performance     |
|   |  | <b>Piston Diameter [mm]</b>                    | Diametro pistone [mm]                   |
|   |  | <b>Produkttyp vorhanden</b>                    | Produkttyp vorhanden                    |
|   |  | <b>Reached Quality Gates</b>                   | Erfüllte Qualitätsstufen                |

# Technical translations

Technische Übersetzungen - Traducciones tecnicas - Traductions techniques - Traduzioni tecniche

| IT                                   |   | IT            |                                  |
|--------------------------------------|---|---------------|----------------------------------|
| <b>replacement part</b>              | Ricambio di rotazione   | →             | Anno da<br>N° telaio (VIN) da    |
| <b>Rigid Axle</b>                    | Assale rigido   | →             | Anno fino a                      |
| <b>Service exchange part</b>         | Ricambio di rotazione   | → <b>Orga</b> | per numero organizzazione fino a |
| <b>Spanner Size</b>                  | Apertura chiave   |               |                                  |
| <b>Spanner size 1 [mm]</b>           | Apertura chiave 1 [mm]  |               |                                  |
| <b>Spanner size 2 [mm]</b>           | Apertura chiave 2 [mm]  |               |                                  |
| <b>Surface</b>                       | Superficie  |               |                                  |
| <b>Thickness [mm]</b>                | Spessore [mm]   |               |                                  |
| <b>Thread Size 1</b>                 | Dimensioni filettatura 1  |               |                                  |
| <b>TRW</b>                           | Sistema frenante, Lucas / TRW   |               |                                  |
| <b>two-part brake disc</b>           | disco del freno a due pezzi   |               |                                  |
| <b>Unreached Quality Gates</b>       | Nicht erfüllte Qualitätsstufen  |               |                                  |
| <b>usage number</b>                  | Codice d'uso  |               |                                  |
| <b>- WE</b>                          | Non predisposto per contatto segnalazione usura   |               |                                  |
| <b>Width [mm]</b>                    | Larghezza [mm]  |               |                                  |
| <b>with brake caliper screws</b>     | con bulloni pinza freno   |               |                                  |
| <b>without brake fluid reservoir</b> | senza serbatoio liquido freni   |               |                                  |
| <b>without cable</b>                 | senza cavo  |               |                                  |
| <b>with pipe</b>                     | con tubazione   |               |                                  |
| <b>- WK</b>                          | senza contatto segnalazione usura   |               |                                  |
| <b>x</b>                             | N° visualizzazioni usura [per asse]<br>N° raccordi  |               |                                  |
| <b>Yes</b>                           | Sì  |               |                                  |
| <b>Ø</b>                             | Diametro [mm]<br>Diametro interno [mm]<br>Diametro esterno [mm]<br>Diametro tamburo del freno interno[mm] |               |                                  |
| <b>Ø1</b>                            | Diametro 1 [mm]   |               |                                  |
| <b>Ø2</b>                            | Diametro 2 [mm]   |               |                                  |





ATE – A Trademark of the  
Continental Corporation

**Continental Aftermarket &  
Services GmbH**

Sodener Straße 9  
D-65824 Schwalbach  
Tel. +49 (0) 6196 87 0  
Fax +49 (0) 6196 865 71

[www.ate.de](http://www.ate.de)

**Continental Automotive Trading  
Italia S.r.l.**

Via Matteotti, 62  
I-20092 Cinisello Balsamo (MI)  
Tel. +39 02 35680 1  
Fax +39 02 35680 325  
E-Mail: [supporto@continental-corporation.com](mailto:supporto@continental-corporation.com)

[www.ate-freni.it](http://www.ate-freni.it)

**Continental Automotive Trading  
France**

6 rue Jean Moulin  
F-78120 Rambouillet  
Tél. +33 (0)9 69 37 37 37

[www.ate-freinage.fr](http://www.ate-freinage.fr)

**Continental Automotive Spain, S.A.**

C/ Sepúlveda, 11  
E-28108 Alcobendas (Madrid) Phone  
+34 (0) 657 21 21  
Fax +34 (0)91 657 21 49

[www.frenos-ate.es](http://www.frenos-ate.es)