



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

## 1 Identification

### Product identifier

**Trade name:** Original ATE Brake Fluid SL (DOT 4)

### Other means of identification

**Article number:** 03.9901-58xx.x / 7058xx

### Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

**Application of the substance / the mixture** hydraulic liquid

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

AUMOVIO Aftermarket GmbH

Guerickestr. 7

60488 Frankfurt a. M.

Germany

Tel: +49-69-76031

Importer:

Name:

Address:

Phone:

e-Mail:

#### Information department:

Hazardous Substances Management Aftermarket, Central Materials Laboratory

ate.sicherheit@aumovio.com

#### Emergency telephone number:

INFOTRAC

+1-352-323-3500 (International)

+1-800-535-5053 (North America)

## 2 Hazard(s) identification

### Classification of the substance or mixture

Reproductive toxicity 2 Suspected of damaging fertility or the unborn child.

### Label elements

#### GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

#### Hazard pictograms



**Signal word** Warning

#### Hazard-determining components of labeling:

Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

#### Hazard statements

H361 Suspected of damaging fertility or the unborn child.

#### Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

(Contd. on page 2)

US



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 1)

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

**Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

## 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:** Mixture of the substances listed below with nonhazardous additions.**Dangerous components:**

30989-05-0	Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate	≥30-<50%
	Reproductive toxicity 2	
	Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol	≥10-<15%
	Eye damage 1	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 %	
143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	≥5-<10%
	Eye damage 1	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 30 % Eye Irrit. 2; H319: 20 % ≤ C < 30 %	
111-46-6	2,2'-oxybisethanol	≥5-<10%
	Acute toxicity - oral 4	
1559-34-8	3,6,9,12-Tetraoxahexadecan-1-ol	≥2-<5%
	Eye irritation 2A	
110-97-4	1,1'-Iminodipropan-2-ol	≥1-<2%
	Eye irritation 2A	

**Additional information:**

CAS 143-22-6 and 1559-34-8 are part of the Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol, for which the SCL applies.

For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

**Description of first aid measures****General information:**

Take affected persons out of danger area and lay down.

Do not leave affected persons unattended.

Take off immediately all contaminated clothing.

**After inhalation:**

If inhaled: Remove person to fresh air and keep comfortable for breathing.

Seek medical treatment.

(Contd. on page 3)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

**Trade name: Original ATE Brake Fluid SL (DOT 4)**

(Contd. of page 2)

**After skin contact:**

If skin irritation occurs: Get medical advice/attention.  
Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.  
Protect unharmed eye.

**After swallowing:**

Do NOT induce vomiting.  
Rinse mouth thoroughly with water.  
Call a doctor immediately.

**Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

**Extinguishing media**
**Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire fighting measures that suit the environment.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Nitrogen oxides (NO<sub>x</sub>)

Boron oxides

During heating or in case of fire poisonous gases are produced.

**Advice for firefighters**
**Protective equipment:**

Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.

**Additional information**

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

**Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Do not allow to penetrate the ground/soil.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the collected material according to regulations.

**Protective Action Criteria for Chemicals**
**PAC-1:**

112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol

34 mg/m<sup>3</sup>

(Contd. on page 4)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 3)

111-46-6	2,2'-oxybisethanol	6.9 ppm
112-27-6	2,2'-(ethylenedioxy)diethanol	130 mg/m <sup>3</sup>
112-34-5	2-(2-butoxyethoxy)ethanol	200 mg/m <sup>3</sup>
111-77-3	2-(2-methoxyethoxy)ethanol	3.4 ppm

**PAC-2:**

112-35-6	2-(2-(2-methoxyethoxy)ethoxy)ethanol	370 mg/m <sup>3</sup>
111-46-6	2,2'-oxybisethanol	140 ppm
112-27-6	2,2'-(ethylenedioxy)diethanol	1,400 mg/m <sup>3</sup>
112-34-5	2-(2-butoxyethoxy)ethanol	220 mg/m <sup>3</sup>
111-77-3	2-(2-methoxyethoxy)ethanol	180 mg/m <sup>3</sup>

**PAC-3:**

112-35-6	2-(2-(2-methoxyethoxy)ethoxy)ethanol	2,200 mg/m <sup>3</sup>
111-46-6	2,2'-oxybisethanol	860 ppm
112-27-6	2,2'-(ethylenedioxy)diethanol	4,400 mg/m <sup>3</sup>
112-34-5	2-(2-butoxyethoxy)ethanol	1300 mg/m <sup>3</sup>
111-77-3	2-(2-methoxyethoxy)ethanol	1100 mg/m <sup>3</sup>

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

**Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.**Information about protection against explosions and fires:**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Temperature class: T3

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Storage at room temperature.**Information about storage in one common storage facility:**

Store away from foodstuffs.

Store away from flammable substances.

**Further information about storage conditions:**

This product is hygroscopic.

Store in dry conditions.

Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

**Control parameters****Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

(Contd. on page 5)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 4)

**111-46-6 2,2'-oxybisethanol**WEEL Long-term value: 10 mg/m<sup>3</sup>**112-27-6 2,2'-(ethylenedioxy)diethanol**TLV Long-term value: 10 mg/m<sup>3</sup>  
Inhalable fraction and vapour**Additional information:**

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Exposure controls**

**Appropriate engineering controls** No further data; see section 7.

**Personal protective equipment:****General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

Use skin protection cream for skin protection.

**Breathing equipment:**

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

filter ABEK-P2

**Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**Penetration time of glove material**

Butyl caoutchouc (butyl rubber): minimum breakthrough time 480 min; minimum layer thickness: 0.7 mm

NBR (nitrile rubber): minimum breakthrough time 30 min; minimum layer thickness: 0.4 mm

**Eye protection:** Safety glasses

**Body protection:** Protective work clothing

**Limitation and supervision of exposure into the environment**

See section 6 and 7. No additional measures necessary.

## 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Physical state**

Liquid

**Color:**

Yellow

**Odor:**

Characteristic

**Odor threshold:**

Not determined.

**Melting point/Melting range:**

&lt;-70 °C (&lt;-94 °F) (DIN 51583)

(Contd. on page 6)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 5)

<b>Boiling point/Boiling range:</b>	>260 °C (>500 °F) (FMVSS 116)
<b>Flammability:</b>	Not applicable.
<b>Explosion limits:</b>	
<b>Lower:</b>	1.5 Vol %
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	139 °C (282.2 °F) (ASTM D 7094 (closed cup))
<b>Auto igniting:</b>	>200 °C (>392 °F) (DIN 51794)
<b>Decomposition temperature:</b>	ca. 360 °C (ca. 680 °F) (DSC)
<b>pH-value at 20 °C (68 °F):</b>	8.5 (50%) (FMVSS 116)
<b>Viscosity:</b>	
<b>Kinematic at 20 °C (68 °F):</b>	15-17 mm <sup>2</sup> /s (FMVSS 116)
<b>Dynamic:</b>	Not determined.
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Vapor pressure at 20 °C (68 °F):</b>	<1 hPa (<0.8 mm Hg)
<b>Vapor pressure:</b>	
<b>Density at 20 °C (68 °F):</b>	1.06 g/cm <sup>3</sup> (8.846 lbs/gal) (DIN 51757)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Particle characteristics</b>	Not applicable.

<b>Other information</b>	No further relevant information available.
<b>Appearance:</b>	
<b>Form:</b>	Fluid
<b>Important information on protection of health and environment, and on safety.</b>	
<b>Ignition temperature:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Solvent content:</b>	
<b>VOC content:</b>	13.70 %
<b>Change in condition</b>	
<b>Evaporation rate</b>	Not determined.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.

### Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

#### Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NO<sub>x</sub>)

Boron oxides

Hydrocarbons

US

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 6)

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

#### 30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

Oral LD50 &gt;2,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;2,000 mg/kg (rat) (OECD 402)

#### Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;3,000 mg/kg (rabbit)

#### 143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;2,000 mg/kg (rabbit)

#### 111-46-6 2,2'-oxybisethanol

Oral LD50 &gt;5,000 mg/kg (rat)

Dermal LD50 &gt;5,000 mg/kg (rabbit)

#### 1559-34-8 3,6,9,12-Tetraoxahexadecan-1-ol

Oral LD50 &gt;2,000 mg/kg (rat) (OECD 401)

#### 110-97-4 1,1'-Iminodipropan-2-ol

Oral LD50 &gt;2,000 mg/kg (rat) (OECD 401)

Dermal LD50 &gt;5,000 mg/kg (rabbit)

#### Primary irritant effect:

**on the skin:** Based on available data, the classification criteria are not met.

**on the eye:** Based on available data, the classification criteria are not met.

**Sensitization:** Based on available data, the classification criteria are not met.

**Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**Carcinogenicity** Based on available data, the classification criteria are not met.

**Toxic to reproduction** Suspected of damaging fertility or the unborn child.

#### Specific target organ toxicity - single exposure

Based on available data, the classification criteria are not met.

#### Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

**Aspiration hazard** Based on available data, the classification criteria are not met.

#### Additional toxicological information:

**Interactive effects** No interactive effects between components are known.

#### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

#### NTP (National Toxicology Program)

None of the ingredients are listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

#### Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

US

(Contd. on page 8)





# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 7)

## 12 Ecological information

### Toxicity

#### Aquatic toxicity:

EC50	6.25 mg/l (bacteria)
	250-350 mg/l (fish) (DIN 38412 96 h)

#### 30989-05-0 Tris[2-[2-(2-methoxyethoxy)ethoxy]ethyl] orthoborate

EC50	>100 mg/l (algae) (72 h)
	>100 mg/l (daphnia) (48 h)
LC50	>100 mg/L (fish) (96 h)

#### Reaction mass of 2-(2-(2-butoxyethoxy)ethoxy)ethanol and 3,6,9,12-tetraoxahexadecan-1-ol

EC50	>100 mg/l (algae)
LC50	>100 mg/L (daphnia)
	>100 mg/L (fish) (DIN 38412 96 h)

#### 143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

EC50	>100 mg/l (algae)
LC50	>100 mg/L (daphnia)
	>100 mg/L (fish)

#### 111-46-6 2,2'-oxybisethanol

EC50	>100 mg/l (algae)
	>100 mg/l (daphnia) (DIN 38412 T.11)
LC50	>100 mg/L (fish) (96 h)

#### 1559-34-8 3,6,9,12-Tetraoxahexadecan-1-ol

EC50	>100 mg/l (algae) (OECD 201 72 h)
	>100 mg/l (daphnia) (OECD 202 48 h)

#### 110-97-4 1,1'-Iminodipropan-2-ol

EC50 (static)	>100 mg/l (algae) (72 h)
	>100 mg/l (daphnia) (92/69/EWG 48 h)
LC50 (static)	>100 mg/L (fish) (OECD 203 96 h)

**Persistence and degradability** No further relevant information available.

**Other information:** The product is easily biodegradable.

**Bioaccumulative potential** No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

#### Other adverse effects

#### Additional ecological information:

#### General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow product to reach ground water, water course or sewage system.

US

(Contd. on page 9)





# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 8)

## 13 Disposal considerations

### Waste treatment methods

Disposal should be based on the relevant state and local laws and regulations, the disposal process should avoid pollution of the environment.

### Recommendation:

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

### Uncleaned packagings:

### Recommendation:

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

## 14 Transport information

### UN-Number

DOT, ADR, IMDG, IATA

Void

### UN proper shipping name

DOT, ADR, IMDG, IATA

Void

### Transport hazard class(es)

DOT, ADR, ADN, IMDG, IATA  
Class

Void

### Packing group

DOT, ADR, IMDG, IATA

Void

### Environmental hazards:

Not applicable.

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

### Special precautions for user

Not applicable.

### UN "Model Regulation":

Void

## 15 Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

### Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### Section 313 (Specific toxic chemical listings):

112-35-6 2-(2-(2-methoxyethoxy)ethoxy)ethanol

143-22-6 2-[2-(2-butoxyethoxy)ethoxy]ethanol

112-34-5 2-(2-butoxyethoxy)ethanol

111-77-3 2-(2-methoxyethoxy)ethanol

**TSCA (Toxic Substances Control Act):** All ingredients comply with TSCA requirements.

### Hazardous Air Pollutants

None of the ingredients are listed.

(Contd. on page 10)

US



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

Trade name: Original ATE Brake Fluid SL (DOT 4)

(Contd. of page 9)

**California Proposition 65****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

**New Jersey Right-to-Know List:**

None of the ingredients are listed.

**Pennsylvania Right-to-Know List:**

111-46-6 2,2'-oxybisethanol

112-27-6 2,2'-(ethylenedioxy)diethanol

110-97-4 1,1'-Iminodipropyl-2-ol

111-77-3 2-(2-methoxyethoxy)ethanol

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value)**

None of the ingredients are listed.

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**National regulations:****Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. It is the sole responsibility of the importer or distributor to identify and comply with all legal requirements necessary for the lawful placing of chemical products on the market in the respective target countries.

**Recommended restriction of use** For industrial or professional purposes only.**Department issuing SDS:**

Hazardous Substances Management Aftermarket  
ate.sicherheit@aumovio.com

**Date of previous version** 04/01/2023**Version number of previous version:** 11.0**Date of preparation** 11/24/2025**Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
DOT: US Department of Transportation  
IATA: International Air Transport Association

(Contd. on page 11)

US



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 11/24/2025

Version 12.0

Reviewed on 11/01/2025

**Trade name: Original ATE Brake Fluid SL (DOT 4)***(Contd. of page 10)*

EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Acute toxicity - oral 4: Acute toxicity – Category 4  
Eye damage 1: Serious eye damage/eye irritation – Category 1  
Eye irritation 2A: Serious eye damage/eye irritation – Category 2A  
Reproductive toxicity 2: Reproductive toxicity – Category 2

**\* Data compared to the previous version altered.**

US